Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

SPECIFICATION PROPOSAL

	Description	Weight Front	Weight Rear	Retail Price
Price Level				
	M2 PRL-24M (EFF:01/19/21)			STD
Data Version				
	SPECPRO21 DATA RELEASE VER 014			N/C
Vehicle Configuration	n			
	M2 112 CONVENTIONAL CHASSIS	8,244	6,126	\$155,070.00
	2022 MODEL YEAR SPECIFIED			STD
	SET BACK AXLE - TRUCK			STD
	STRAIGHT TRUCK PROVISION			STD
	LH PRIMARY STEERING LOCATION			STD
General Service				
	TRUCK CONFIGURATION			STD
	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
	PICKUP AND DELIVERY/SHORT HAUL SERVICE			N/C
	GOVERNMENT BUSINESS SEGMENT			N/C
	MOIST BULK COMMODITY			N/C
	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
	MAXIMUM 8% EXPECTED GRADE			STD
	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
	FREIGHTLINER LEVEL II WARRANTY			N/C
	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
	EXPECTED REAR DRIVE AXLE(S) LOAD: 40000.0 lbs			
	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			



	Description	Weight Front	Weight Rear	Retail Price
Truck Service				
	FLATBED/PLATFORM/STAKE BODY AMICK EQUIPMENT EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			N/C N/C
Engine				
	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	640	30	(\$11,617.00)
Electronic Paramete	ers			
	75 MPH ROAD SPEED LIMIT			N/C
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
	PTO MODE ENGINE RPM LIMIT - 1100 RPM			N/C
	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED			N/C
	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
	PTO MINIMUM RPM - 700			N/C
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipment				
	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION			N/C
	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			\$109.00
	STANDARD OIL PAN			STD
	ENGINE MOUNTED OIL CHECK AND FILL			STD
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			STD
	BATTERY BOX FRAME MOUNTED			STD



Description	Weight Front	Weight Rear	Retail Price
STANDARD BATTERY JUMPERS			STD
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB			STD
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
NON-POLISHED BATTERY BOX COVER			STD
EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			N/C
TORQUE LIMITING CLUTCH BRAKE			N/C
ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			N/C
HYDRAULIC CLUTCH CONTROL			N/C
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			STD
AIR COMPRESSOR DISCHARGE LINE			STD
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		N/C
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			STD
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
STANDARD EXHAUST SYSTEM LENGTH			STD
RH STANDARD HORIZONTAL TAILPIPE			STD
6 GALLON DIESEL EXHAUST FLUID TANK			STD
100 PERCENT DIESEL EXHAUST FLUID FILL			STD
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			N/C
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
CUMMINS SPIN ON FUEL FILTER			N/C
COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

	Description	Weight Front	Weight Rear	Retail Price
	1300 SQUARE INCH ALUMINUM RADIATOR	-20		N/C
	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
	ALUMINUM FLYWHEEL HOUSING			STD
	ELECTRIC GRID AIR INTAKE WARMER			N/C
	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-10		N/C
Transmission				_
	EATON FULLER RT-8709B TRANSMISSION	-10		(\$9,116.00)
Transmission Equ	uipment			
	CAST IRON CLUTCH HOUSING	40	10	(\$18.00)
	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN			N/C
	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
	SYNTHETIC TRANSMISSION LUBE			N/C
Front Axle and Ed	quipment			
	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
	MERITOR 15X4 Q+ CAM FRONT BRAKES			STD
	NON-ASBESTOS FRONT BRAKE LINING			STD
	CAST IRON OUTBOARD FRONT BRAKE DRUMS			STD
	FRONT OIL SEALS			STD
	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			STD
	TRW THP-60 POWER STEERING			STD
	POWER STEERING PUMP			STD
	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
	MINERAL SAE 80/90 FRONT AXLE LUBE			STD
Front Suspension	1			
	12,000# MONO TAPERLEAF FRONT			STD



SUSPENSION

	Description	Weight Front	Weight Rear	Retail Price
	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equip	oment			
	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE			STD
	4.30 REAR AXLE RATIO			N/C
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-30	-30	(\$9.00)
	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES			STD
	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			STD
	MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			STD
	NON-ASBESTOS REAR BRAKE LINING			STD
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			STD
	CAST IRON OUTBOARD REAR BRAKE DRUMS			STD
	REAR OIL SEALS			STD
	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			STD
	MERITOR 5.5 INCH UNHANDED AUTOMATIC REAR SLACK ADJUSTERS			N/C
	FE 75W-85 REAR AXLE LUBE			STD
Rear Suspension				
	AIRLINER 40,000# REAR SUSPENSION			STD
	AIRLINER HIGH POSITION RIDE HEIGHT			STD
	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			STD
	51 INCH AXLE SPACING			STD
	SINGLE AIR REAR SUSPENSION LEVELING VALVE			STD
	TRANSVERSE CONTROL RODS			STD
	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)			STD



	Description	Weight Front	Weight Rear	Retail Price
Brake System				
	AIR BRAKE PACKAGE			STD
	WABCO 4S/4M ABS			STD
	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
	FIBER BRAID PARKING BRAKE HOSE			STD
	STANDARD BRAKE SYSTEM VALVES			STD
	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
	STD U.S. FRONT BRAKE VALVE			STD
	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	20		N/C
	AIR DRYER FRAME MOUNTED			STD
	STEEL AIR BRAKE RESERVOIRS			STD
	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			STD
Trailer Connections				
	UPGRADED CHASSIS MULTIPLEXING UNIT			STD
	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Wheelbase & Frame				
	4725MM (186 INCH) WHEELBASE			STD
	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI			\$417.00
	1925MM (76 INCH) REAR FRAME OVERHANG			N/C
	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-20	90	N/C
	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 120.47 in			
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 117.47 in			
	CALC'D FRAME LENGTH - OVERALL: 291.94			
	CALCULATED FRAME SPACE LH SIDE: 42.82 in			N/C
	CALCULATED FRAME SPACE RH SIDE: 82.68 in			N/C
	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in			
	SQUARE END OF FRAME			STD
	FRONT CLOSING CROSSMEMBER			STD
	STANDARD WEIGHT ENGINE CROSSMEMBER			STD



	Description	Weight Front	Weight Rear	Retail Price
	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	STANDARD REARMOST CROSSMEMBER			STD
	STANDARD SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS			STD
	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
Fuel Tanks				
	60 GALLON/227 LITER ALUMINUM FUEL TANK - LH			STD
	25 INCH DIAMETER FUEL TANK(S)			STD
	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
	FUEL TANK(S) FORWARD			STD
	PLAIN STEP FINISH			STD
	FUEL TANK CAP(S)			STD
	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		N/C
	EQUIFLO INBOARD FUEL SYSTEM			STD
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$426.00)
	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES		120	(\$1,704.00)
Hubs				
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD
Wheels				



		Weight	Weight	
	Description	Front	Rear	Retail Price
	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS			STD
	MAXION WHEELS 90541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC REAR WHEELS			STD
	FRONT WHEEL MOUNTING NUTS			STD
	REAR WHEEL MOUNTING NUTS			STD
Cab Exterior				
	112 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
	AIR CAB MOUNTING			STD
	LH AND RH GRAB HANDLES			STD
	MOLD-IN COLOR GRILLE			STD
	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			STD
	FIBERGLASS HOOD			STD
	SINGLE ELECTRIC HORN			STD
	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
	KEY QUANTITY OF 2			STD
	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
	(5) AMBER MARKER LIGHTS			STD
	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
	STANDARD FRONT TURN SIGNAL LAMPS			STD
	DUAL WEST COAST MOLDED-IN COLOR MIRRORS			STD
	DOOR MOUNTED MIRRORS			STD
	102 INCH EQUIPMENT WIDTH			STD
	STANDARD SIDE/REAR REFLECTORS			STD
	63X14 INCH TINTED REAR WINDOW			STD
	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS			STD
	MANUAL DOOR WINDOW REGULATORS			STD
	1-PIECE SOLAR GREEN GLASS WINDSHELD			STD
	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
Cab Interior				
	OPAL GRAY VINYL INTERIOR			N/C
	MOLDED PLASTIC DOOR PANEL			STD



Prepared for: KAYLYN MITMAN NC SHERIFFS ASSOCIATION PO BOX 20049 RALEIGH, NC 27619

Phone: 919-459-6471

Description	Weight Front	Weight Rear	Retail Price
MOLDED PLASTIC DOOR PANE			STD
BLACK MATS WITH SINGLE INS			STD
DASH MOUNTED ASH TRAYS A	ND LIGHTER		STD
FORWARD ROOF MOUNTED CO UPPER STORAGE COMPARTME NETTING			STD
IN DASH STORAGE BIN			N/C
(2) CUP HOLDERS LH AND RH D	ASH		STD
GRAY/CHARCOAL FLAT DASH			(\$320.00)
HEATER, DEFROSTER AND AIR	CONDITIONER		STD
STANDARD HVAC DUCTING			STD
MAIN HVAC CONTROLS WITH R SWITCH	ECIRCULATION		STD
STANDARD HEATER PLUMBING			STD
VALEO HEAVY DUTY A/C REFRI COMPRESSOR	GERANT		STD
BINARY CONTROL, R-134A			STD
STANDARD INSULATION			STD
SOLID-STATE CIRCUIT PROTEC FUSES	TION AND		STD
12V NEGATIVE GROUND ELECT	RICAL SYSTEM		STD
DOME LIGHT WITH 3-WAY SWIT BY LH AND RH DOORS	CH ACTIVATED		STD
CAB DOOR LATCHES WITH MAN LOCKS	IUAL DOOR		STD
BASIC HIGH BACK NON SUSPEI SEAT WITH FORE AND AFT ADJ			STD
NO FRONT PASSENGER SEAT	-30		(\$216.00)
LH AND RH INTEGRAL DOOR PA	NEL ARMRESTS		STD
VINYL WITH VINYL INSERT DRIV	'ER SEAT		STD
BLACK SEAT BELTS			STD
FIXED STEERING COLUMN			STD
4-SPOKE 18 INCH (450MM) STEI	RING WHEEL		STD
DRIVER AND PASSENGER INTE VISORS	RIOR SUN		STD
Instruments & Controls			
GRAY DRIVER INSTRUMENT PA	NEL		STD
GRAY CENTER INSTRUMENT PA	NEL		STD
BLACK GAUGE BEZELS			STD
LOW AIR PRESSURE INDICATO AUDIBLE ALARM	R LIGHT AND		STD



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

Description	Weight Front	Weight Rear	Retail Price
2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			STD
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)			STD
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
2 INCH ELECTRIC FUEL GAUGE			STD
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE			N/C
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
STANDARD VEHICLE SPEED SENSOR			STD
ELECTRONIC 3000 RPM TACHOMETER			STD
IDLE LIMITER, ELECTRONIC ENGINE			N/C
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD

PAINT: ONE SOLID COLOR



Design

STD

Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

	Description	Weight Front	Weight Rear	Retail Price
Color				
	CAB COLOR A: L0006EY WHITE ELITE EY			STD
	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD
	STANDARD E COAT/UNDERCOATING			STD
Certification / Comp	liance			
	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Raw Performance D	ata			
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 117.47 in			
	CALC'D SPACE AVAILABLE FOR DECKPLATE : 114.45 in			

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$132,170.00

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8866 lbs	6346 lbs	15212 lbs
Total Weight ⁺	8866 lbs	6346 lbs	15212 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE



Prepared by:
Maury Rice
CAROLINA FREIGHTLINER OF
RALEIGH, LLC
3500 YONKERS ROAD
RALEIGH, NC 27604
Phone:

Other Factory Charges

GHG21 ENHANCEMENT PRICE \$510.00
CUMMINS TARIFF CHARGE - \$205
STANDARD DESTINATION CHARGE \$2,200.00

- (+) Weights shown are estimates only.
 - If weight is critical, contact Customer Application Engineering.
- (**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.
- (***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

CONTACT DEALER FOR ADDITIONAL OPTIONS AND PRICING @ 919-219-5163

