

<b>DUMPER CARTS</b>		
<b>MODELS</b>	<b>CAPACITY</b>	<b>2021</b>
Steel dumper cart - 2 CY	6" casters standard - 2 swivel & 2 rigid - 2,000 lbs. capacity including weight of container	2,188
Steel dumper cart - 3 CY	6" casters standard - 2 swivel & 2 rigid - 2,000 lbs. capacity including weight of container	2,525
Steel dumper cart - 4 CY	6" casters standard - 2 swivel & 2 rigid - 2,000 lbs. capacity including weight of container	2,860
Trailer cart - 2 CY	Single Axle - 13" tires standard - Tow bar with hitch ball - 40-3/4" to top of pocket - 3,500	6,116
Trailer cart - 4 CY	Single Axle - 13" tires standard - Tow bar with hitch ball - 40-3/4" to top of pocket - 3,500	7,154

<b>CART DUMPER - ELECTRICAL &amp; HYDRAULIC OPTIONS</b>	
<b>OPTION</b>	<b>2021</b>
<b>POWER PACK &amp; VOLTAGE OPTIONS</b>	
575 volt - 3 hp	\$315
575 volt - 10 hp	555
3 hp single phase, remote power pack with inverter - 208/230V	877
10 hp single phase, remote power pack with inverter - 208/230V	4,046
DEDUCT for no power pack - 3 hp	(1,228)
DEDUCT for no power pack - 10 hp	(2,046)
<b>ELECTRICAL PACKAGES &amp; OPTIONS</b>	
Integrated controls with compactor power pack & NEW cart dumper - Single power unit to operate compactor & dumper. Does not include any electrical packages or options	No power pack deduct
Integrated controls with compactor power pack & EXISTING cart dumper - Single power unit to operate compactor & dumper. Does	\$2,599
Cart dumper auto-cycle package - Completes full automatic cycle - Must add cage with interlocked access gate or light curtain	1,049
<b>CONTROL &amp; SWITCH OPTIONS</b>	
Extra key	\$20
Larger key switch with green start button	315
<b>CONTROL LOCATION OPTIONS</b>	
Controls on 13' Sealtite (in lieu of Panel Box Face)	\$344
Controls on 15' Sealtite (in lieu of Panel Box Face)	381
Controls on 20' Sealtite (in lieu of Panel Box Face)	473
Controls on 25' Sealtite (in lieu of Panel Box Face)	565
Controls on 30' Sealtite (in lieu of Panel Box Face)	657
Controls on 35' Sealtite (in lieu of Panel Box Face)	749
Controls on 40' Sealtite (in lieu of Panel Box Face)	841
Controls on 45' Sealtite (in lieu of Panel Box Face)	933
Controls on 50' Sealtite (in lieu of Panel Box Face)	1,025
<b>ELECTRICAL &amp; HYDRAULIC PLUMBING OPTIONS</b>	
Through-the-wall plumbing kit for use with remote power pack	\$549
<b>PRESSURE GAUGE OPTIONS</b>	
Pressure gauge mounted on power pack - Single needle & single color	\$301

Pressure gauge mounted by panel box - Single needle & single color	324
Pressure gauge on 15' hose - Single needle & single color	414
Pressure gauge on 20' hose - Single needle & single color	491
Max pressure gauge mounted on power pack - Dual needle & color coded	555
Max pressure gauge mounted by panel box - Dual needle & color coded	614
Max pressure gauge on 15' hose - Dual needle & color coded	690
Max pressure gauge on 20' hose - Dual needle & color coded	727
<b>HYDRAULIC FLUID OPTIONS</b>	
All temperature fluid, 5 gallons - 3 hp MPT, VIP, Mini-Mac, Standard CD	\$161
All temperature hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20 hp RJ-	579
Biodegradable fluid, 5 gallons - 3 hp MPT, VIP, Mini-Mac, Standard CD	325
Biodegradable hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20 hp RJ-	1,167
<b>OIL HEATER OPTIONS</b>	
Oil heater for 3 hp power packs	\$1,047
Oil heater for 5 hp to 30 hp power packs	1,169
<b>HOSE LENGTH OPTIONS</b>	
10' 3/8" Hose - MPT's, Mini-Mac's, Standard CD	\$128
15' 3/8" Hose - MPT's, Mini-Mac's, Standard CD	295
20' 3/8" Hose - MPT's, Mini-Mac's, Standard CD	461
25' 3/8" Hose - MPT's, Mini-Mac's, Standard CD	628
10' 1/2" Hose - SC's, TC's, RJ-225's, & Heavy duty CD	207
15' 1/2" Hose - SC's, TC's, RJ-225's, & Heavy duty CD	330

<b>CART DUMPER - STEEL OPTIONS</b>	
<b>CART DUMPER - STEEL OPTIONS</b>	<b>2021</b>
<b>UNIT OPTIONS</b>	
Modification fee for non-standard pivot height - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	\$1,279
Modification fee for non-standard fork height - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	358
Modification fee for non-standard fork width - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	460
Modification fee for non-standard tilt truck box height - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	512
Modification fee for non-standard tilt truck box width - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	614
Mounting to stationary compactor or stand - Stationary compactor mounting requires 8,000 lbs. tread plate	1,014
Fork lift or pallet style dumper forks adder - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	2,302
Side load tilt truck dumper adder - <u>MUST BE REVIEWED &amp; APPROVED BY ENGINEERING</u>	1,841
<b>MULTIPLE CART/CONTAINER OPTIONS</b>	
Adjustable retainer bars - Mounts on outside of tilt truck box & adjusts vertically for different height carts/containers	\$446
Hinged retainer bar - Mounts on inside of tilt truck box & adjusts horizontal for different width carts/containers	446
<b>STAND OPTIONS</b>	
Partial cart dumper stand - Dumper partially mounted on compactor or dock & remaining portion mounted on stand - Up to 4' long &	\$3,189

Full cart dumper stand - Dumper completely mounted on stand - Up to 8' long & 60" tall - Includes solid panel hand & toe rails	5,316
<b>ACCESS GATES, TREAD PLATES &amp; HAND &amp; TOE RAIL OPTIONS</b>	
Access gate - 84" tall (required for auto-cycle cart dumper package) - Must add appropriate interlock. Must also add side panels if	\$2,656
Side panels - (2) 84" tall for auto-cycle cart dumper package - Must add 84" tall access gate & interlock or light curtain	1,472
Access interlock for access gate	432
Light curtain for cart dumper autocycle package	4,183
<b>DUMPER CART OPTIONS</b>	
6" casters - 2 swivel & 2 swivel/locking	\$438
10" mold-on rubber casters in lieu of standard 6" casters - 2 swivel & 2 rigid	464
10" poly steel casters in lieu of standard 6" casters - 2 swivel & 2 swivel/locking	967
Fifth wheel - Pull multiple carts - Available in 10" casters only	1,403
Tow bar - Pull single cart - Available for 6" & 10" mold-on rubber tires	402
Trailer ball hitch	367
Plastic lids	496
Front load fork pocket option - Allows cart to be picked up by front load truck - Includes 2 swivel & 2 swivel/locking casters	827
Modification fee - Stretching any standard container no more than 24" in any direction	767
<b>PAINT, COATING &amp; IDENTIFICATION OPTIONS</b>	
Deduct for Prime only	-\$128
Non-standard paint color	446
Extra gallon of standard paint	159
Extra gallon of custom paint	199
Weld-on Identification - ID numbers/letters laser cut on 7 ga & welded to unit	105