

Self Contained - STEEL OPTIONS

OPTION	2021
SPECIAL HEIGHT, WIDTH & LENGTH MODIFICATIONS	
Special OAH - 89" - Only applies to 25, 30, 34, & 37 CY units (Standard on 15 & 20 CY units)	1,511
Special OAH - 84"	1,511
Special OAH - 72"	1,511
Special OAH - 55" (Use for DRC III setup)	4,071
Special OAH other than above - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	3,778
Special OAW - 84" (RJ-100SC & RJ-250SC only)	1,511
Special OAW - 72" - Use RJ-250SC Ultra pricing - Packer head will be RJ-88SC (RJ-88SC is only available in a 72" OAW)	2,298
Special OAW - 84" or 72" (RJ-88SC only)	1,444
Special OAW other than above - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	3,778
Special OAL other than standard - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	2,473
UNDERSTRUCTURE OPTIONS	
Heil packer end pickup	1,174
Heil double end pickup	2,349
Hooklift packer end pickup	1,205
Hooklift double end pickup	2,408
Adder for non standard packer end pickup Hooklift height	525
Adder for non standard double end pickup Hooklift height	1,049
Adder for Hooklift packer end pickup fold down - Required on some rear feed applications	603
Superior packer end pickup	540
Superior double end pickup	1,081
National Challenge double end pickup	681
Brantford double end pickup	681
Other west coast understructures - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	1,101
Dempster Dino packer end pick up	3,558
Dempster Dino double end pickup	4,167
1/2" x 2 wear bars welded to bottom of rail - Maintains standard 1" ground clearance	604
Heavy Duty understructure package - 12" cross member spacing, 1/4" understructure floor, 3/8" rails	2,101
12" cross member spacing in lieu of standard 20" spacing	567
1/4" understructure floor in lieu of standard 7 ga understructure floor	1,216
3/8" rails in lieu of standard 1/4" rails	1,137
6" channel rails in lieu of standard 6" x 2" x 1/4" tubing rails	787
Outrigged ground rollers - MUST BE REVIEWED & APPROVED BY ENGINEERING	850
Ground roller stiffeners	174
Modified ground roller spacing - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	1,310

10" wide ground rollers (Standard is 5-1/2" Wide)	2,622
Cushioned urethane ground rollers in lieu of standard steel ground rollers - Includes 4	926
CONTAINER & CONTAINER DOOR OPTIONS	
8" sump in lieu of standard 12" sump	1,258
Dry box option	1,131
Third hinge	498
Crash plate - 3/8" - Includes third hinge	1,414
Crash plate - 1/2" - Includes third hinge	1,574
Dual turnbuckles at bottom of container door	1,037
Additional ratchet on container door hinge side	1,362
Belly-band	2,727
Container door hinged opposite - Standard hinges on RH side	996
Full interior weld out of container, excluding roof welds	757
DRC-II single lower door seal - Specify RH or LH	787
DRC-II lower door seal on both doors	1,573
PACKER OPTIONS	
SC ² Packer Head Option	4,507
Drip trays for hydraulic quick disconnects	367
Hinged Breaker Bar Teeth	537
Packer end push plate	677
Cable guard - Mounted on packer & bustle tailgate	262
Adaptor deck - Up to 10" tall	898
Heavy duty pinning for RJ-250SC	632
Chrome alloy shoes	570
Corrosion package - Includes chrome over nickel cylinder rods, RJ-250SC only	1,648
Ram floor & side wipers	768
Tongue & groove floors for SC's	3,146
QuickClean™ Door	2,127
CONTAINER GUIDES & STOPS OPTIONS	
Container stops	208
Container Guide - 5' L	222
Container Guide - 10' L	419
Container Guide - 15' L	572
8" channel guides - 18' long - Use w/ 15, 20, & 25 CY S/C	2,265
8" channel guides - 23' long - Use w/ 30 & 34 CY S/C	2,610
Modification fee - Non standard length guides - Add to standard price of next size up	332
HOPPER OPTIONS - INCLUDES MOUNTING	

Hopperette for SC	504
Hopperette for SC with P-Seal	1,248
Rear Feed Hopper - 4 Sided	2,869
Rear Feed Hopper - 4 sided, extended to both container sides	3,244
Rear Feed Hopper - 4 sided, with plastic lids, interlocks, & 10-pin connector	4,040
Rear Feed Hopper - 3 sided, extended to rear with lip - Specify 6", 12", 18", or 24" lip - RJ-88SC & RJ-250SC	2,638
Rear Feed Hopper - 3 sided, with access gate, interlock, & 10-pin connector	3,797
Rear Feed Hopper - 3 sided, for Bayne tipper - RJ250SC Only	3,162
Side Feed Hopper - 3 sided, Specify RH or LH feed, Hold to Run REQUIRED	1,913
ADD for Hold to Run	170
Side Feed Hopper - 3 sided, extended to container side - 12" lip on 48" packer height / 16" lip on 44" packer height - Specify	2,123
Side Feed Hopper - 3 sided, for Bayne tipper - Specify RH or LH feed	2,647
Access door with interlock & 10-pin connector	1,355
Modification fee - Stretching any standard hopper no more than 24" in any direction	716
DOGHOUSE OPTIONS - INCLUDES MOUNTING	
Rear Feed Doghouse - Single door with 10-pin connector & interlock	3,662
Rear Feed Doghouse - Barn doors (2 doors vertical) with 10-pin connector & interlocks	4,477
Rear Feed Doghouse - Cellar doors (2 doors leaned back toward container) with 10-pin connector & interlocks	4,477
Rear Feed Doghouse - Counterbalance lid with 10-pin connector & interlock	4,781
Rear Feed Doghouse - Hydraulic lid, 2-way power to operate compactor & lid, counterbalance valve, 10-pin connector, &	10,952
Rear Feed Doghouse - Hydraulic lid, 3-way power to operate compactor, lid & cart dumper. Includes counterbalance valve,	13,973
Side Feed Doghouse - Single door with 10-pin connector & interlock - Specify RH or LH door feed	3,116
Side Feed Doghouse - Double door (LH & RH doors) with 10-pin connector & interlocks	4,035
Side Feed Doghouse - Single door for Bayne Tipper, with 10-pin connector & interlocks - Specify RH or LH door feed	3,641
Side Feed Doghouse - Sliding single door with 10-pin connector & interlock - Specify RH or LH door feed	4,420
Side Feed Doghouse - Sliding double doors (LH & RH doors) with 10-pin connector & interlocks	5,795
Side Feed Doghouse - Mailbox extended to side with 10-pin connector, interlock, manual latch & door counter start package	6,530
Side Feed Doghouse - Breadbox with 10-pin connector, interlock, manual latch, & door counter start package - Specify RH	6,163
Side Feed Doghouse - Tenant door 24x24 extended to side with 10-pin connector, interlock, manual latch, & door counter	6,320
Side Feed Doghouse - Telescoping security chute - Specify RH or LH feed	6,820
Free standing totally enclosed doghouse with hopperette, legs & rain guards - ADD transitions & security door if required	3,455
Totally enclosed doghouse welded to compactor - ADD transitions & security door if required	2,980
Custom Cutout in totally enclosed doghouses	787
Non-Standard Latch Location	481
Hasp Lock	254
Door hinged opposite - Standard side feed doors hinge away from container body, Standard rear feed hinge on LH side of	481
Modification Fee - Stretching of any standard doghouse no more than 24" in any direction	921

SECURITY CHUTE OPTIONS	
Security Door - 30x30 with inside & outside opening angle frames, manual latch, & interlock	1,532
Security Door - 40x40 with inside & outside opening angle frames, manual latch, & interlock	1,649
Security Door - 42x42 with inside & outside opening angle frames, manual latch, & interlock	1,715
Security Door - 48x48 with inside & outside opening angle frames, manual latch, & interlock	1,796
Modification Fee - Non standard security door size - Add to standard price of next size up	512
Transitions - 30x30 8'L - (2) bent legs & (2) square cut	628
Transitions - 30x30 10'L - (2) bent legs & (2) square cut	750
Transitions - 40x40 8'L - (2) bent legs & (2) square cut	750
Transitions - 40x40 10'L - (2) bent legs & (2) square cut	872
Transitions - 42x42 8'L - (2) bent legs & (2) square cut	797
Transitions - 42x42 10'L - (2) bent legs & (2) square cut	931
Transitions - 48x48 8'L - (2) bent legs & (2) square cut	872
Transitions - 48x48 10'L - (2) bent legs & (2) square cut	1,013
Modification Fee - Non standard transitions - Add to standard price of next size up	512
ACCESS GATES / TREAD PLATES / HAND & TOE RAIL OPTIONS	
Access Gate - 42" Tall x 48" Wide - ADD appropriate access interlock	762
Access Gate - 42" Tall x 60" Wide - ADD appropriate access interlock	926
Access Gate - 42" Tall x 72" Wide - ADD appropriate access interlock	1,090
Access Interlock for 24V Gate (If access gate is mounted to S/C Compactor)	534
Access Interlock for Gate	432
Tread Plate, Top - 700 lbs. Capacity, Packer Width	562
Hand & Toe Rails - Includes mounting	959
Solid Panel Hand & Toe Rails - Includes mounting	1,482
ENCLOSURE OPTIONS	
Free Standing Enclosure with No Walk-On Surface - 90" inside enclosure width - Overall enclosure opening height 96" -	10,685
Free Standing Enclosure with Walk-On Surface - Walk on surface up to 8' long and up to 60" high - 90" inside enclosure	18,196
Free Standing Enclosure for Mounted Cart Dumper - Walk on surface up to 8' long and up to 60" high - 90" inside enclosure	20,817
Modification Fee - Non standard width enclosures, up to 96" OAW (standard is 72") - <u>MUST BE REVIEWED & APPROVED</u>	2,251
Modification Fee - Non standard height enclosures or up to 14' OAH - <u>MUST BE REVIEWED & APPROVED BY</u>	2,251
Access Gate - 84" tall & 46" wide, assembled (not mounted) with ship loose access interlock	2,656
Exhaust Fan	598
Bug Light	1,135
Plexiglass Window - 18" x 18"	393
Plastic Curtains	1,966
DOCK TRANSITION PLATES OPTIONS	

Hinged Dock Transition Plates, 6" - Mounted	367
Hinged Dock Transition Plates, 12" - Mounted - <u>REQUIRES SIGNED DRAWING STATING CUSTOMER MAY BE</u>	545
Hinged Dock Transition Plates, 18" - Mounted - <u>REQUIRES SIGNED DRAWING STATING CUSTOMER MAY BE</u>	600
Hinged Dock Transition Plates, 24" - Mounted - <u>REQUIRES SIGNED DRAWING STATING CUSTOMER MAY BE</u>	711
OPTIONS FOR MANAGING EXCESSIVE LIQUIDS	
STREAMLINE Package - Includes (4) drain housings & (1) ball valve	6,452
STREAMLINE Package for SC ² - Includes () drain housings on container & (1) ball valve	4,839
STREAMLINE - Extra ball valve	526
STREAMLINE - Hose with disconnects, 5'	437
STREAMLINE - Hose with disconnects, 10'	599
STREAMLINE - Hose with disconnects, 15'	713
STREAMLINE Pump (hose not included)	8,701
Packer end drain port & valve for non-Streamline units	1,289
Container end drain port & valve for non-Streamline units	1,289
STAND & WINCH OPTIONS	
Stand to elevate SC - Stand up to 60" OAH from ground to top of stand	13,351
DRC-III Stand	18,265
Winch Package - Includes 30' cable & 2-way power unit to operate packer & winch	7,196
Walk-on Stand - Packer width up to 4' L & 60" H - Includes hand & toe rails	2,665
Walk-on Stand - Packer width up to 8' L & 60" H - Includes hand & toe rails	4,791
Drive-on Stand - Packer width up to 4' L & 60" H - Includes hand & toe rails	3,722
Drive-on Stand - Packer width up to 8' L & 60" H - Includes hand & toe rails	6,754
PAINT, COATING, & IDENTIFICATION OPTIONS	
Deduct for Prime only	(128)
Non-standard paint color	446
Extra gallon of standard paint	159
Extra gallon of custom paint	199
Rhino Liner - 1/2 Container	2,071
Rhino Liner - Full Container (minus roof)	2,848
2" Reflective Striping - Located on each side & end	263
Weld-on Identification - ID numbers/letters laser cut on 7 ga & welded to unit	105

Self-Contained - OPTIONS

OPTION	2021
POWER PACK OPTIONS	
Internal Power Pack	\$9,825
5 hp remote power unit In lieu of standard 10 hp power unit	525

5 hp single phase, remote power pack with inverter - 208/230V	1,637
10 hp single phase, remote power pack with inverter - 208/230V	4,046
DEDUCT for no power pack - 5 hp	(1,575)
DEDUCT for no power pack - 10 hp	(2,046)
VOLTAGE OPTIONS	
575V - 5 hp	367
575V - 10 hp	555
ELECTRICAL PACKAGES & OPTIONS	
Fullness Package - Includes Adv. Warning & Container Full	1,140
Oil Management Package - Includes Low Oil & High Temp Shutdown	1,869
Photocell Package - Includes start-up alarm, adv warning, container full, & auto shut-down	3,675
Upper Photocell Package - Includes sealtite & relay in panel box	1,703
Autotimer Package - Starts compactor every "X" minutes, includes fullness package & start-up alarm	1,664
Sonic Sensor Package - Includes start-up alarm, adv. Warning, container full, & automatic shut-down	4,251
Door Counter Start Package for single door - Includes manual latch, auto off selector switch & e-stop	1,049
CONTROL & SWITCH OPTIONS	
Extra key	20
Larger key switch with green start button	315
Mounted E-stop on SC - Specify Location, Low Volt	512
Extra E-stop on SC - Specify Location, Low Volt	588
Hold to run controls	170
Ram stop forward	NO CHARGE
Multi-cycle timer - Specify # of cycles	NO CHARGE
Access interlock switch, ships loose on 15' sealtite - 120 V	432
Access interlock switch with 10-pin connector, ships loose on 15' sealtite - 24 V	534
Magnetic interlock switch, ships loose on 15' sealtite - 120 V	648
Heated floor	8,226
CONTROL LOCATION OPTIONS	
Controls on 13' Sealtite (in lieu of Panel Box Face)	344
Controls on 15' Sealtite (in lieu of Panel Box Face)	381
Controls on 20' Sealtite (in lieu of Panel Box Face)	473
Controls on 25' Sealtite (in lieu of Panel Box Face)	565
Controls on 30' Sealtite (in lieu of Panel Box Face)	657
Controls on 35' Sealtite (in lieu of Panel Box Face)	749
Controls on 40' Sealtite (in lieu of Panel Box Face)	841
Controls on 45' Sealtite (in lieu of Panel Box Face)	933
Controls on 50' Sealtite (in lieu of Panel Box Face)	1,025

Controls mounted by doghouse door (in lieu of Panel Box Face) - 10-pin connector included w doghouse	889
Controls mounted by hopper opening (in lieu of Panel Box Face) - 10-pin connector included	1,567
ADDITIONAL CONTROL OPTIONS	
Additional controls on 13' Sealtite - Includes standard controls	643
Additional controls on 15' Sealtite - Includes standard controls	680
Additional controls on 20' Sealtite - Includes standard controls	772
Additional controls on 25' Sealtite - Includes standard controls	864
Additional controls on 30' Sealtite - Includes standard controls	957
Additional controls on 35' Sealtite - Includes standard controls	1,049
Additional controls on 40' Sealtite - Includes standard controls	1,141
Additional controls on 45' Sealtite - Includes standard controls	1,233
Additional controls on 50' Sealtite - Includes standard controls	1,325
Additional controls mounted by doghouse door - Includes standard controls - 10-pin connector included w doghouse	1,189
Additional controls mounted by hopper opening - Includes standard controls - 10-pin connector included	1,867
Additional controls, no sealtite - Includes keylock start, reverse, E-stop	417
ELECTRICAL & HYDRAULIC PLUMBING OPTIONS	
Quick disconnects on understructure below standard location - Specify RH or LH	271
Quick disconnects at packer & container interface - Specify RH or LH	522
Quick disconnects at mid-container - Specify RH or LH	837
Quick disconnects at container door - Specify RH or LH	1,149
Quick disconnects, both sides at standard location	210
Quick disconnects, both sides on understructure below standard location	544
Quick disconnects, both sides at packer & container interface	1,043
Quick disconnects, both sides at mid container	1,673
Quick disconnects, both sides at container door	2,299
Through the wall plumbing kit for use with remote power pack	549
PRESSURE GAUGE OPTIONS	
Pressure gauge mounted on power pack - Single needle & single color	301
Pressure gauge mounted by panel box - Single needle & single color	324
Pressure gauge on 15' hose - Single needle & single color	414
Pressure gauge on 20' hose - Single needle & single color	491
Max pressure gauge mounted on power pack - Dual needle & color coded	555
Max pressure gauge mounted by panel box - Dual needle & color coded	614
Max pressure gauge on 15' hose - Dual needle & color coded	690
Max pressure gauge on 20' hose - Dual needle & color coded	727
HYDRAULIC FLUID OPTIONS	

All temperature hydraulic fluid, 18 gallons - 5 hp SC & Mini-Mac	579
All temperature hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20	642
Biodegradable hydraulic fluid, 18 gallons - 5 hp SC & Mini-Mac	1,167
Biodegradable hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20	1,296
OIL HEATER & OIL COOLER OPTIONS	
Oil heater for 5 hp to 30 hp power packs	1,169
Oil cooler for 20 hp power packs and below - Requires remote power unit	7,013
HOSE LENGTH OPTIONS	
Spring guards for 1/2" external hoses - Specify 7' or 10'	183
10' 1/2" Hose - SC's, TC's, & RJ-225's, HD Cart Dumpers	207
15' 1/2" Hose - SC's, TC's, & RJ-225's, HD Cart Dumpers	330
7' 3/4" Hose - Standard on remote 225HD, 275, 325, 400, 450 - Optional on SC's, TC's, & RJ-225's	299
10' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	448
15' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	730
20' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	844
25' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	1,074
ODOR CONTROL OPTIONS	
Ozone 330A - No weather cover - Includes rigid piping & 6' flex hose	3,466
Ozone 330A with weather cover & piping	3,923
Ozone 630A - No weather cover - Includes rigid piping & 6' flex hose	4,817
Ozone 630A with weather cover & piping	5,338
Ozone 630A, Complete Factory System - Includes 630A generator, elbow, 15' flex hose, flange, hose clamps, wall mount kit,	5,135
Ozone adder for operating off Marathon power pack - Includes GFCI outlet & larger transformer	396
Spray deodorant system	868