

Stationary - STEEL OPTIONS

OPTION	2021		
	1.3 - 2.5 CY	3 - 4.5 CY	5.5 CY
PACKER OPTIONS			
RJ-130/160 wings to work with standard OC opening	\$850		
Fixed breaker bar teeth	242		
Hinged breaker bar teeth	563		
Chrome alloy shoes	570		
Through-the-wall ratchet kit - <u>MUST ALSO ADD SEPARATE OPT TO CONTAINER</u>	603		
Single Pin-off System - Compactor only - <u>MUST ALSO ADD PIN-OFF OPTION TO CONTAINER</u>	1,005		
Dual Pin-off System - <u>MUST ALSO ADD PIN-OFF OPTION TO CONTAINER</u>	1,758		
Single Side Ratchet - Bottom Hook up - <u>MUST ALSO ADD BOTTOM HOOK UP OPTION TO CONTAINER, MUST BE</u>	1,855		
Heavy duty wiper with bevel	681		
Ram floor & side wipers	786		
Dewatering option on RJ-450PC & RJ-575PC	23,575		
TONGUE & GROOVE OPTIONS			
3/8" mild steel liners on standard mild steel floor	1,364	1,911	2,467
3/8" mild steel liners on standard mild steel sides	1,364	1,911	2,467
3/8" AR liners with 3/8" AR tongue & groove floor	3,256	4,711	6,468
3/8" AR liners with 3/8" AR tongue & groove sides	3,256	4,711	6,468
1/2" mild steel tongue & groove sides for Pre-Crushers	2,967		
LEG & SKID MODIFICATIONS TO FIT SLOPE (DOES NOT CHANGE FEED HEIGHT)			
Legs - TC's, RJ-225's, RJ-275's, RJ-325's, RJ-500's, & RJ-400 ULTRA - <u>MUST BE REVIEWED & APPROVED BY</u>	\$1,036		
Skid - RJ-450's, RJ-550's, RJ-575's, & PreCrushers - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	2,847		
FEED HEIGHT MODIFICATIONS			
TC's, RJ-225's, RJ-275's, RJ-325's, RJ-500's, & RJ-400 ULTRA - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	\$2,589		
RJ-450's, RJ-550's, RJ-575's, & PreCrushers - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	3,625		
CONTAINER GUIDES & STOPS OPTIONS			
Container stops	\$208		
Container Guide - 5' L	222		
Container Guide - 10' L	419		
Container Guide - 15' L	572		
8" channel guides - 18' long - Use w/ 16-30 CY compaction containers	2,265		
8" channel guides - 23' long - Use w/ 40-43 CY compaction containers	2,610		
Modification fee - Non standard length guides - Add to standard price of next size up	332		
HOPPER OPTIONS - INCLUDES MOUNTING			
Rear Feed Hopper - 4 Sided - Extended to rear on all TC units	2,869	3,184	4,756
Rear Feed Hopper - 4 sided, extended to both container sides	3,244	3,559	5,131
Rear Feed Hopper - 3 sided with lip - Specify 12" or 24" lip - NOT Extended to rear on TC units - Hold to Run REQUIRED	2,638	2,952	4,526
ADD for Hold to Run	170		
Rear Feed Hopper - 3 sided with access gate & interlock	3,711	4,112	5,556
Side Feed Hopper - 3 sided, Specify RH or LH feed, Hold to Run REQUIRED	1,913	2,227	3,801

ADD for Hold to Run	170		
Side Feed Hopper - 3 sided, extended to container side, 12" lip - Specify RH or LH feed	2,123	2,437	4,010
Side Feed Hopper - 3 sided for Bayne tipper - Specify RH or LH feed	2,647	2,962	4,534
Access door with interlock	1,355		
Modification Fee - Stretching standard hopper no more than 24" in any direction	716	870	1,125
DOGHOUSE OPTIONS - INCLUDES MOUNTING			
Rear Feed Doghouse - Single door with interlock	3,456	3,768	N/A
Rear Feed Doghouse - Barn doors (2 doors vertical) with interlocks	4,267	4,581	N/A
Rear Feed Doghouse - Cellar doors (2 doors leaned back toward container) with interlocks	4,267	4,581	N/A
Rear Feed Doghouse - Counter balance lid with interlock (Single lid hinged from top on 2.5 CY & below, Double lids hinged	4,571	4,885	N/A
Side Feed Doghouse - Single door with interlock - Specify RH or LH door feed	2,906	3,221	N/A
Side Feed Doghouse - Double door (LH & RH doors) with interlocks	3,825	4,140	N/A
Side Feed Doghouse - Single door for Bayne tipper with interlocks - Specify RH or LH door feed	3,431	3,745	N/A
Side Feed Doghouse - Sliding single door with interlock - Specify RH or LH door feed	4,211	4,526	N/A
Side Feed Doghouse - Sliding double doors (LH & RH doors) with interlocks	5,586	5,901	N/A
Side Feed Doghouse - Mailbox extended to side with interlock, manual latch & door counter start package - Specify RH or LH	6,320	6,634	N/A
Side Feed Doghouse - Breadbox with interlock, manual latch, & door counter start package - Specify RH or LH feed - Specify if	5,953	6,267	N/A
Side Feed Doghouse - Tenant door 24 x 24 extended to side w/10-pin connector, interlock, manual latch & door counter start	6,110	6,425	N/A
Totally Enclosed Doghouse, welded to compactor - ADD security door & transitions if required	2,980	3,295	N/A
Custom cutout in totally enclosed doghouses	787		N/A
Non-standard latch location	481		N/A
Hasp lock	254		N/A
Door hinged opposite - Standard side feed doors hinge away from container body, standard rear feed hinge on LH side of	481		N/A
Modification Fee - Stretching any standard doghouse no more than 24" in any direction	921	1,074	N/A
SECURITY CHUTE OPTIONS			
Security Door - 30x30 with inside & outside opening angle frames, manual latch, & interlock	\$1,532		
Security Door - 40x40 with inside & outside opening angle frames, manual latch, & interlock	1,649		
Security Door - 42x42 with inside & outside opening angle frames, manual latch, & interlock	1,715		
Security Door - 48x48 with inside & outside opening angle frames, manual latch, & interlock	1,796		
Modification Fee - Non standard security door size - Add to standard price of next size up	512		
Transitions - 30x30 8'L - (2) bent legs & (2) square cut	628		
Transitions - 30x30 10'L - (2) bent legs & (2) square cut	750		
Transitions - 40x40 8'L - (2) bent legs & (2) square cut	750		
Transitions - 40x40 10'L - (2) bent legs & (2) square cut	872		
Transitions - 42x42 8'L - (2) bent legs & (2) square cut	787		
Transitions - 42x42 10'L - (2) bent legs & (2) square cut	931		
Transitions - 48x48 8'L - (2) bent legs & (2) square cut	872		
Transitions - 48x48 10'L - (2) bent legs & (2) square cut	1,013		
Modification Fee - Non standard transitions - Add to standard price of next size up	512		
ACCESS GATES / TREAD PLATES / HAND & TOE RAIL OPTIONS			
Access Gate - 42" Tall x 48" Wide - ADD appropriate access interlock	\$762		
Access Gate - 42" Tall x 60" Wide - ADD appropriate access interlock	926		

Access Gate - 42" Tall x 72" Wide - ADD appropriate access interlock	1,090		
Access Interlock for Gate	432		
Tread Plate, Top - 700 lbs. Capacity, Packer Width	781	1,008	1,440
Tread Plate, Top - 8,000 lbs. Capacity, Packer Width	1,687	2,227	3,126
Tread Plate, Top - 8,000 lbs. Capacity - 84" or 96" width	2,951	3,898	5,469
Tread plate adder for extending 700lbs tread plate past rear of compactor - No structural support - Specify 6" or 12"	996		
Tread plate adder for extending 8,000lbs tread plate past rear of compactor - Structural support - Specify 6" or 12"	1,520		
Hand & Toe Rails for walk-on applications - Includes mounting	1,126	1,465	2,050
Solid Panel Hand & Toe Rails - Includes mounting (required when cart dumper is mounted on compactor)	1,650	1,989	2,574
ENCLOSURE OPTIONS			
Auger Packer width enclosure - No walk-on surface, 11' OAH - includes flashing & minimum 42" hopper wall - If hopper wall is	6,525	7,154	N/A
Packer width enclosure - 11' OAH - includes flashing & minimum 42" hopper wall - If hopper wall is less than 42", specify	7,159	8,622	10,714
84" or 96" wide enclosure - 11' OAH - includes flashing & minimum 42" hopper wall - If hopper wall is less than 42", specify	8,319	9,891	12,091
Modification Fee - Non standard width enclosures up to 96" OAW - <u>MUST BE REVIEWED & APPROVED BY ENGINEERING</u>	2,251		
Modification Fee - Non standard height enclosures below standard height or up to 14' OAH (standard is 11') - <u>MUST BE</u>	2,251		
Access Gate - 84" tall & 46" wide, assembled (not mounted) with ship loose access interlock	2,656		
Exhaust fan	598		
Bug light	1,135		
Plexiglass window, 18" x 18"	393		
Plastic Curtains	1,966		
STAND OPTIONS			
TC-220 & TC-225 - Up to 60" overall stand height	\$4,504		
TC-300 & RJ-225 - Up to 60" overall stand height	5,109		
RJ-325, RJ-400, & RJ-450 - Up to 60" overall stand height	5,713		
RJ-500 - Up to 60" overall stand height	6,921		
RJ-550 & RJ-575 - Up to 60" overall stand height	9,286		
Walk-on Stand - Packer width up to 4' L & 60" H - Includes hand & toe rails	2,665		
Walk-on Stand - Packer width up to 8' L & 60" H - Includes hand & toe rails	4,791		
Drive-on Stand 8,000 lbs. - Packer width up to 4' L & 60" H - Includes hand & toe rails	3,556		
Drive-on Stand 8,000 lbs. - Packer width up to 8' L & 60" H - Includes hand & toe rails	6,306		
Drive-on Stand 8,000 lbs. - 84" or 96" width up to 4' L & 60" H - Includes hand & toe rails	5,227		
Drive-on Stand 8,000 lbs. - 84" or 96" width up to 8' L & 60" H - Includes hand & toe rails	7,976		
Partial cart dumper stand - Dumper partially monted on compactor or dock and remaining portion mounted on stand - Up to 4' L	3,189		
Full cart dumper stand - Dumper completely monted on stand - Up to 8' L & 60" H - Includes solid panel hand & toe rails	5,316		
PAINT, COATING, & IDENTIFICATION OPTIONS			
Deduct for prime only	(128)		
Non-standard paint color	446		
Extra gallon of standard paint	159		
Extra gallon of custom paint	199		
Weld-on Identification - ID numbers/letters laser cut on 7 ga & welded to unit	105		

Stationary - OPTIONS

OPTION	2021
POWER PACK OPTIONS	
Left hand side mount power pack	\$346
Remote Power Pack - Specify RH or LH	275
Piggyback Power Pack - 15 hp & below	1,258
Piggyback Power Pack - 20 hp & above	1,730
10 hp single phase, remote power pack with inverter - 208/230V - Sub on 15 hp units, cycle time will decrease due to lower gpm	4,046
15 hp single phase, remote power pack with inverter - 208/230V	POA
20 hp single phase, remote power pack with inverter - 208/230V	POA
30 hp single phase, remote power pack with inverter - 208/230V	23,012
DEDUCT for no power pack - 10 hp	(2,046)
DEDUCT for no power pack - 15 hp	(2,558)
DEDUCT for no power pack - 20 hp	(3,069)
DEDUCT for no power pack - 30 hp	(3,581)
VOLTAGE OPTIONS	
575 volt - 10 hp	555
575 volt - 15 hp	787
575 volt - 20 hp	865
575 volt - 30 hp	1,049
ELECTRICAL PACKAGES & OPTIONS	
Fullness Package - Includes Adv. Warning & Container Full	1,140
Oil Management Package - Includes Low Oil & High Temp Shutdown	1,869
Photocell Package - Includes start-up alarm, adv warning, container full, & auto shut-down	3,675
Upper Photocell Package - Includes sealtite & relay in panel box	1,703
Autotimer Package - Starts compactor every "X" minutes, includes fullness package & start-up alarm	1,664
Sonic Sensor Package - Includes start-up alarm, adv. Warning, container full, & automatic shut-down	4,251
Door Counter Start Package for single door - Includes manual latch, auto off selector switch & e-stop	1,049
CONTROL & SWITCH OPTIONS	
Extra key	20
Larger key switch with green start button	315
Extra E-Stop mounted in panel box face	394
Extra E-Stop on Sealtite - Up to 50' in 10' increments - Specify length on order	588
Hold to run controls	170
Ram stop forward	NO CHARGE
Multi-cycle timer - Specify # of cycles	NO CHARGE
Container gone proximity switch & light	718
Jog Controls - Mounted on packer - Same side as power pack	683
Jog Controls - Mounted on packer - Opposite side as power pack	805
Jog Controls - On 13' sealtite	625
Jog Controls - On 20' sealtite	714
Pressure Boost Jog Controls - TC ONLY - Mounted on packer - Specify RH or LH side	1,359

Pressure Boost Jog Controls - TC ONLY - Mounted on packer - Opposite side as power pack	1,412
Pressure Boost Jog Controls - TC ONLY - On 13' sealtite	1,300
Pressure Boost Jog Controls - TC ONLY - On 20' sealtite	1,389
Access interlock switch, ships loose on 15' sealtite - 120 V	432
Magnetic interlock switch, ships loose on 15' sealtite - 120 V	648
CONTROL LOCATION OPTIONS	
Controls in Panel Box Face in lieu of 13' sealtite - Standard on TC, Option on RJ	172
Controls on 13' Sealtite (in lieu of Panel Box Face)	344
Controls on 15' Sealtite (in lieu of Panel Box Face)	381
Controls on 20' Sealtite (in lieu of Panel Box Face)	473
Controls on 25' Sealtite (in lieu of Panel Box Face)	565
Controls on 30' Sealtite (in lieu of Panel Box Face)	657
Controls on 35' Sealtite (in lieu of Panel Box Face)	749
Controls on 40' Sealtite (in lieu of Panel Box Face)	841
Controls on 45' Sealtite (in lieu of Panel Box Face)	933
Controls on 50' Sealtite (in lieu of Panel Box Face)	1,025
CONTROL LOCATION OPTIONS	
Controls on 15' Sealtite in lieu of 13'	114
Controls on 20' Sealtite in lieu of 13'	206
Controls on 25' Sealtite in lieu of 13'	298
Controls on 30' Sealtite in lieu of 13'	390
Controls on 35' Sealtite in lieu of 13'	482
Controls on 40' Sealtite in lieu of 13'	574
Controls on 45' Sealtite in lieu of 13'	666
Controls on 50' Sealtite in lieu of 13'	758
ADDITIONAL CONTROL OPTIONS	
Additional controls on 13' Sealtite - Includes standard controls	643
Additional controls on 15' Sealtite - Includes standard controls	680
Additional controls on 20' Sealtite - Includes standard controls	772
Additional controls on 25' Sealtite - Includes standard controls	864
Additional controls on 30' Sealtite - Includes standard controls	957
Additional controls on 35' Sealtite - Includes standard controls	1,049
Additional controls on 40' Sealtite - Includes standard controls	1,141
Additional controls on 45' Sealtite - Includes standard controls	1,233
Additional controls on 50' Sealtite - Includes standard controls	1,325
Additional controls mounted on packer - Includes standard controls	852
Additional controls in panel box face - Includes standard controls	417
ELECTRICAL & HYDRAULIC PLUMBING OPTIONS	
Through the wall plumbing kit for use with remote power pack	549
PRESSURE GAUGE OPTIONS	
Pressure gauge mounted on power pack - Single needle & single color	301
Pressure gauge mounted by panel box - Single needle & single color	324

Pressure gauge on 15' hose - Single needle & single color	414
Pressure gauge on 20' hose - Single needle & single color	491
Max pressure gauge mounted on power pack - Dual needle & color coded	555
Max pressure gauge mounted by panel box - Dual needle & color coded	614
Max pressure gauge on 15' hose - Dual needle & color coded	690
Max pressure gauge on 20' hose - Dual needle & color coded	727
HYDRAULIC FLUID OPTIONS	
All temperature hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20 hp	642
All temperature hydraulic fluid, 30 gallons - 15 hp power pack (RJ-500 / RJ-550) & 20 hp (RJ-500HD)	964
All temperature hydraulic fluid, 35 gallons - 20 hp power pack (RJ-450 PC), M-Series w 20 hp motors & 18 gpm pumps	1,125
All temperature hydraulic fluid, 100 gallons - 30 hp power pack (RJ-575 / RJ-575 HD/PC)	3,213
Biodegradable hydraulic fluid, 20 gallons - 10 hp SC, HT, DRC, Stationaries, HD CD - 15 hp Stationaries RJ-450 & below - 20 hp	1,296
Biodegradable hydraulic fluid, 30 gallons - 15 hp power pack (RJ-500 / RJ-550) & 20 hp (RJ-500HD)	1,942
Biodegradable hydraulic fluid, 35 gallons - 20 hp power pack (RJ-450 PC), M-Series w 20 hp motors & 18 gpm pumps	2,267
Biodegradable hydraulic fluid, 100 gallons - 30 hp power pack (RJ-575 / RJ-575 HD/PC)	6,473
OIL HEATER & OIL COOLER OPTIONS	
Oil heater for 5 hp to 30 hp power packs	1,169
Oil cooler for 20 hp power packs and below - Requires remote power unit	7,013
Oil cooler for 30 hp power packs, up to 50 hp power packs	8,064
HOSE LENGTH OPTIONS	
10' 1/2" Hose - SC's, TC's, & RJ-225's, HD Cart Dumpers	207
15' 1/2" Hose - SC's, TC's, & RJ-225's, HD Cart Dumpers	330
7' 3/4" Hose - Standard on remote 225HD, 275, 325, 400, 450 - Optional on SC's, TC's, & RJ-225's	299
10' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	448
15' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	730
20' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	844
25' 3/4" Hose - 225HD, 275, 325, 325HD, 400, 450, SC's, TC's, & RJ-225's	1,074
10' 1" Hose - RJ-275XHD, 500, 550	527
15' 1" Hose - RJ-275XHD, 500, 550	779
20' 1" Hose - RJ-275XHD, 500, 550	1,107
25' 1" Hose - RJ-275XHD, 500, 550	1,595
10' 1-1/4" Hose - RJ-575's	1,053
15' 1-1/4" Hose - RJ-575's	1,328
20' 1-1/4" Hose - RJ-575's	1,602
25' 1-1/4" Hose - RJ-575's	2,043
ODOR CONTROL OPTIONS	
Ozone 330A without weather cover - Includes rigid piping & 6' flex hose	3,466
Ozone 330A with weather cover & piping	4,114
Ozone 630A without weather cover - Includes rigid piping & 6' flex hose	4,817
Ozone 630A with weather cover & piping	5,338
Ozone 630A, Complete Factory System - Includes 630A generator, elbow, 15' flex hose, flange, hose clamps, wall mount kit, & weather proofing kit	5,135

Ozone adder for operating off Marathon power pack - Includes GFCI outlet & larger transformer	396
Spray deodorant system	868