



# ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2021 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

## Selected Model and Options

	Code	Description	Weight	MSRP
<b>Model</b>				
	1F1	NPR-HD Gas Cab Chassis 109"WB, 86.5"CA		\$48,844.00
	04	White, Standard model specifications with power windows and door locks		\$0.00
<b>Tires</b>				
	I5H	LRR (low rolling resistance)	0.0 lbs.	Inc.
<b>Engine</b>				
	L8T	GMPT 6.6L (400 CID) V8 gasoline engine; 350 HP at 4500 RPM; 425 lb-ft torque at 3800 RPM; precise fuel control direct injection technology; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt main-bearing cap; cast aluminum cylinder heads; forged steel crankshaft; stainless steel exhaust manifold.	0.0 lbs.	Inc.
<b>Transmission</b>				
	MYD	6L90-E Hydra-Matic, 6-speed automatic with lock-up converter and overdrive. Ratios: Gear and Ratios 4.027, 2.364 ,1.532, 1.152, 0.0852, 0.667, Rev. 3.064:1	0.0 lbs.	Inc.
<b>Wheelbase</b>				
	IA8	109 inches, includes ladder type channel frame. Full C section straight frame 33.5 inches wide. Yield strength 44,000 psi; section modulus 7.20 in3 RBM 316,800 lb./ft./in. per rail. 86.5"CA	0.0 lbs.	Inc.
<b>Air Cleaner</b>				
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	0.0 lbs.	Inc.
<b>Alternator</b>				
	KW7	170 Amp. output with integral regulator.	0.0 lbs.	Inc.
<b>Battery</b>				
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	0.0 lbs.	Inc.
<b>Exhaust</b>				
	I41	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	0.0 lbs.	Inc.
<b>Front Axle</b>				
	ID2	"I"-beam rated at 6,830 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.	Inc.
<b>Front Suspension</b>				
	I0K	7,220 lbs. Capacity semi elliptical tapered leaf spring. Includes shock absorbers and stabilizer bar.	0.0 lbs.	Inc.
<b>Front Wheels</b>				
	IB9	19.5" x 6", 6-hole disc, painted white	0.0 lbs.	Inc.
<b>Front Tires</b>				
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	0.0 lbs.	Inc.

Current report content is based on data as of 2021-04-20 12:18:59. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2021 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

Selected Model and Options			
Code	Description	Weight	MSRP
Rear Suspension			
I8J	12,900 lbs. Capacity semi elliptical; main and auxiliary multi- leaf spring. Includes shock absorbers.	0.0 lbs.	Inc.
Rear Axle			
ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs.	Inc.
Ratio			
092	4.300:1	0.0 lbs.	Inc.
Rear Wheels			
IC1	19.5" x 6", 6-hole disc, painted white	0.0 lbs.	Inc.
Rear Tires			
I9B	225/70R19.5G (14 ply) tubeless Radial, all season tread.	0.0 lbs.	Inc.
Fuel Tank			
A17	38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.	0.0 lbs.	Inc.
Seat			
AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	0.0 lbs.	Inc.
Brakes			
IR8	Dual circuit, vacuum assisted hydraulic with EBD (Electronic Brake Distribution). Disc front and self-adjust outboard mounted drum rear. Mechanical, transmission mounted parking brake. Non-asbestos semi metallic linings are standard. 4 channel anti-lock brake system.	0.0 lbs.	Inc.
Air Conditioning			
C60	Air conditioner	0.0 lbs.	Inc.
Power Windows & Door Locks			
IL0	Yes	0.0 lbs.	Inc.
Model Option			
04	White, Standard model specifications with power windows and door locks	0.0 lbs.	Inc.
Accessories			
IX2	Rear body dome lamp switch	0.1 lbs.	Inc.
8RP	AM/FM/CD radio with Aux input/USB port and Bluetooth RPO	0.0 lbs.	Inc.
Totals			
Base Price			\$48,844.00
Destination Charge			\$1,325.00
DEF Fill Charge			\$0.00
Total Options Price			\$
Tire Weight Tax			\$26.64
Total			\$50,195.64

Current report content is based on data as of 2021-04-20 12:18:59. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



# ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2021 NPR-HD Gas Cab Chassis, 1F1 109"WB, 86.5"CA, 14,500 GVWR. White, Standard model specifications with power windows and door locks

## Warranty

Coverage	Warranty Limitations (Time or Mileage, Whichever Comes First)		Percent of Dealer's Normal Charge Paid by Owner	
	Time	Vehicle Miles	Parts	Labor
Basic	0-3 Years	0-36,000	No Charge	No Charge
Engine	0-5 Years	0-75,000	No Charge	No Charge
• Transmission	0-5 Years	0-75,000	No Charge	No Charge
• Drive Axle				
• Driveshaft				
• Front Axle I-Beam				
• Crossmembers				
Frame Rails	0-3 Years	0-36,000	No Charge	No Charge
Frame Rails	3-5 Years	Unlimited	50%	50%
Engine Emissions Control System	0-5 Years	0-50,000	No Charge	No Charge
Engine Emissions Control System California	0-3 Years	0-50,000	No Charge	No Charge
Engine Emissions Control System California	0-7 Years	0-70,000	No Charge	No Charge
Tires	0-2 Years	0-24,000	No Charge	No Charge
Corrosion (Rust Through)	0-4 Years	Unlimited	No Charge	No Charge

Current report content is based on data as of 2021-04-20 12:18:59. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.