

ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2022 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and door locks

Model		Description	Weight	MSRF
	1U2	NRR Gas Cab Chassis 132.5"WB, 110"CA		\$54,340.00
	04	White, Standard model specifications with power windows and door locks		\$0.00
Vehicle A	pplication			
	RQ2	Truck Application	0.0 lbs.	Inc
Tires				
	I5H	LRR (low rolling resistance)	0.0 lbs.	Inc
Engine				
	LNJ	PSI 6.0L (366 CID) V8 gasoline engine; 311 HP at 4900 RPM; 353 lb-ft torque at 4150 RPM; sequential port fuel injection; electronic throttle control; overhead valves with variable valve timing; heavy duty cast-iron cylinder block with six-bolt mainbearing cap; cast aluminum cylinder heads.	0.0 lbs.	Inc
Transmiss	sion			
	Y6V	Allison 1000 RDS 6-speed automatic transmission w/ PTO. Gear Ratios: 3.100, 1.810, 1.410, 1.000, 0.710, 0.610, Rev 4.490:1	0.0 lbs.	Inc
Wheelbas	е			
	IA9	132.5 inches, includes ladder type channel frame. Full C section straight frame 33.5 inches wide. Yield strength 44,000 psi; section modulus 7.20 in3 RBM 316,800 lb./ft./in. per rail. 110"CA	0.0 lbs.	Inc
Air Cleane	er			
	KNX	Dry paper single element. Air cleaner canister standard with air restriction gauge.	0.0 lbs.	Inc
Battery				
	IL3	Single Delco 12-V maintenance free 750 CCA frame mounted battery box	0.0 lbs.	Inc
Exhaust				
	l41	Single horizontal aluminized steel with catalytic converter and oxygen sensor devices.	0.0 lbs.	Inc
Front Axle	•			
	IZ6	"I"-beam rated at 7,275 lbs. Includes integral hydraulic power steering. Ratio 18.8-20.9:1.	0.0 lbs.	Inc
Front Whe	eels			
	IB9	19.5" x 6", 6-hole disc, painted white	0.0 lbs.	Inc
Front Tire	s			
	I8B	225/70R19.5G (14 ply) tubeless Radial, all season tread	0.0 lbs.	Inc
Rear Axle				
	ID3	Single-speed, 14,550 lb. capacity with oil lubricated rear wheel bearings.	0.0 lbs.	Inc
Ratio				
	011	5.571:1	0.0 lbs.	Inc

Current report content is based on data as of 2021-04-20 10:03:12. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.

Initial:



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2022 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and door locks

Code	Description	Weight	MSRP
IC1	19.5" x 6", 6-hole disc, painted white	0.0 lbs.	Inc.
Rear Tires			
I9B	225/70R19.5G (14 ply) tubeless Radial, all season tread.	0.0 lbs.	Inc
Fuel Tank			
A17	38.6 gal. rectangular fuel tank. Mounted between frame rail with electric type fuel pump (mounted in tank). Through the rail fuel fill.	0.0 lbs.	Inc.
Seat			
AQB	Driver seat is reclining high back. Two single occupant fold down seats with tray backs.	0.0 lbs.	Inc
Air Conditioning			
C60	Air conditioner	0.0 lbs.	Inc
Power Windows &	Door Locks		
IL0	Yes	0.0 lbs.	Inc
Model Option			
04	White, Standard model specifications with power windows and door locks	0.0 lbs.	Inc
Accessories			
IX2	Rear body dome lamp switch	0.1 lbs.	Inc
8RP	AM/FM/CD radio with Aux input/USB port and Bluetooth RPO	0.0 lbs.	Inc
Totals			
	Base Price		\$54,340.00
	Destination Charge		\$1,325.00
	DEF Fill Charge		\$0.00
	Total Options Price		Ç
	Tire Weight Tax		\$26.64
	Total		\$55,691.64

Current report content is based on data as of 2021-04-20 10:03:12. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.



ISUZU TRUCK OF FAYETTEVILLE

Joe Green

New vehicle (2022 NRR Gas Cab Chassis, 1U2 132.5"WB, 110"CA, 19,500 GVWR. White, Standard model specifications with power windows and door locks

Varranty				
	Warranty Limitations (Time or Mileage, Whichever Comes First)		Percent of Dealer's Normal Charge Paid by Owner	
Coverage	Time	Vehicle Miles	Parts	Labor
Basic	0-3 Years	0-36,000	No Charge	No Charge
Engine	0-5 Years	0-75,000	No Charge	No Charge
 Drive Axle Driveshaft Front Axle I-Beam Crossmembers 	0-5 Years	0-75,000	No Charge	No Charge
Frame Rails	0-3 Years	0-36,000	No Charge	No Charge
Frame Rails	3-5 Years	Unlimited	50%	50%
Engine Emissions Control System	0-5 Years	0-50,000	No Charge	No Charge
Engine Emissions Control System California	0-3 Years	0-50,000	No Charge	No Charge
Engine Emissions Control System California	0-7 Years	0-70,000	No Charge	No Charge
Tires	0-2 Years	0-24,000	No Charge	No Charge
Corrosion (Rust Through)	0-4 Years	Unlimited	No Charge	No Charge

Current report content is based on data as of 2021-04-20 10:03:12. Any performance-related calculations are offered solely as guidelines. Actual vehicle performance will depend on your operating conditions. All Information, specifications and pricing in this application are based on the latest information available. Isuzu Commercial Truck of America, Inc. reserves the right to discontinue or change, at any time, without prior notice, the pricing, specifications, options, materials, equipment, design and models.