



Truck & Trailer Centers



TECHNICAL SPECIFICATION

VNR64T300 Daycab

				WEIGHT (LB)	
MODEL PACKAGE		DESCRIPTION		FRONT	REAR
S	012371	MARKETING MODEL	VNR64T300	0	0
S	007371	MODEL	VNR64T300	7,688	4,198
S	99X76X	ASSEMBLY PLANT	VOLVO TRUCKS - ASSEMBLED IN THE USA	0	0

				WEIGHT (LB)	
VEHICLE ADAPTATION		DESCRIPTION		FRONT	REAR
S	114010	MARKET ADAPTATION	USA / USA TERRITORY MARKET ADAPTATION	0	0
S	36XF1X	LANGUAGE ON DECALS	ENGLISH/SPANISH LANGUAGE ON DECALS	0	0
S	38XCNX	FIRST PUBLICATION LANGUAGE	ENGLISH	0	0
S	263004	VEHICLE APPLICATION	TRACTOR / DRY VAN TRAILER OR CONTAINER	0	0
S	DKXG2X	GROSS COMBINATION WEIGHT	80,000 LB GROSS COMBINATION WEIGHT	0	0
S	2MCA1X	VEHICLE GHG CERTIFICATION	GREEN HOUSE GAS COMPLETE VEHICLE CERTIFICATION	0	0
S	3GCA1X	GHG APPLICATION, VEHICLE	GREEN HOUSE GAS HIGHWAY APPLICATION	0	0
S	898002	VEHICLE WARRANTY QUALIFICATION	STANDARD NORMAL DUTY WARRANTY QUALIFIED	0	0
S	259002	VEHICLE VOCATION	PICKUP AND DELIVERY / SHORT HAUL SERVICE	0	0
S	P1CZ1X	LOAD HANDLING EQ. CRANE	WITHOUT LOAD HANDLING EQUIPMENT, CRANE	0	0
S	P3CZ1X	LOAD HANDLING AND MISC. EQUIPM	WITHOUT MISCELLANEOUS LOAD HANDLING EQUIPMENT	0	0
S	260006	OPERATING TERRAIN GRADE CONDITIONS	ON HIGHWAY, STARTING GRADES <16%	0	0
S	QCXA1X	TOPOGRAPHY	MOSTLY FLAT, MOST GRADES <3% (EX. OHIO)	0	0
S	E1BD1X	AMBIENT TEMPERATURE UPPER LIMIT	SUMMER AMBIENT TEMPERATURES DO NOT REGULARLY EXCEED 104 DEGREE F (40 DEGREE C)	0	0
S	264001	LOADING SURFACE FACTOR	CONCRETE LOADING AND / OR UNLOADING SURFACE	0	0
S	DHX10X	ROAD CONDITION	OPERATING CLASS ONE (ON HIGHWAY)	0	0
	938001	CUSTOMER FLEET SIZE	DEALER FLEET WITH LESS THAN 25 VEHICLES IN OWN FLEET OF ANY VEHICLE BRAND	0	0

				WEIGHT (LB)	
PASSIVE AND ACTIVE SAFETY		DESCRIPTION		FRONT	REAR
S	2CXD1X	CAB VERSION	DAY CAB	0	0
	DUXZ1X	AIRBAG	NO AIR BAG PROVIDED	-2	0
S	8ZDAAX	STABILITY CONTROL REGULATIONS	ELECTRONIC STABILITY CONTROL, REGULATION FMVSS	0	0
S	ZMXA1X	ESP PACKAGE	VOLVO ENHANCED STABILITY TECHNOLOGY (VEST)	0	0
S	WPXA1X	TRACTION CONTROL	TRACTION CONTROL WITH LIMITED DISABLE	0	0
S	2PEZ1X	DATA CAPTURE	WITHOUT DATA CAPTURE	0	0
S	3MBA1X	PARK BRAKE ALARM	PARK BRAKE ALARM, SOUNDS IF BRAKE OFF AND DRIVER'S DOOR OPENED	0	0

				WEIGHT (LB)	
ENGINE		DESCRIPTION		FRONT	REAR
S	1017V0	ENGINE PACKAGE	VOLVO D11 325HP 2100RPM 1250 LBFT - EPA'17 EMISSION LEVEL	0	0

				WEIGHT (LB)	
ENGINE EQUIPMENT		DESCRIPTION		FRONT	REAR
S	209012	RADIATOR COOLANT	EXTENDED LIFE ETHYLENE GLYCOL ANTI-FREEZE (RED), -34 F (-37 C)	0	0
	208021	FAN CLUTCH PACKAGE	KYSOR ON / OFF FAN CLUTCH	9	0
S	NCXA5X	STARTER MOTOR	DELCO REMY 12V 39MTHD STARTER	0	0
	PJXMLX	ALTERNATOR CAPACITY	145 AMP DELCO REMY 24SI PAD MOUNT ALTERNATOR (12V)	0	0
S	810111	BATTERY PACKAGE	2 VOLVO 1000 CCA MAINTENANCE FREE 12V BATTERIES, 2000 CCA	0	0
S	L4X15X	BATTERY BOX MOUNTING	BATTERY BOX, LEFT HAND SIDE, BEHIND FRONT FENDER	0	0
S	NQXA1X	BATTERY BOX CONFIGURATION	BATTERY BOX - 4 CAPACITY	0	0
S	L5XA1X	BATTERY BOX COVER	BASIC BATTERY BOX COVER	0	0
	NFXZ1X	MAIN SWITCH	NO BATTERY DISCONNECT SWITCH PROVIDED	-2	0
S	428001	DIESEL EXHAUST FLUID TANK	18.5 GALLON LEFT HAND 26", FRAME MOUNTED (FILLED WITH 10 GALLONS OF DEF, WEIGHING 91 LBS)	159	86
S	230048	EXHAUST SYSTEM	INTEGRATED DPF AND SCR MOUNTED RIGHT HAND SIDE UNDER CAB WITH SINGLE HORIZONTAL TAILPIPE	-33	-15
S	232093	EXHAUST OUTLET PACKAGE	HORIZONTAL ALUMINIZED STAINLESS STEEL TAIL PIPE	0	0
S	KNXC1X	EXHAUST HEAT SHIELD	ALUMINUM EXHAUST SHIELD	0	0
S	JVXH1X	PRIMARY FUEL FILTER	VOLVO DUAL ENGINE MOUNTED FUEL FILTERS WITH WATER SEPARATOR	0	0
S	VWXCAX	COMPRESSOR CAPACITY	WABCO 31.8 CFM COMPRESSOR	0	0
S	J2EAAX	ENGINE BRAKE ACTIVATION	ENGINE BRAKE ACTIVATION, BASIC	0	0
S	QHXC1X	OIL SUMP	STAMPED STEEL OIL PAN (STANDARD OIL CHANGE INTERVALS)	0	0

				WEIGHT (LB)	
TRANSMISSION		DESCRIPTION		FRONT	REAR
	270743	TRANSMISSION PACKAGE	EATON 13 SPEED FULLER RTLO-16913A	102	34
	RVXA1X	GEAR SHIFT CONTROL	FIXED GEAR SHIFT LEVER	0	0
S	4LDA1X	TRANSMISSION OUTPUT TORQUE	STANDARD OUTPUT TORQUE	0	0
S	779998	ALLISON INPUT AND OUTPUT PACKAGE	NO ALLISON INPUT AND OUTPUT PACKAGE	0	0
S	778998	FUEL SENSE PACKAGE	NO FUEL SENSE PACKAGE	0	0
	T2XC3X	TRANSMISSION/RETARDER COOLER	WATER TO OIL TRANS COOLER IN RADIATOR	0	0

				WEIGHT (LB)	
TRANSMISSION		DESCRIPTION		FRONT	REAR
S	195102	DRIVELINE - MAIN	MERITOR RPL25 W/ PERMALUBE U-JOINTS (PROPS-M)	0	0
S	THXE1X	PROPELLER SHAFT MANUFACTURER	MERITOR RPL SERIES DRIVELINE	84	84
S	204101	DRIVELINE - INTERAXLE	MERITOR RPL20	0	0
	250090	CLUTCH	EATON 15.5" 2 PLATE CERAMETALLIC ADVANTAGE SELF-ADJUST 9-SPRING, 4 PAD - 1650 LB-FT CAPACITY	0	0
	RBXA1X	CLUTCH LUBE LINE	LUBE LINE BETWEEN RELEASE BEARING AND BELL HOUSING	0	0

				WEIGHT (LB)	
PROGRAMMABLE FEATURES		DESCRIPTION		FRONT	REAR
	9KAA1X	IDLE EMISSION CERTIFICATION	IDLE EMISSION CERTIFICATION, BASIC	0	0
S	A3AAAX	IDLE SHUTDOWN	ENGINE IDLE SHUTDOWN, ENABLE	0	0
S	E0XFLX	ENGINE IDLE SHUTDOWN TIME	IDLE SHUTDOWN TIME 5 MINUTES	0	0
S	K7XA1X	ENGINE IDLE CONTROL	BASIC ENGINE IDLE CONTROL	0	0
S	D3AAEX	AMBIENT TEMP MAX TRESHOLD	MAXIMUM AMBIENT AIR TEMPERATURE OVER-RIDE, 80 DEG F (27 DEG C)	0	0
S	D2AACX	AMBIENT TEMP MIN TRESHOLD	MINIMUM AMBIENT AIR TEMPERATURE OVER-RIDE, 45 DEG F (7 DEG C)	0	0
S	JDXD1X	CRUISE CONTROL	WITH ECO CRUISE CONTROL	0	0
S	JFXLRX	CRUISE CONTROL, MAX SPEED	MAXIMUM CRUISE, 68 MPH (110 KM/H)	0	0
S	Y3CC5X	PEDAL RSL SETTING	PEDAL ROAD SPEED LIMIT, 65 MPH (105 KM/H)	0	0
S	JCXF1X	ROAD SPEED LIMITER SETTING	ROAD SPEED LIMIT, 68 MPH (110 KM/H)	0	0
S	U4AA1X	LOW GEAR LIMITING FEATURE	GEAR DOWN VEHICLE SPEED LIMITER ENABLED	0	0
S	U5AL1X	LOW GEAR LIMITING SPEED	GEAR DOWN VEHICLE SPEED, 63 MPH (101 KM/H)	0	0
S	E3AAFX	CRUISE CONTROL MIN SPEED	MIN CRUISE, 35 MPH (56 KM/H)	0	0
S	E5AAEX	ENG BRK ENGAGE IN CRUISE	ENGAGE ENGINE BRAKE 5 MPH (8.0 KM/H) ABOVE SET CRUISE SPEED	0	0
S	X2BA1X	ROAD SPEED LIMIT CONTROL TYPE	WITH ECO RSL CONTROL	0	0
S	0NAA1X	OPTIMIZED FUEL ECON INDICATOR	OPTIMIZED FUEL ECONOMY INDICATOR, SWEET SPOT	0	0
S	X1BA1X	ENGINE LOAD IN PTO	30% MINIMUM ENGINE LOAD LIMIT IN PTO BEFORE ALLOW IDLE SHUTDOWN	0	0
S	W5BA1X	MAXIMUM ENG SPEED AT 0 MPH	1000 MAXIMUM ENGINE RPM AT 0 MPH	0	0
S	X4BA1X	COOLANT WARM HOLD TEMP	COOLANT WARM HOLD TEMP ENABLED	0	0
S	R4BA1X	PRE-TRIP DIAGNOSTIC INSPECTION	PRE-TRIP ASSISTANT	0	0
S	0RAD1X	REGENERATION CONTROLS, DPF	DPF REGEN CONTROL, AUTO REGEN IN MOTION, MANUAL PARKED REGEN, MANUAL INHIBIT	0	0
S	K5XA2X	ENGINE PROTECTION SYSTEM	ENGINE PROTECTION (SHUTDOWN)	0	0
S	EXXGQX	PTO MAX ENGINE SET SPEED	PTO ENGINE MAXIMUM 650 RPM	0	0
S	EYXGQX	PTO RESUME ENGINE SET SPEED	PTO ENGINE RESUME 650 RPM	0	0

				WEIGHT (LB)	
FRONT AXLE		DESCRIPTION		FRONT	REAR
S	370400	FRONT AXLE PACKAGE	VOLVO VF12 12,000 LB FRONT SPRINGS	0	0
S	70BC1X	BRAKE REGULATION	BRAKE REGULATION, STOPPING DISTANCE 250 FT (76M)	0	0
	782002	FRONT BRAKE PACKAGE	FRONT BRAKE BENDIX SPICER, CAST S-CAM, STANDARD LUBE	-2	0

				WEIGHT (LB)	
FRONT AXLE		DESCRIPTION		FRONT	REAR
	U5XA1X	FRONT, BRAKE DIMENSION	16.5X5 FRONT BRAKE SIZE	0	0
	U3XA1X	BRAKE, FRONT	CAST IRON FRONT BRAKE DRUM OUTBOARD MOUNTED	0	0
	LQXAPX	BRAKE LINING MATERIAL FRONT	BRAKE LINING MATERIAL FRONT, BENDIX SPICER BX920	0	0
S	K2EA1X	BRAKE SHOE COATING FRONT	BRAKE SHOE COATING FRONT, BASIC	0	0
	0KXI5X	HUB MATERIAL, FRONT	IRON PRESET PLUS FRONT AXLE HUBS WITH SKF HUBCAPS	0	0
S	7VXB1X	LUBRICANTS, FRONT AXLE	SYNTHETIC FRONT AXLE LUBRICANT	0	0
S	XAXBFX	STEERING GEAR RATIO	TRW THP60 INTEGRAL POWER STEERING GEAR	0	0
S	M0XA1X	STEERING SHAFT TYPE	BASIC STEERING SHAFT	0	0
S	371001	FRONT SUSPENSION PACKAGE	59" PARABOLIC LEAF FRONT SUSPENSION MATCHED TO FRONT AXLE CAPACITY	0	0
S	IRXA1X	FRONT SUSP MAINTENANCE	LUBRICATED SPRING PINS AND BUSHINGS	0	0

				WEIGHT (LB)	
REAR AXLE		DESCRIPTION		FRONT	REAR
S	330688	REAR AXLE PACKAGE	MERITOR MT-40-14X3C AMBOID 40,000 LB CAPACITY	0	0
	TAXCTX	REAR AXLE RATIO	2.79 REAR AXLE RATIO	0	0
S	TUXB1X	DIFFERENTIAL LOCK	INTERAXLE DIFFERENTIAL LOCK	0	0
S	350410	REAR SUSPENSION PACKAGE	38,000 LB VOLVO AIR SUSPENSION 52" SPACING	0	0
S	YVXA1X	REAR SHOCK ABSORBER	SHOCK ABSORBERS, DRIVE AXLES	0	0
	783021	REAR BRAKE PACKAGE	REAR BRAKE BENDIX SPICER, NEXT GENERATION LIGHTWEIGHT, STANDARD LUBE	0	0
S	U8XA1X	REAR, BRAKE DIMENSION (DRIVE)	16.5X7 REAR BRAKE SIZE	0	0
S	U4XA1X	BRAKE, DRIVE, REAR	CAST IRON DRIVE AXLE BRAKE DRUM OUTBOARD MOUNTED	0	0
	MAXACX	BRAKE LINING MATERIAL DRIVE	BRAKE LINING MATERIAL DRIVE, BENDIX SPICER BX415	0	0
S	J8EA1X	BRAKE SHOE COATING DRIVE	BRAKE SHOE COATING DRIVE, BASIC	0	0
S	0LXI1X	HUB MATERIAL, DRIVE	ALUMINIUM PRESET PLUS DRIVE AXLE HUB WITH INTEGRATED SPINDLE NUT	0	-103
S	7WXADX	LUBRICANTS, REAR AXLE	CHEVRON DELO GEAR LUBRICANT ESI SAE 80W-90 (APPROVED FOR MERITOR EXTENDED COMPONENT WARRANTY)	0	0
	781055	PARKING BRAKE CHAMBER PACKAGE	TWO CAM TYPE HALDEX	0	0
S	V1AB1X	REAR BRAKE CHAMBER SIZE	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE / EMERGENCY)	0	0
S	UKXA1X	BRAKE CYLINDER STROKE LENGTH	BASIC LENGTH BRAKE CHAMBER STROKE	0	0
	784009	FRONT AND REAR SLACK ADJUSTERS	HALDEX BRAKE ADJUSTER FRONT AND REAR	0	0
	O5BD1X	FRONT BRAKE CHAMBER SIZE	FRONT BRAKE CHAMBER 24 SQUARE INCHES (SERVICE)	0	0

				WEIGHT (LB)	
CHASSIS		DESCRIPTION		FRONT	REAR
S	3XBHAX	DRIVER SIDE FRONT CHASSIS CONFIGURATION	LEFT HAND BATTERY BOX - 4 CAPACITY, DEF TANK MOUNTED BEHIND BATTERY BOX (VNL / VNR)	0	0
S	3YBAFX	PASSENGER SIDE FRONT CHASSIS CONFIGURATION	INTEGRATED DPF & SCR (VNR / VNL / VHDB)	0	0
S	400172	WHEELBASE	172" WHEELBASE	223	221
S	402055	OVERHANG	55" OVERHANG	0	142
S	KBXB1X	FUEL TANK SHAPE, LIQUID	26" DIA CYLINDRICAL FUEL TANK	0	0
S	J8XB1X	LIQUID FUEL TANK, LEFTHAND SIDE	75 GALLON LEFT HAND FUEL TANK	0	0
S	KEXA1X	FUEL TANK MATERIAL, LIQUID	ALUMINUM FUEL TANK MATERIAL	0	0
S	HBXB1X	FUEL TANK POSITION - DIESEL	FUEL TANK POSITION 1	0	0

				WEIGHT (LB)	
CHASSIS	DESCRIPTION			FRONT	REAR
S	427998	HYDRAULIC OIL TANK PACKAGE	NO HYDRAULIC OIL TANK PROVIDED	0	0
S	8NAA1X	DPF COVER	DPF COVER, PAINTED STEEL	0	0
S	U6BA1X	DEF TANK COVER	PAINTED DIESEL EXHAUST FLUID TANK COVER	0	0
S	JHXA1X	FUEL HOSES, LIQUID	NYLON FUEL LINES	0	0
S	KHXA1X	FUEL TANK STRAPS MTRL	PAINTED STEEL FUEL TANK STRAPS	0	0
S	KFXA1X	FUEL TANK CAP	NON-LOCKING FUEL TANK CAP	0	0
S	8HAA1X	AIR TANK ARRANGEMENT	AIR TANK ARRANGEMENT, BASIC	0	0
S	U2XB1X	AIRTANK MATERIAL	STEEL AIR TANKS	0	0
S	VHXE5X	AIR DRYER - MANUFACTURER	WABCO AIR DRYER SS - HP WITHOUT TURBO CUT OFF VALVE WITH COALESCING FILTER	0	0
S	UWXD1X	AIRTANK DRAIN VALVE	MANUAL DRAIN VALVES, LANYARD ON WET TANK	0	0
S	403002	FRAME RAIL PACKAGE	10.47"X3.54"X.28" STRAIGHT STEEL RAILS	0	0
S	8EXB1X	INTERMEDIATE X-MEMBER MATRL	STEEL CROSSMEMBER MATERIAL	0	0
S	X8XB1X	FORW REAR SUSP. X-MEMBER MTRL	STEEL CROSSMEMBER MATERIAL	0	0
S	ZIXA1X	CROSSMEMBER, BOGIE, MATERIAL	STEEL CROSSMEMBER MATERIAL	0	0
S	X6XB1X	REAR FRAME TREATMENT	TAPERED REAR CROSSMEMBER, 27 DEGREE	0	23
S	4DXA3X	FRONT BUMPER	STEEL AERO BUMPER W/END CAPS & AIR DAM	0	0
S	F7BA1X	BUMPER REINFORCEMENT	BUMPER REINFORCEMENT	23	0
S	65XB1X	FRONT MUDGUARD EXTENSION	NO FRONT FENDER EXTENSION PROVIDED	0	0
S	4EXB1X	TOWING DEVICE, FRONT	TWO FRONT TOWING DEVICES	0	0
S	Q8CH1X	CHASSIS WIRING HARNESS CASING	HEAVY DUTY MAIN CHASSIS WIRING HARNESS COVERING	0	0
S	U7CFLX	LH FUEL TANK FACE LOCATION	LH FUEL TANK FRONT FACE @ XM=4957	0	0

				WEIGHT (LB)	
TRANSPORT ADAPTATION	DESCRIPTION			FRONT	REAR
	490357	FIFTH WHEEL PACKAGE	JOST LIGHTWEIGHT STATIONARY LEFT HAND RELEASE	27	274
S	E5BASX	GROUND TO 5TH WHEEL TOP HGT.	47.5" FIFTH WHEEL HEIGHT	0	0
S	6BX5XX	FIFTH WHEEL POSITION	26" BEHIND FORWARD DRIVE AXLE CENTER (-660MM)	0	0
S	LIXA1X	FIFTH WHEEL ANGLE MATERIAL	STEEL FIFTH WHEEL ANGLES	0	0
S	51XA1X	TRAILER BRAKE HOSEHANGER	DUMMY GLADHANDS AND CABLE STORAGE BRACKET LEFT HAND BACK OF CAB REACHABLE FROM GROUND	0	0
S	WHXD1X	TRAILER CONNECTION POSITION	CAB MOUNTED TRAILER BRAKE CONNECTION	0	0
S	52XA1X	TRAILER ELECTR. CABLE	FIXED TRAILER CABLE	0	0
S	5ZXB1X	TRAILER BRAKE HOSES & CABLES	12' COILED TRAILER BRAKE HOSES AND CABLE	0	0
S	WLXC1X	TRAILER BRAKE CONTROL	DELETE TRAILER BRAKE HAND CONTROL	0	0

				WEIGHT (LB)	
CALCULATED CODES - KAX	DESCRIPTION			FRONT	REAR
S	9JXA1X	PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULATED	0	0

				WEIGHT (LB)	
CAB EXTERIOR	DESCRIPTION			FRONT	REAR
	2DX05X	CAB SUSPENSION REAR	MECHANICAL CAB SUSPENSION WITH SHOCKS	0	0

				WEIGHT (LB)	
CAB EXTERIOR		DESCRIPTION		FRONT	REAR
S	21XA1X	AUXILIARY REAR WINDOW	STANDARD REAR WINDOW	0	0
S	D2XA1X	WIPER BLADE STYLE	WIPER BLADES	0	0
S	28XD1X	FRONT GRILLE	BLACK GRILLE	0	0
S	0EAC1X	AIR INTAKE GRILLE, FINISH	AIR INTAKE GRILLE, BLACK	0	0
S	LZXD1X	AUX. HORN	DUAL TRUMPET MOUNTED UNDER CAB	0	0
S	3FX49X	EXTERIOR MIRROR	BLACK AERODYNAMIC MIRRORS	0	0
S	3GXC1X	EXTERIOR MIRROR FEATURES	HEATED, POWER AXIS MIRROR, BOTH SIDES	3	0
S	4NXB1X	SUNVISOR, EXTERIOR	EXTERIOR SUN VISOR WITH CLEAR LENS LED MARKER LAMPS	0	0
S	T3CA1X	EXTERIOR BRAND BADGING (CA)	EXTERIOR BADGES & EMBLEMS	0	0

				WEIGHT (LB)	
CAB INTERIOR		DESCRIPTION		FRONT	REAR
S	540088	INTERIOR TRIM PACKAGE	FLEET - VINYL PANELS WITH METAL HEX TRIM	0	0
S	1DAF1X	SEAT MFG. AND SERIES, DRIVER	NATIONAL DRIVER SEAT	0	0
S	I5DA1X	SEAT PROFILE, DRIVER	STANDARD WIDTH DRIVER SEAT	0	0
S	520101	DRIVER SEAT	X1 WREN VINYL	0	0
S	3ZXG2X	DRIVER SEAT SUPPORT	DRIVER SEAT - AIR SUSPENDED	0	0
S	I7DA1X	SEAT COMFORT, DRIVER	DRIVER SEAT - ONE AIR ADJUSTABLE LUMBAR CHAMBER	0	0
S	521998	PASSENGER SEAT	NO PASSENGER SEAT PROVIDED	-39	0
S	0HAA1X	SEAT SUPPORT, DUST COVER	SEAT BASE DUST COVER, DRIVER SIDE	0	0
S	K7AA1X	SEAT BELT SIZE	STANDARD SAFETY BELT LENGTH	0	0
S	OOUA1X	SAFETY BELT DRIVER SEAT	SEAT BELT DRIVER SEAT BLAC	0	0
S	4AXB1X	CLIMATE UNIT	INTEGRAL AIR CONDITIONER WITH HEATER - MANUAL CONTROLS	0	0
S	31XK2X	FLOOR MATS	FRONT FLOOR INSERTS, RUBBER	0	0
	4JXZ1X	RADIO SHELF	NO DRIVER OVERHEAD STORAGE PROVIDED	-8	-2
S	XRXB1X	STEERING WHEEL ADJUSTMENT	STANDARD STEERING WHEEL ADJUSTMENT	0	0
S	7BAA3X	STEERING WHEEL MATERIAL	STANDARD STEERING WHEEL COVERING	0	0
S	571021	GAUGE PACKAGE	TEN GAUGE INSTRUMENT CLUSTER	0	0
S	9NDB1X	TRIP METER	TRIP METER, TWO TRIPS	0	0
S	PVXA2X	AIR RESTRICTION INDICATOR	GRADUATED ARI ON FILTER	0	0
S	N8XD1X	SPEEDOM. GRADUATION	MPH SPEEDOMETER GRADUATION	0	0

				WEIGHT (LB)	
LIGHTING		DESCRIPTION		FRONT	REAR
S	836005	HEADLAMPS	LED HEADLAMPS WITH BASIC DRL	0	0
S	LSXG1X	LOW BEAM	EQUIPPED WITH DAYTIME RUNNING LIGHTS	0	0
S	NEXH1X	TAIL LAMPS	DUAL INTEGRATED SUPER 60 LED TAIL LIGHTS, SEPARATE LED BACKUP LIGHT, ALL MTD IN TAPERED CROSSMEMBER	0	0
S	NPXB1X	TURN SIGNALS	SELF CANCELLING TURN SIGNAL SWITCH	0	0

				WEIGHT (LB)	
AUDIO SYSTEM		DESCRIPTION		FRONT	REAR
	590030	RADIO PACKAGE	AM / FM / MP3 RADIO	0	0

				WEIGHT (LB)	
AUDIO SYSTEM		DESCRIPTION		FRONT	REAR
	73AJ5X	RADIO ANTENNA	SINGLE RIGHT HAND MIRROR MOUNTED RADIO ANTENNA PREP KIT	0	0
S	LYXF1X	STEERING WHEEL SWITCHES	WITH STEERING WHEEL SWITCHES	3	0
S	N0XA1X	INTERRUPTER SWITCH, ROOFLAMPS	MARKER INTERRUPTER SWITCH	0	0
S	5CXA1X	SPEAKER LOCATION	SPEAKERS IN DASH ONLY	0	0
	5JXZ1X	COM.RADIO PREP KIT (CB)	NO CB RADIO MOUNTING PROVIDED	-2	0
	5BXZ1X	ANTENNA, CB RADIO	NO CB ANTENNA PROVIDED	-2	0

				WEIGHT (LB)	
MISC CAB EQUIPMENT		DESCRIPTION		FRONT	REAR
S	2XX35X	WINDOW LIFT	POWER WINDOW LIFT BOTH DOORS	7	5
S	3AXB1X	DOOR LOCK CAB	MANUAL CAB DOOR LOCKS	0	0
S	20XA1X	KEY TYPES FOR DOORS	BASIC UNIQUE KEY	0	0
S	8BXB1X	KEY QUANTITY PER TRUCK	4 KEYS PROVIDED PER UNIT	0	0

				WEIGHT (LB)	
TIRES AND WHEELS FRONT		DESCRIPTION		FRONT	REAR
	093884	TIRE PACKAGE FRONT	295/75R22.5G YOKOHAMA RY617 (12350 LBS. GAWR) LONG / REGIONAL HAUL (Total for QTY = 2)	217	0
S	4WCC1X	TIRE CLASSIFICATION FRONT (CA)	GHG FRONT TIRE CLASSIFICATION, LOW ROLLING RESISTANCE	0	0
S	084069	RIM/WHEEL PACKAGE FRONT	22.5X8.25 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTED (Total for QTY = 2)	137	0
S	907002	FRONT WHEEL AND TIRE QUANTITY	TWO FRONT WHEELS AND TIRES	0	0

				WEIGHT (LB)	
TIRES AND WHEELS REAR		DESCRIPTION		FRONT	REAR
	094855	TIRE PACKAGE REAR	11R22.5G YOKOHAMA 709ZL (24,700 LBS. GAWR) LONG HAUL (Total for QTY = 8)	0	1,076
	4XCC1X	TIRE CLASSIFICATION REAR (CA)	GHG REAR TIRE CLASSIFICATION, LOW ROLLING RESISTANCE	0	0
S	085069	RIM/WHEEL PACKAGE REAR	22.5X8.25 ACCURIDE STEEL POWDER COAT WHITE 286BC 5 HAND HOLES HUB PILOTED (Total for QTY = 8)	0	547
S	908008	DRIVE WHEEL AND TIRE QUANTITY	EIGHT DRIVE WHEELS AND TIRES	0	0

				WEIGHT (LB)	
MISC TIRE EQUIPMENT		DESCRIPTION		FRONT	REAR
S	15XABX	TIRE INFLATION VALVE	TIRE INFLATION VALVE, STANDARD	0	0

				WEIGHT (LB)	
PAINT		DESCRIPTION		FRONT	REAR
S	950800	CAB PAINT SCHEME	SINGLE COLOR PAINT	0	0
S	9801T4	FIRST TRUCK COLOR	GLACIER WHITE; P3029	0	0
S	MPB980	CAB COLOR	CAB SAME AS FIRST COLOR	0	0
S	MPD980	HOOD COLOR	HOOD SAME AS FIRST COLOR	0	0
S	MPE980	COWL COLOR	COWL SAME AS FIRST COLOR	0	0
S	987980	BUMPER COLOR	BUMPER SAME AS FIRST COLOR	0	0

				WEIGHT (LB)	
PAINT	DESCRIPTION			FRONT	REAR
S	994998	ROOF FAIRING COLOR	NO ROOF FAIRING COLOR PROVIDED	0	0
S	996980	SUN VISOR COLOR	SUN VISOR SAME AS FIRST COLOR	0	0
S	9861U1	CHASSIS COLOR	BLACK P3036	0	0
S	988401	DISC WHEEL OR RIM COLOR	STEEL DISC WHEELS - PREPAINTED WHITE, POWDER - COAT, ALUMINUM OR STYLIZED DISC - UNPAINTED	0	0

				WEIGHT (LB)	
BUSINESS SERVICES	DESCRIPTION			FRONT	REAR
S	9LAA1X	PRE-DELIVERY INSPECTION	PRE-DELIVERY INSPECTION, BASIC	0	0

				WEIGHT (LB)	
OUTSIDE MODIFICATION PLANNING	DESCRIPTION			FRONT	REAR
S	612998	FONTAINE CNG TANK INSTALLATION PLANNING CODE	NO FONTAINE CNG TANK INSTALLATION PLANNING CODE	0	0
S	613998	FONTAINE BULKHAULER PLANNING CODE	NO FONTAINE BULKHAULER PLANNING CODE	0	0
S	615998	FONTAINE IN-SERVICE PLANNING CODE	NO FONTAINE IN-SERVICE PLANNING CODE	0	0
S	618998	FONTAINE AUXILIARY AXLE INSTALL CODE	NO FONTAINE AUXILIARY INSTALL	0	0
S	609998	FONTAINE LEAD TIME CODE	NO FONTAINE LEAD TIME	0	0

				WEIGHT (LB)	
BASE WARRANTY AND PURCHASED COVERAGES	DESCRIPTION			FRONT	REAR
S	899301	CHASSIS COVERAGE	NORMAL_DUTY_STANDARD_BASE_COVERAGE 12_MONTHS / 100,000_MILES	0	0
S	896900	VOLVO D11/D13 ENGINE EXTENDED COVERAGE	VOLVO D11/D13 BASE ENGINE COVERAGE - 24MTHS/250K MILES	0	0
S	M99998	CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS	NO CUSTOM/BUNDLED PURCHASE COVERAGE OPTIONS PROVIDED	0	0
S	875001	VEHICLE EMISSIONS COMPONENTS COVERAGE	US & CANADA VOLVO ENGINE EQUIPPED VEHICLE EMISSIONS COMPONENTS COVERAGE_60 MONTHS/100K_MILES	0	0
S	894998	CUMMINS ENGINE EXTENDED COVERAGE	NO CUMMINS ENGINE PROTECTION PLAN INCLUDED	0	0
	880009	TRANSMISSION COVERAGE	36 MTHS: EATON FULLER STANDARD DUTY WARRANTY FOR ALL MANUAL AND AUTOMATED TRANSMISSIONS, ANY TORQUES	0	0
S	685998	CLUTCH COVERAGE	NO CLUTCH COVERAGE PROVIDED	0	0
S	888900	ADDITIONAL EXTENDED CHASSIS TOWING COVERAGE	BASE CHASSIS TOWING COVERAGE, 90 DAY/5000 MILE/8050 KILOMETER	0	0
S	874900	ADDITIONAL EXTENDED ENGINE TOWING COVERAGE	BASE VOLVO ENGINE TOWING COVERAGE, 24 MO/250K MILE	0	0
S	959998	NEW PAINT DEVELOPMENT FEE	NO NEW PAINT DEVELOPMENT FEE	0	0
S	866011	REMOTE DIAGNOSTICS BUNDLE	REMOTE DIAGNOSTICS WITH REMOTE PROGRAMMING - 24 MONTHS	0	0
S	9YDA1X	REMOTE PROGRAMMING DRIVER DISPLAY ACTIVATION NOTIFICATION	REMOTE PROGRAMMING NOTIFICATION TO DRIVER, START UP SCREEN & ICON	0	0
S	867001	UPTIME CENTER BUNDLE	ASIST AND VOLVO ACTION SERVICE - 24 MONTHS	0	0
S	862010	PREPAID API	WITHOUT PREPAID API	0	0

FRONT / REAR AXLE WEIGHTS (LB)

8583


6564

TOTAL WEIGHT (LB)

15146


VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

Description	Sales Code	Dwg Ref	Length	UOM
Front Frame Extension	N/A	FE	0.0	INCHES
Bumper to Front Axle	N/A	BA	51.1	INCHES
Wheelbase	N/A	WB	171.7	INCHES
Rear Overhang	N/A	OH	54.5	INCHES
Overall Length	N/A	OL	277.3	INCHES
Bumper to Back of Cab	N/A	BBC	113.5	INCHES
Eff. Bumper to Back of Cab	N/A	EBBC	113.5	INCHES
Eff. Cab to Rear Axle	N/A	ECA	109.3	INCHES
Eff. Front Axle to Back of Cab	N/A	EAC	62.4	INCHES
Eff. Cab to End of Frame	N/A	ECEF	163.8	INCHES
Unladen 5th Wheel Height	E5BASX	5W	47.5	INCHES
Unladen Frame Height	N/A	FH	39.7	INCHES
Cab Height	N/A	CH	75.0	INCHES
Overall Height	N/A	OVH	114.7	INCHES
Driver CG	N/A	DCG	42.0	INCHES
Second Front Axle Spacing		SFAS	0.0	INCHES



VEHICLE SPECIFICATION/CALCULATED PERFORMANCE SUMMARY

Description	Sales Code	Dwg Ref	Left Value(in)	Right Value(in)
Wheelbase	N/A	WB	171.7	171.7
Bumper to Back of Cab	N/A	BBC	113.5	113.5
Eff. Bumper to Back of Cab	N/A	EBBC	113.5	113.5
Eff. Front Axle to Back of Cab	N/A	EAC	62.4	62.4
LEFT HAND BATTERY BOX - 4 CAPACITY, DEF TANK MOUNTED BEHIND BATTERY BOX (VNL / VNR)	3XBHAX	DSCC	78.5	N/A
INTEGRATED DPF & SCR (VNR / VNL / VHDB)	3YBAFX	PSCC	N/A	75.2
Frame Space Front	N/A	FSF	0.9	0.0
75 GALLON LEFT HAND FUEL TANK / NO RIGHT HAND DIESEL TANK PROVIDED	J8XB1X / J9XK1X	FTL	36.0	0.0
Frame Space Rear	N/A	FSR	2.8	43.0
38,000 LB VOLVO AIR SUSPENSION 52" SPACING	350410	RSB	27.5	27.5
HBS	GWXBYX	HBS	26.0	26.0



Top View image is intended for illustration purposes only and is not presented to scale. Wheelbase, Axle Spacing and After frame are not shown as specified, but are a representation. Customer Adaptation (CA) options and relocated components are not represented in these images. Most CA options impact the variation of the image, thus an image may not populate. Calculations are approximate to a tolerance of ± 4 inches due to component mounting variation. Certain chassis component options are NOT represented in the Top View image, such as, but not exclusive to, Front Frame Extensions, Fuel Water Separators, Air Dryers, PTOs, Fifth Wheels, Chassis Fairings, Toolboxes, Trailer Connections. For further information on these items and their respective locations on your specification, please refer to the data sheets associated with those items in the configurator.