

|           |
|-----------|
|           |
|           |
| ADDON-67  |
|           |
| ADDON-63  |
|           |
| ADDON-76  |
|           |
| ADDON-213 |
| ADDON-114 |
|           |
| ADDON-44  |
|           |
| ADDON-29  |
|           |
| ADDON-15  |
|           |
| ADDON-14  |
| ADDON-119 |
| ADDON-12  |
|           |
| ADDON-33  |
| ADDON-53  |
| ADDON-04  |
|           |
| ADDON-129 |
| ADDON-130 |
|           |
| ADDON-136 |
| ADDON-137 |
| ADDON-21  |
|           |
| ADDON-02  |
| ADDON-195 |
| ADDON-42  |
| ADDON-58  |

|           |
|-----------|
| ADDON-47  |
| ADDON-144 |
| ADDON-148 |
| ADDON-160 |
| ADDON-161 |
|           |
| ADDON-191 |
| ADDON-166 |
|           |
| ADDON-48  |
| ADDON-77  |
| ADDON-79  |
| ADDON-20  |
| ADDON-170 |
| ADDON-171 |
| ADDON-71  |
|           |
| ADDON-49  |
| ADDON-173 |
|           |
| ADDON-107 |
| ADDON-16  |
| ADDON-258 |
| ADDON-176 |
| ADDON-10  |
| ADDON-218 |
| COLOR-05  |

| Option Description   | MSRP Price |
|--|------------|
| <b>BOOM OPTIONS</b>  |            |
| 3" Extendable Boom (6-way) - Hydraulically Rotates 320°, Raises/Lowers, Extends/Retracts (10' to 14') w/ Handheld Wireless Remote; Comes with 3 sections of 3" suction hose in lieu of standard 50' section: 1 ea 5', 15' and 25'                                      | \$20,316   |
| 4" Extendable Boom (6-way) - Hydraulically Rotates 320°, Raises/Lowers and Extends/Retracts (10' to 14') w/ Handheld Wireless Remote - Hi CFM Only - Includes 4" hose upgrade with 3 sections of 4" suction hose in lieu of standard 50' section: 1 ea 5', 15' and 25' | \$21,887   |
| Operator Panel Control for Vacuum Shut-Off for 3" and 4" Booms - Toggle switch mounted in control panel  | \$2,238    |
| Manual boom (strong arm) with 10 ft reach  | \$2,095    |
| Pair of LED work lights mounted on boom end  | \$793      |
| <b>WATER HEATER/BOILER OPTIONS</b>   |            |
| Removable Water Heater with Setup - 200,000 BTU - 60°F over ambient @ 6 gpm; fuel burn rate of 1.8 g/hr  | \$3,781    |
| Removable Water Heater with Setup - 480,000 BTU - 110°F over ambient @ 6 gpm; fuel burn rate of 3.2 g/hr   | \$5,565    |
| Set-Up Only for Water Heater - allows option for simple addition of water heater below if it is purchased later.   | \$1,041    |
| <b>WATER REEL HOSE/REEL OPTIONS</b>  |            |
| 100' X 3/8" HP Water Hose Upgrade (continuous length)  | \$550      |
| 150' X 3/8" HP Water Hose Upgrade w Oversize Reel (continuous length)  | \$1,296    |
| Spring-Retract Hose Reel Upgrade - 50'capacity of 3/8" hose  | \$668      |
| <b>SUCTION HOSE OPTIONS</b>  |            |
| 3" X 25' Suction Hose w Bauer Couplers on Each End   | \$539      |
| 3" X 50' Suction Hose (Continuous Length) w Bauer Couplers on Each End   | \$868      |
| 4" Upgrade with Suction Hose (50 ft) and Accessories Package Upgrade over 3" Standard Items - Only for HiCFM Machines  | \$1,227    |
| 4" X 25' Suction Hose w Bauer Couplers on Each End   | \$822      |
| 4" X 50' Suction Hose (Continuous Length) w Bauer Couplers on Each End   | \$1,349    |
| <b>HOSE REDUCERS AND DECANTING VALVES</b>  |            |
| 4" to 3" Suction Hose Reducer  | \$300      |
| 6" to 4" Suction Hose Reducer  | \$415      |
| 3" Decanting valve in Rear Door (up to 2)  | \$370      |
| <b>SUCTION TUBES &amp; END-OF-HOSE TOOLING OPTIONS</b>   |            |
| 3" Std. Length (5.5') Viper 2-in-1 Pothole Excavator (Dielectric)  | \$1,697    |
| 3" diameter with 4" connector Viper 2-in-1 Pothole Excavator - (DiElectric)  | \$1,765    |
| 5' Pothole Lance   | \$243      |
| 7' Pothole Lance   | \$259      |

|  |         |
|--|---------|
| 3" X 8' Suction Tube with Coupler on One End - Dielectric  | \$379   |
| 3" X 10' Suction Tube with Coupler on One End - Dielectric   | \$436   |
| 4" X 8' Suction Tube with Coupler on One End - Dielectric  | \$494   |
| 4" Clamp and Dust Cap w Tether   | \$259   |
| 6" Clamp and Dust Cap w Tether   | \$321   |
| <b>ENGINE &amp; ENGINE ENCLOSURE OPTIONS</b>   |         |
| Engine Enclosure Extra Quiet Kit w High Density Accoustic Foam   | \$1,389 |
| Control Panel Light  | \$167   |
| <b>TRAILER &amp; SPOILS TANK OPTIONS</b>   |         |
| Power Jack - Electric over Hydraulic; 12,000 lb Quadra - 20 inch stroke  | \$2,531 |
| Spoils Tank Double Wash in-tank washing system   | \$927   |
| Cyclonic Pre-Filter (Order: 1 for up to 1700 CFM, 2 for up to 3000 CFM)  | \$3,028 |
| 2nd Site Glass in Rear Door  | \$221   |
| Traffic Cone Holder w 5 28" Cones  | \$579   |
| Two metal wheel chocks and holders; one on each side   | \$602   |
| Tethered Control Module for Rear Door and Tank Lift - Allows operator to stand clear of dumping tank -<br>Not available on VL models | \$1,693 |
| Spare Tire Kit 16" wheel - (6000/7000 lb axle)   | \$579   |
| Spare Tire Kit 17.5" - (10,000/12,000 lb axle)   | \$1,371 |
| <b>MISCELLANEOUS OPTIONS</b>   |         |
| Upgrade to 330 gallon water capacity & 14,000 lb axle capacity - 550VX Machines ONLY   | \$3,791 |
| Water Fill Anti-Siphon Air Gap Kit   | \$479   |
| Ground Fill Water System -2 1/2" fill system to hook into hydrant  | \$2,042 |
| Diamond Tread Aluminum Toolbox   | \$946   |
| 8 Function Traffic Director Slimline LED Light Bar   | \$1,925 |
| Extended Warranty (2 year Ltd.) - Std and Hi CFM   | \$1,203 |
| Custom Color (RAL Color Chart)   | \$1,050 |