

DescriptionList
(US DOLLAR)
\$48,552.00

Base Chassis, Model CV515 SFA with 175.00 Wheelbase, 59.80 CA, and 49.00 Axle to Frame.

AXLE CONFIGURATION

AXLE CONFIGURATION {Navistar} 4x4 \$0.00

ENGINE

ENGINE, DIESEL {International 6.6} EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) \$0.00

RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 SqIn Louvered, with 578 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler \$0.00

FAN DRIVE Viscous Type, Screw On, Rear Tether, Electronically Controlled \$0.00

AIR CLEANER Single Element, with Water Separator \$0.00

BLOCK HEATER, ENGINE 120V/800W \$100.00

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood \$97.00

FEDERAL EMISSIONS {International 6.6} EPA, OBD and GHG Certified for Calendar Year 2021 \$350.00

GOVERNOR Electronic Road Speed Type; with 75 MPH Default \$0.00

THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic Controlled, On/Off Switch Mounted on Dash, with Steering Wheel Button Control \$250.00

TRANSMISSION

TRANSMISSION, AUTOMATIC {Allison 2750 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway \$2,455.00

NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released \$0.00

PTO ACCOMMODATION PKG Includes Flex Section on Transmission Oil Cooler Lines to Enable PTO Lube Plumbing \$30.00

PTO LOCATION Customer Does Not Intend to Install PTO \$0.00

SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming \$0.00

TRANSFER CASE {Meritor MTC-3203} 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control \$1,798.00

REAR AXLES, SUSPENSIONS

AXLE, REAR, SINGLE {Dana Spicer S16-130} Single Reduction, 15,500-lb Capacity, 190 Wheel Ends . Gear Ratio: 4.30 \$207.00

SUSPENSION, REAR, SINGLE 15,500-lb Capacity, Vari-Rate Springs \$16.00

DIFFERENTIAL, LOCKING {Dana Spicer Trac-Lok} Torque Proportioning Limited Slip \$1,124.00

SHOCK ABSORBERS, REAR (2) \$171.00

FRONT AXLES

Description**List**

(US DOLLAR)

AXLE, FRONT DRIVING {Dana Spicer 60-256} Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting	\$1,400.00
AXLE, FRONT DRIVING, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints	\$147.00

FRONT SUSPENSIONS

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 7,500-lb Capacity, with Shock Absorbers	\$9.00
STABILIZER BAR, FRONT	\$360.00

CABS, COWLS, BODIES

CAB Conventional 6-Man Crew Cab	\$2,309.00
ACCESS, CAB Bright Aluminum, Driver & Passenger Sides, One Step per Door, for use with Crew Cab	\$300.00
AIR BAG, FRONT, DRIVER SIDE	\$0.00
AIR BAG, FRONT, PASSENGER SIDE	\$0.00
AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag	\$0.00
AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag	\$0.00
AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides	\$0.00
AIR CONDITIONER with Heater, Single Zone	\$0.00
CAB INTERIOR TRIM Classic, for Crew Cab	\$0.00
COLOR, INTERIOR Dark Ash	\$0.00
DOOR HANDLE, EXTERIOR Bright Finish	\$50.00
GAUGE CLUSTER English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information	\$0.00
GLASS, ALL WINDOWS Solar Absorbing, Tint	\$0.00
KEYLESS ENTRY SYSTEM REMOTE with Panic Alarm and Horn Beep Lock Confirmation, Includes Two Key Fob Transmitters	\$175.00
MIRROR, INSIDE REAR VIEW with Manual Tilt	\$25.00
MIRRORS (2) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Black Heads and Arms, for 96" Load Width	\$380.00
SEAT BELT All Orange; 4 to 6	\$50.00
SEAT, DRIVER High Back with Integral Headrest, with Recline, Vinyl, Fixed Lumbar	\$0.00
SEAT, TWO-MAN PASSENGER High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Vinyl, with Recline	\$0.00
SEAT, REAR BENCH, Vinyl	\$795.00
WINDOW, POWER (4) in Left and Right Doors, Front and Rear	\$496.00

FRAMES

<u>Description</u>	<u>List</u> (US DOLLAR)
FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL	\$0.00
BUMPER, FRONT Contoured, Steel, Painted Gray	\$55.00
TOW HOOK, FRONT (2) Frame Mounted	\$84.00
WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm)	\$0.00
BRAKES	
BRAKE SYSTEM, HYDRAULIC {Bosch} Split System, with Four Channel ABS, Traction Control, Electronic Stability Control, Hydromax Brake Booster with High Speed Master Cylinder and Trailer Sway Control	\$0.00
BRAKE, PARKING {Bosch} DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted	\$0.00
BRAKES, FRONT {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity	\$0.00
DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes	\$0.00
BRAKES, REAR {Meritor Quadraulic} Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle	\$0.00
DUST SHIELDS, REAR BRAKE for Hydraulic Brakes	\$0.00
STEERING	
STEERING GEAR {Bosch S2 8014 Plus} Power	\$0.00
STEERING COLUMN Tilting	\$0.00
STEERING WHEEL 4-Spoke; 15" Dia., Black	\$0.00
DRIVELINES	
DRIVELINE SYSTEM {Dana Spicer} SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4	\$0.00
EXHAUST SYSTEMS	
EXHAUST SYSTEM Horizontal, Frame Mounted Right Side, Under Rail, for Single Exhaust	\$0.00
ENGINE EXHAUST BRAKE for International 6.6 Engine	\$0.00
MANUAL REGEN Capability	\$0.00
ELECTRICAL SYSTEMS	
ELECTRICAL SYSTEM 12-Volt for CV Model	\$0.00
ALTERNATOR {Denso SC2} Brush Type, 12 Volt, 150 Amp Capacity	\$0.00
BACK-UP ALARM Electric, 102 dBA	\$120.00
BATTERY BOX Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab	\$0.00
BATTERY SYSTEM {VARTA} Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Crew Cab at Left Frame; Includes One Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/Accessory Power and Combined for Left and Right Hand Stop/Turn	\$100.00
CLEARANCE/MARKER LIGHTS (5) Amber LED Lights, Flush Mounted on Cab	\$0.00
HEADLIGHTS Halogen, Composite Aero Design, Chrome Trim Bezel, with Daytime Running Lights	\$78.00
HORN, ELECTRIC Disc Style	\$0.00
RADIO AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Color Touch Panel Display	\$353.00
SPEAKERS (6)	\$37.00
STARTING MOTOR 12 Volt	\$0.00
STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light	\$0.00
SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses	\$0.00
FRONT END	
FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
BUG SCREEN Mounted Behind Grille	\$0.00
FENDER EXTENSIONS Painted	\$0.00
GRILLE Chrome, with Chrome Headlight Bezels	\$195.00
LOGOS EXTERIOR Model Badges	\$0.00
SPEEDOMETER, TOOLS, MISC	
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
GVWR WEIGHT CLASSIFICATION Class 6 (19,501-26,000 lbs)	\$4,394.00
FUEL TANKS	
FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 40 US Gal (151L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Behind Rear Axle	\$0.00
DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab	\$0.00
WHEELS, TIRES - FRONT	
WHEELS, FRONT {Accuride 50180} DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$0.00
(2) TIRE, FRONT 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All-Position	\$32.00
WHEELS, TIRES - REAR	
WHEELS, REAR {Accuride 50180} DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$0.00

<u>Description</u>	<u>List</u>
	(US DOLLAR)
(4) TIRE, REAR 225/70R19.5 Load Range H CROSSTRAC HA3 (CONTINENTAL), 649 rev/mile, 75 MPH, All-Position	\$64.00

WHEELS MISC OPTIONS

WHEEL SEALS, FRONT {Chicago Rawhide Nitrile} for Oil Lubricated Wheel Bearings	\$31.00
--	---------

Total of Product Features	\$67,189.00
----------------------------------	--------------------

Services Section:**WARRANTY**

WARRANTY Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A	\$0.00
---	--------

Total of Service Features	\$0.00
----------------------------------	---------------

Total List Price Including Options:	\$67,189.00
--	--------------------

SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00
--	----------

DEALER PDI AND SERVICE	\$200.00
------------------------	----------

ADDITIONAL OPTIONS AVAILABLE UPON REQUEST.	\$0.00
--	--------

MATERIAL & GOVERNMENT SURCHARGES BILLED AT NET. NON DISCOUNTABLE.	
---	--

LOCAL INSTALLATIONS BILLED AT NET. NON DISCOUNTABLE.	
--	--

Total Goods Purchased:	\$350.00
-------------------------------	-----------------