

DescriptionList(US DOLLAR)
\$217,483.00

Base Chassis, Model HX620 SBA with 193.00 Wheelbase, 124.00 CA, and 75.00 Axle to Frame.

AXLE CONFIGURATION

AXLE CONFIGURATION {Navistar} 6x4 \$0.00

ENGINE

ENGINE, DIESEL {International A26} EPA 2017, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max) \$856.00

RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler \$0.00

FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed \$0.00

AIR CLEANER Single Element, with Integral Pre-Cleaner, Engine Mounted \$0.00

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection \$0.00

BLOCK HEATER, ENGINE {Phillips} 120V/1150W \$89.00

EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood \$97.00

FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted \$0.00

FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2021, for EPA 2017 A26 Engines \$0.00

HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type \$0.00

RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System \$0.00

TRANSMISSION

TRANSMISSION, AUTOMATIC {Allison 4000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway \$12,298.00

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223 \$0.00

NEUTRAL AT STOP OMIT (\$210.00)

OIL COOLER, AUTO TRANSMISSION {Modine} Remote Mounted; Not for use with Retarder \$1,371.00

SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming \$0.00

TRANSMISSION OIL Synthetic; 63 thru 76 Pints \$405.00

TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission \$50.00

CLUTCH

CLUTCH Omit Item (Clutch & Control) \$0.00

REAR AXLES, SUSPENSIONS

<u>Description</u>	<u>List</u> (US DOLLAR)
AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 5.29	(\$602.00)
SUSPENSION, REAR, TANDEM {Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	\$0.00
TRANSVERSE TORQUE RODS {Hendrickson} TRAAX Rod, Transverse Only	\$172.00
FRONT AXLES	
AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity	\$1,854.00
FRONT SUSPENSIONS	
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers	\$450.00
CABS, COWLS, BODIES	
CAB Conventional, Day Cab	\$0.00
ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$0.00
AIR CONDITIONER with Integral Heater and Defroster	\$0.00
CAB INTERIOR TRIM Diamond, for HX Day Cab	\$0.00
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood	\$76.00
GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	\$0.00
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	\$236.00
INSTRUMENT PANEL Wing Panel	\$0.00
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$0.00
MODESTY PANEL Painted	\$0.00
SEAT, DRIVER {ISRI} Series 300, Air Suspension, High Back, Vinyl, Single Chamber Lumbar, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt	\$0.00
SEAT, PASSENGER {National} Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage	\$518.00
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
FRAMES	
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	\$0.00
BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
CROSSMEMBER, FRAME TIE for Standard Duty	\$0.00
TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	\$118.00
WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)	\$633.00

BRAKES

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	\$0.00
BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 20,000-lb Capacity	(\$1,068.00)
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	\$0.00
SLACK ADJUSTERS, FRONT {Gunitex} Automatic	\$0.00
DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	\$35.00
BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	(\$2,848.00)
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	\$0.00
SLACK ADJUSTERS, REAR {Gunitex} Automatic	\$0.00
PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
DUST SHIELDS, REAR BRAKE for Air Cam Brakes	\$140.00
AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	\$0.00
AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out	\$0.00
AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$0.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	\$0.00
DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$0.00

STEERING

STEERING GEAR (2) {Sheppard M100/M80} Dual Power	\$1,159.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00

DRIVELINES

DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$527.00
---	----------

EXHAUST SYSTEMS

EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	\$0.00
AFTERTREATMENT COVER Aluminum	\$278.00

<u>Description</u>	<u>List</u> (US DOLLAR)
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00
EXHAUST HEIGHT 10'	\$0.00
MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
TAIL PIPE (1) Straight Type	\$0.00
ELECTRICAL SYSTEMS	
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00
AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	\$178.00
BACK-UP ALARM {Preco 1059} Electronic; Solid State, Dual Function, 112 dBA	\$211.00
BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	\$0.00
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$0.00
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$100.00
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and One (1) Antenna, Antenna Base with Wiring on Left Side Mirror	\$0.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
HEADLIGHTS Halogen, Composite Combination	\$0.00
HORN, AIR Single, Located Under Cab	\$0.00
HORN, ELECTRIC Disc Style	\$0.00
POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel	\$38.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00
RUNNING LIGHT (2) Daytime	\$0.00
SPEAKER, AUXILIARY, CB RADIO with Jack for CB; Mounted Left Side Above Driver's Door	\$0.00
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00
STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00
STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light	\$178.00
STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	\$22.00
TURN SIGNAL SWITCH Self-Canceling	\$0.00
FRONT END	
FRONT END Tilting, Composite	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
BUG SCREEN Mounted Behind Grille	\$131.00
GRILLE Black Vertical Accent Bars, with Black Mesh	\$0.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00
SPEEDOMETER, TOOLS, MISC	
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
PROMOTIONAL PACKAGE Government Silver Package	\$0.00
FUEL TANKS	
FUEL TANK Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab	\$353.00
DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
FUEL/WATER SEPARATOR {Racor 6600} 12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor	\$228.00
WHEELS, TIRES - FRONT	
WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$265.00
(2) TIRE, FRONT 315/80R22.5 Load Range L X MULTIWAY 3D XZE (MICHELIN), 488 rev/mile, 75 MPH, All-Position	\$1,324.00
WHEELS, TIRES - REAR	
WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$462.00
(8) TIRE, REAR 11R22.5 Load Range G HDL2 (CONTINENTAL), 493 rev/mile, 75 MPH, Drive	\$320.00
BODY INTEGRATION	
BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$148.00
Total of Product Features	\$238,606.00
Services Section:	
WARRANTY	
WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	\$0.00
Total of Service Features	\$0.00
Total List Price Including Options:	\$238,606.00
SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00

DescriptionList

(US DOLLAR)

DEALER PDI & PREP

\$200.00

ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST.

\$0.00

MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.

LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.

Total Goods Purchased:**\$350.00**