

DescriptionList  
(US DOLLAR)  
\$238,787.00

Base Chassis, Model LT625 6x4 with 189.00 Wheelbase, 114.40 CA, and 53.00 Axle to Frame.

**ENGINE**

ENGINE, DIESEL {International A26} EPA 2017, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 1800 RPM Governed Speed, 410 Peak HP (Max)	\$0.00
RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	\$0.00
FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control	\$0.00
AIR CLEANER Single Element, Engine Mounted	\$0.00
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
BLOCK HEATER, ENGINE {Phillips} 120V/1500W	\$89.00
COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	\$168.00
CRUISE CONTROL Predictive, Includes GPS Enhanced Cruise Control; Includes Module, Antenna and Wiring	\$0.00
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	\$97.00
FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2021, for EPA 2017 A26 Engines	\$0.00
HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$0.00
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00

**TRANSMISSION**

TRANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-16E313A-MHP} 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid	\$2,884.00
OIL COOLER MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	\$0.00
PTO LOCATION Customer Does Not Intend to Install PTO	\$0.00
TRANSMISSION OIL {EmGard 40W} Synthetic; 22 thru 33.99 Pints	\$16.00
TRANSMISSION REAR MOUNTING	\$123.00
TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	\$50.00

**CLUTCH**

CLUTCH {Eaton Fuller ECA 2250} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Damper with Pre-Damper, 2"-10 Tooth Spline, 2250 lb-ft Torque Capacity	\$631.00
---	----------

**REAR AXLES, SUSPENSIONS**

AXLE, REAR, TANDEM {Meritor MT-40-14X-3CFR} Single Reduction, Amboid Gearing in Rear-Rear Axle, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 3.42	\$0.00
--	--------

**Description****List**  
(US DOLLAR)

SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, with Shock Absorbers	\$0.00
AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints	\$0.00
PDL WARNING BUZZER Power Divider Lock	\$30.00
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	\$163.00

**FRONT AXLES**

AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity	\$0.00
--	--------

**FRONT SUSPENSIONS**

SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,350-lb Capacity, with Shock Absorbers	\$0.00
--	--------

**CABS, COWLS, BODIES**

CAB Conventional, Day Cab	\$0.00
ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$178.00
AIR CONDITIONER with Integral Heater and Defroster	\$0.00
CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
CHASSIS SKIRTS, CAB LENGTH for Day Cab, Molded Dark Gray Color, for use with DEF Tank	\$1,479.00
GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	\$0.00
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	\$0.00
INSTRUMENT PANEL Wing Panel	\$0.00
MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width	\$0.00
MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Breakaway, Bright	\$190.00
MONITOR, TIRE PRESSURE System Gives Warning that Tire Pressure is Below Set Pressure, Monitors Tire Pressure of Each Tire with Temperature Compensation, Data Displayed in the LCD of the Premium Level Cluster, for 4x2, 6x4 and 6x2 Axle Configurations, Does Not Include Lift Axles or Spare Wheels	\$0.00
SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3-14 Degree Back Angle Adjust	\$0.00
SEAT, PASSENGER {National 2000} Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle	\$0.00
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
<b>FRAMES</b>	
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 367.4" (9333mm) Maximum OAL	\$0.00
BUMPER EFFECTS Includes Bumper Seal	\$48.00

<u>Description</u>	<u>List</u> (US DOLLAR)
BUMPER, FRONT 3-Piece, Aerodynamic, Plastic, Molded Dark Gray	\$0.00
FRAME RAILS WITH TAPERED REAR	\$0.00
TOW HOOK, FRONT (2) Frame Mounted	\$118.00
WHEELBASE RANGE 187" (475cm) Through and Including 219" (555cm)	\$966.00

**BRAKES**

BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$0.00
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control	\$0.00
BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,600-lb Capacity	(\$1,268.00)
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	\$0.00
SLACK ADJUSTERS, FRONT {Gunitex} Automatic	\$0.00
BRAKES, REAR {Meritor 16.5X7 Q-PLUS LW} Air S-Cam Type, Fabricated Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 20,000-lb Capacity per Axle	(\$3,048.00)
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	\$0.00
SLACK ADJUSTERS, REAR {Gunitex} Automatic	\$0.00
PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	\$0.00
AIR DRYER {Bendix AD-IS} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Integrated PuraGuard Coalescing Filtration	\$0.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail	\$0.00
DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks	\$70.00
HOSE TENDER Slide Bar with Single Spring Bracket, Bar Extended 4" from Cab	\$143.00
TRAILER HOSES AND CABLES {Phillips} Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug	\$30.00

**STEERING**

STEERING GEAR {Sheppard HD94} Power	\$0.00
POWER STEERING OIL COOLER Remote Mounted	\$0.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00

**DRIVELINES**

DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	(\$196.00)
---	------------

**EXHAUST SYSTEMS**

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,210.00
--	------------

<u>Description</u>	<u>List</u> (US DOLLAR)
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00
EXHAUST HEIGHT 11' 6"	\$118.00
MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
TAIL PIPE (1) Turnback Type	\$64.00
<b>ELECTRICAL SYSTEMS</b>	
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00
BACK-UP ALARM Electric, 102 dBA	\$120.00
BATTERY BOX Steel, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab	\$0.00
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud	\$179.00
CB RADIO Omit; Wiring, Power Feeds, Power Source	\$0.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
CIGAR LIGHTER Includes Ash Cup	\$18.00
COLLISION MITIGATION SYSTEM {Bendix Wingman Fusion} Adaptive Cruise, Enhanced Collision Mitigation, Multilane Auto & Stat Vehicle Braking, Stat Obj Alert, Roadway Depart Alert & Braking, Lane Depart Warning Switch & Spkrs, Ovrspd Alert & Action, Frt Radar & Camera, Drvr Display, Safety Direct Capable, Less Safety Direct Cable	\$0.00
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
HEADLIGHTS Halogen, with Park Lights and Daytime Running Lights	(\$1,088.00)
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$0.00
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$0.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	(\$403.00)
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00
STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00
STOP, TURN, TAIL & B/U LIGHTS Multi-Function Lamp, with LED Lights for Stop, Turn, Tail and Backup Lights, Includes LED License Plate Light	\$0.00
SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel	\$0.00
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$0.00
<b>FRONT END</b>	
FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
GRILLE Chrome	\$0.00
HOOD, FRONT FILLER SEAL Mounted Between Bumper and Hood	\$0.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00

DescriptionList  
(US DOLLAR)**SPEEDOMETER, TOOLS, MISC**

INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360	\$0.00
FIFTH WHEEL, AIR SLIDE {Holland FW17A712XL00} 12" Slide, 6.8" Above Top of Frame, Left Hand Release	\$269.00
FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps	\$0.00
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders	\$58.00
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
PROMOTIONAL PACKAGE Government Silver Package	\$0.00

**FUEL TANKS**

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Right Side, Back of Cab/Under Sleeper	\$242.00
DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper	\$0.00
FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	\$193.00

**WHEELS, TIRES - FRONT**

WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$561.00)
(2) TIRE, FRONT 11R22.5 Load Range G AH37 (HANKOOK), 501 rev/mile, 75 MPH, All-Position	(\$374.00)

**WHEELS, TIRES - REAR**

WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$2,296.00)
(8) TIRE, REAR 11R22.5 Load Range G DH37 (HANKOOK), 498 rev/mile, 75 MPH, Drive	(\$784.00)

**Total of Product Features****\$238,713.00****Services Section:****WARRANTY**

WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A	\$0.00
---	--------

**Total of Service Features****\$0.00****Total List Price Including Options:****\$238,713.00**

SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00
--	----------

PDI AND DEALER PREP.	\$200.00
----------------------	----------

DescriptionList(US DOLLAR)  
\$0.00

\*\*\*ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST.\*\*\*

\*\*\*MATERIAL &amp; GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.\*\*\*

\*\*\*LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.\*\*\*

**Total Goods Purchased:****\$350.00**