

<u>Description</u>	<u>List</u> (US DOLLAR)
Base Chassis, Model MV607 SBA with 175.00 Wheelbase, 107.90 CA, and 59.00 Axle to Frame.	\$94,163.00
<hr/> AXLE CONFIGURATION <hr/>	
AXLE CONFIGURATION {Navistar} 4x2	\$0.00
<hr/> ENGINE <hr/>	
ENGINE, DIESEL {Cummins B6.7 250} EPA 2021, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)	\$2,693.00
RADIATOR Aluminum, 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, with 313 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler	\$0.00
FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On	\$0.00
AIR CLEANER with Service Protection Element	\$0.00
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	\$98.00
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	\$97.00
FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2021	\$350.00
OIL PAN Extended Service Interval, 19 Quart Capacity, For Cummins ISB/B6.7 Engines	\$286.00
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	\$0.00
<hr/> TRANSMISSION <hr/>	
TRANSMISSION, AUTOMATIC {Allison 2500 RDS} 5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, On/Off Highway	\$1,052.00
NEUTRAL AT STOP OMIT	\$0.00
PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	\$0.00
SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming	\$0.00
TRANSMISSION OIL Synthetic; 20 thru 28 Pints	\$151.00
TRANSMISSION SHIFT CONTROL T-Handle	\$0.00
<hr/> CLUTCH <hr/>	
CLUTCH Omit Item (Clutch & Control)	\$0.00
<hr/> REAR AXLES, SUSPENSIONS <hr/>	
AXLE, REAR, SINGLE {Dana Spicer 21060S} Single Reduction, 17,500-lb Capacity, R Wheel Ends . Gear Ratio: 5.57	\$15.00
SUSPENSION, REAR, SINGLE 20,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs	\$98.00
<hr/> FRONT AXLES <hr/>	
AXLE, FRONT NON-DRIVING {Meritor MFS-09-122A} I-Beam Type, 9,000-lb Capacity	\$166.00

<u>Description</u>	<u>List</u> (US DOLLAR)
FRONT SUSPENSIONS	
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 9,000-lb Capacity, with Shock Absorbers	\$117.00
CABS, COWLS, BODIES	
CAB Conventional, Day Cab	\$0.00
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	\$0.00
AIR CONDITIONER with Integral Heater and Defroster	\$923.00
CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
CAB REAR SUSPENSION Rubber Suspension, for Low Cab Height	\$0.00
GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display	\$0.00
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
GRAB HANDLE, EXTERIOR (2) Black, Aluminum, for Cab Entry Mounted Left and Right Side at B-Pillar	\$87.00
INSTRUMENT PANEL Flat Panel	\$0.00
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	\$0.00
SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$116.00
SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	\$368.00
WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors	\$0.00
FRAMES	
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 460.0" (11684mm) Maximum OAL	\$515.00
BUMPER, FRONT Contoured, Steel	\$0.00
TOW HOOK, FRONT (2) Frame Mounted	\$84.00
WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)	\$0.00
BRAKES	
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	(\$339.00)
AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	\$1,357.00
BRAKES, FRONT {Meritor 15X4 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 15" X 4", 13,200-lb Capacity	(\$265.00)
BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn	\$0.00
SLACK ADJUSTERS, FRONT {Gunitite} Automatic	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	\$100.00
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqln Spring Brake	\$0.00
SLACK ADJUSTERS, REAR {Gunite} Automatic	\$0.00
AIR COMPRESSOR {Cummins} 18.7 CFM	\$69.00
AIR DRYER {Wabco System Saver 1200} with Heater	\$497.00
AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$50.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab	\$50.00
DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank	\$165.00
<u>STEERING</u>	
STEERING GEAR {Sheppard M100} Power	\$120.00
STEERING COLUMN Tilting	\$125.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
<u>DRIVELINES</u>	
DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2	\$96.00
<u>EXHAUST SYSTEMS</u>	
EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail Back of Cab, Includes Single Short Horizontal Tail Pipe	\$0.00
<u>ELECTRICAL SYSTEMS</u>	
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	\$0.00
BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab	\$0.00
BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$103.00
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$100.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
CIGAR LIGHTER Includes Ash Cup	\$18.00
HEADLIGHTS Halogen, Composite Aero Design	\$0.00
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$94.00
HORN, ELECTRIC Disc Style	\$0.00
INDICATOR, LOW COOLANT LEVEL with Audible Alarm	\$0.00
POWER SOURCE Cigar Type Receptacle without Plug and Cord	\$30.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	\$483.00

<u>Description</u>	<u>List</u> (US DOLLAR)
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$48.00
STARTING MOTOR {Mitsubishi Electric Automotive America 90P47} 12-Volt, with Soft-Start	\$0.00
FRONT END	
FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
GRILLE Chrome	\$0.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00
SPEEDOMETER, TOOLS, MISC	
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
PROMOTIONAL PACKAGE Government Silver Package	\$0.00
SPECIAL RATING, GVWR Limited to 25,999-lb GVWR	\$0.00
FUEL TANKS	
FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab	\$100.00
DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
FUEL/WATER SEPARATOR 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor, Cummins Supplied on Engine	\$221.00
WHEELS, TIRES - FRONT	
WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$61.00)
(2) TIRE, FRONT 11R22.5 Load Range G AH37 (HANKOOK), 501 rev/mile, 75 MPH, All-Position	\$218.00
WHEELS, TIRES - REAR	
WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$104.00)
(4) TIRE, REAR 11R22.5 Load Range G AH37 (HANKOOK), 501 rev/mile, 75 MPH, All-Position	\$436.00
BODY INTEGRATION	
BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$148.00
Total of Product Features	\$105,286.00

Services Section:**WARRANTY**

<u>Description</u>	<u>List</u> (US DOLLAR)
WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A	\$0.00
Total of Service Features	\$0.00
Total List Price Including Options:	\$105,286.00
SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00
PDI AND DEALER PREP.	\$200.00
ADIDIONAL OPTIONS ARE AVAILABLE UPON REQUEST.	\$0.00
MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.	
LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.	
Total Goods Purchased:	\$350.00