Vehicle Specifications 2022 RH613 4x2 (RH61A)

Base Chassis, Model RH613 4x2 with 158.00 Wheelbase, 95.20 CA, and 33.00 Axle to Frame. \$218,970.0 ENGINE ENGINE, DIESEL {International A26} EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max) RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 Sqln, with 806 Sqln Charge Air Cooler FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control \$0.00 AIR CLEANER Single Element
ENGINE, DIESEL {International A26} EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max) RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 Sqln, with 806 Sqln Charge Air Cooler FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control \$0.0
2100 RPM Governed Speed, 365 Peak HP (Max) RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 Sqln, with 806 Sqln Charge Air Cooler FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control \$0.0
Cooler FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control \$0.0
AIR CLEANER Single Element \$0.0
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection \$0.0
COLD STARTING EQUIPMENT Automatic; with Engine ECM Control \$168.0
CRUISE CONTROL Omit Predictive Cruise Control (\$768.00
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes \$97.0 "Certified Clean Idle" Decal on Hood
FEDERAL EMISSIONS (International A26) EPA, OBD and GHG Certified for Calendar Year 2021, for EPA \$0.0 2017 A26 Engines
HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type \$0.0
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System
TRANSMISSION
TRANSMISSION, AUTOMATIC {Allison 3414 RHS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max
ALLISON SPARE INPUT/OUTPUT for Highway Series (HS) and Regional Haul Series (RHS), General \$0.0 Purpose Trucks, Package Number 223
OIL COOLER, AUTO TRANSMISSION (Modine) Water to Oil Type \$898.0
PTO LOCATION Customer Does Not Intend to Install PTO \$0.0
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, with DynActive, Dynamic \$815.0 Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max)
TRANSMISSION OIL Synthetic; 29 thru 42 Pints \$118.0
CLUTCH
CLUTCH Omit Item (Clutch & Control) \$0.0
REAR AXLES, SUSPENSIONS
AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends . Gear \$0.0 Ratio: 4.30
SUSPENSION, REAR, AIR, SINGLE {International IROS} 20,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers

1

<u>Description</u>	List (US DOLLAR)
AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 30 thru 39.99 Pints	\$0.00
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	\$163.00
FRONT AXLES	
AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity	\$0.00
FRONT SUSPENSIONS	
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,350-lb Capacity, with Shock Absorbers	\$0.00
CABS, COWLS, BODIES	
CAB Conventional, Day Cab	\$0.00
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$0.00
AIR CONDITIONER with Integral Heater and Defroster	\$0.00
CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
GAUGE CLUSTER Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	\$0.00
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	\$0.00
INSTRUMENT PANEL Wing Panel	\$0.00
MIRRORS (2) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	(\$268.00)
MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Black	\$138.00
MONITOR, TIRE PRESSURE Omit	(\$696.00)
SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3-14 Degree Back Angle Adjust	\$0.00
SEAT, PASSENGER (National 2000) Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle	\$0.00
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
FRAMES	
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 367.4" (9333mm) Maximum OAL	\$0.00
BUMPER, FRONT 3-Piece, Aerodynamic, Plastic, Molded Dark Gray	\$0.00
FRAME RAILS WITH TAPERED REAR	\$0.00
WHEELBASE RANGE 158" (400cm) Through and Including 185" (470cm)	\$966.00
BRAKES	
BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$0.00

2

<u>Description</u>	<u>List</u> (US DOLLAR)
AIR BRAKE ABS {Wabco AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control	\$174.00
BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,600-lb Capacity	\$0.00
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	\$0.00
SLACK ADJUSTERS, FRONT {Gunite} Automatic	\$0.00
BRAKES, REAR {Meritor 16.5X7 Q-PLUS LW} Air S-Cam Type, Fabricated Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 20,000-lb Capacity per Axle	\$0.00
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	\$0.00
SLACK ADJUSTERS, REAR {Gunite} Automatic	\$0.00
AIR COMPRESSOR (Bendix BA-921 Head Unload) 15.9 CFM	\$0.00
AIR DRYER {Bendix AD-IS} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Integrated PuraGuard Coalescing Filtration	\$0.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail	\$0.00
HOSE TENDER Slide Bar with Double Spring Bracket, Bar Extended 4" from Cab	\$153.00
TRAILER HOSES AND CABLES {Phillips} Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug	\$30.00
STEERING	
STEERING GEAR (Sheppard HD94) Power	\$0.00
POWER STEERING OIL COOLER Remote Mounted	\$0.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
DRIVELINES	
DRIVELINE SYSTEM {Dana Spicer} SPL170, for 4x2/6x2	(\$470.00)
EXHAUST SYSTEMS	
EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,210.00
AFTERTREATMENT COVER Steel, Black	\$248.00
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00
EXHAUST HEIGHT 11' 6"	\$118.00
MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
TAIL PIPE (1) Turnback Type	\$64.00
ELECTRICAL SYSTEMS	
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00

3

<u>Description</u>	<u>List</u>
BATTERY BOX Steel, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab	(US DOLLAR) \$0.00
BATTERY BOX COVER Plastic	\$248.00
BATTERY SYSTEM {JCI} Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud	\$132.00
CB RADIO Omit; Wiring, Power Feeds, Power Source	\$0.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
CIGAR LIGHTER Includes Ash Cup	\$18.00
COLLISION MITIGATION SYSTEM Omit	(\$3,576.00)
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
HEADLIGHTS Halogen, with Park Lights and Daytime Running Lights	(\$1,088.00)
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$0.00
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$0.00
LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	\$48.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	(\$403.00)
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00
STARTING MOTOR (Mitsubishi Electric Automotive America 105P) 12-Volt, with Soft-Start	\$0.00
STOP, TURN, TAIL & B/U LIGHTS Multi-Function Lamp, with LED Lights for Stop, Turn, Tail and Backup Lights, Includes LED License Plate Light	\$0.00
SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel	\$0.00
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$0.00
FRONT END	
FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
FENDER EXTENSIONS Molded in Gray	\$0.00
GRILLE Chrome	\$0.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00
SPEEDOMETER, TOOLS, MISC	
INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360	\$0.00
FIFTH WHEEL, AIR SLIDE {Holland FW17A712XL00} 12" Slide, 6.8" Above Top of Frame, Left Hand Release	\$269.00
FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps	\$0.00
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders	\$58.00
PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00

4

Vehicle Specifications 2022 RH613 4x2 (RH61A)

<u>Description</u>	<u>List</u> (US DOLLAR)
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
FUEL TANKS	
FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Back of Cab/Under Sleeper	\$0.00
DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper	\$0.00
FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	\$193.00
WHEELS, TIRES - FRONT	
WHEELS, FRONT (Accuride 51408) DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$561.00)
(2) TIRE, FRONT 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position	(\$168.00)
WHEELS, TIRES - REAR	
WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	(\$1,148.00)
(4) TIRE, REAR 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position	(\$336.00)
Total of Product Features	\$222,702.00
Services Section:	
WARRANTY	
WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A	\$0.00
Total of Service Features	\$0.00
Total List Price Including Options:	\$222,702.00
SAFETY EQUIPMENT & NC OR DOT INSPECTION.	\$150.00
PDI AND DEALER PREP.	\$200.00
ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST. ***MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.*** ***LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.***	\$0.00
Total Goods Purchased:	\$350.00

5