

DescriptionList
(US DOLLAR)
\$226,970.00

Base Chassis, Model RH613 6x4 with 189.00 Wheelbase, 126.20 CA, and 59.00 Axle to Frame.

ENGINE

ENGINE, DIESEL {International A26} EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)	\$0.00
RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler	\$0.00
FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control	\$0.00
AIR CLEANER Single Element	\$0.00
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	\$168.00
CRUISE CONTROL Omit Predictive Cruise Control	(\$768.00)
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	\$97.00
FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2021, for EPA 2017 A26 Engines	\$0.00
HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	\$0.00
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	\$0.00

TRANSMISSION

TRANSMISSION, AUTOMATIC {Allison 3414 RHS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max	\$6,888.00
ALLISON SPARE INPUT/OUTPUT for Highway Series (HS) and Regional Haul Series (RHS), General Purpose Trucks, Package Number 223	\$0.00
OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type	\$898.00
PTO LOCATION Customer Does Not Intend to Install PTO	\$0.00
SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max)	\$815.00
TRANSMISSION OIL Synthetic; 29 thru 42 Pints	\$118.00

CLUTCH

CLUTCH Omit Item (Clutch & Control)	\$0.00
-------------------------------------	--------

REAR AXLES, SUSPENSIONS

AXLE, REAR, TANDEM {Meritor MT-40-14X-5CFR} Single Reduction, Amboid Gearing in Rear-Rear Axle 40,000-lb Capacity, .5"(12.7mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 3.55	\$104.00
SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 60" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers	\$474.00

<u>Description</u>	<u>List</u> (US DOLLAR)
AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints	\$0.00
PDL WARNING BUZZER Power Divider Lock	\$30.00
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab	\$163.00
FRONT AXLES	
AXLE, FRONT NON-DRIVING {Hendrickson Steertek NXT} Wide Track, Fabricated Type, 12,350-lb Capacity	\$0.00
FRONT SUSPENSIONS	
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,350-lb Capacity, with Shock Absorbers	\$0.00
CABS, COWLS, BODIES	
CAB Conventional, Day Cab	\$0.00
ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab	\$0.00
AIR CONDITIONER with Integral Heater and Defroster	\$0.00
CAB INTERIOR TRIM Classic, for Day Cab	\$0.00
GAUGE CLUSTER Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	\$0.00
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster	\$0.00
INSTRUMENT PANEL Wing Panel	\$0.00
MIRRORS (2) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	(\$268.00)
MIRROR, CONVEX, HOOD MOUNTED (2) Right and Left Sides, Black	\$138.00
MONITOR, TIRE PRESSURE Omit	(\$988.00)
SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3-14 Degree Back Angle Adjust	\$0.00
SEAT, PASSENGER {National 2000} Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle	\$0.00
WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$0.00
FRAMES	
FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 367.4" (9333mm) Maximum OAL	\$0.00
BUMPER, FRONT 3-Piece, Aerodynamic, Plastic, Molded Dark Gray	\$0.00
FRAME RAILS WITH TAPERED REAR	\$0.00
WHEELBASE RANGE 187" (475cm) Through and Including 219" (555cm)	\$966.00
BRAKES	
BRAKE SYSTEM, AIR Dual System for Tractor Applications	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
AIR BRAKE ABS {Wabco AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control	\$174.00
BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,600-lb Capacity	\$0.00
BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqli	\$0.00
SLACK ADJUSTERS, FRONT {Gunitex} Automatic	\$0.00
BRAKES, REAR {Meritor 16.5X7 Q-PLUS LW} Air S-Cam Type, Fabricated Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 20,000-lb Capacity per Axle	\$0.00
BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqli Spring Brake	\$0.00
SLACK ADJUSTERS, REAR {Gunitex} Automatic	\$0.00
PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	\$0.00
AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM	\$0.00
AIR DRYER {Bendix AD-IS} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Integrated PuraGuard Coalescing Filtration	\$0.00
AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail	\$0.00
HOSE TENDER Slide Bar with Double Spring Bracket, Bar Extended 4" from Cab	\$153.00
TRAILER HOSES AND CABLES {Phillips} Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug	\$30.00
<u>STEERING</u>	
STEERING GEAR {Sheppard HD94} Power	\$0.00
POWER STEERING OIL COOLER Remote Mounted	\$0.00
STEERING COLUMN Tilting and Telescoping	\$0.00
STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00
<u>DRIVELINES</u>	
DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4	(\$470.00)
<u>EXHAUST SYSTEMS</u>	
EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,210.00
AFTERTREATMENT COVER Steel, Black	\$248.00
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	\$0.00
EXHAUST HEIGHT 11' 6"	\$118.00
MUFFLER/TAIL PIPE GUARD (1) Aluminum	\$0.00
TAIL PIPE (1) Turnback Type	\$64.00
<u>ELECTRICAL SYSTEMS</u>	
ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00

<u>Description</u>	<u>List</u> (US DOLLAR)
ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	\$0.00
BATTERY BOX Steel, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab	\$0.00
BATTERY BOX COVER Plastic	\$248.00
BATTERY SYSTEM {JCI} Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud	\$132.00
CB RADIO Omit; Wiring, Power Feeds, Power Source	\$0.00
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
CIGAR LIGHTER Includes Ash Cup	\$18.00
COLLISION MITIGATION SYSTEM Omit	(\$3,576.00)
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	\$0.00
HEADLIGHTS Halogen, with Park Lights and Daytime Running Lights	(\$1,088.00)
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	\$0.00
HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord	\$0.00
LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	\$48.00
RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	(\$403.00)
SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	\$0.00
STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	\$0.00
STOP, TURN, TAIL & B/U LIGHTS Multi-Function Lamp, with LED Lights for Stop, Turn, Tail and Backup Lights, Includes LED License Plate Light	\$0.00
SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel	\$0.00
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	\$0.00
FRONT END	
FRONT END Tilting, Fiberglass, with Three Piece Construction	\$0.00
FENDER EXTENSIONS Molded in Gray	\$0.00
GRILLE Chrome	\$0.00
LOGOS EXTERIOR Model Badges	\$0.00
LOGOS EXTERIOR, ENGINE Badges	\$0.00
SPEEDOMETER, TOOLS, MISC	
INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360	\$0.00
FIFTH WHEEL, AIR SLIDE {Holland FW17A712XL00} 12" Slide, 6.8" Above Top of Frame, Left Hand Release	\$269.00
FIFTH WHEEL LOCATION On Rear Axle Centerline	\$0.00
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps	\$0.00
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders	\$58.00

DescriptionList

(US DOLLAR)

PAINT SCHEMATIC, PT-1 Single Color, Design 100 \$0.00

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone \$0.00

FUEL TANKS

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Back of Cab/Under Sleeper \$0.00

DEF TANK 10.6 US Gal (40L) Capacity, Frame Mounted Outside Left Rail, Back of Cab/Under Sleeper \$0.00

FUEL/WATER SEPARATOR {Davco Fuel Pro 382} 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor \$193.00

WHEELS, TIRES - FRONT

WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs (\$561.00)

(2) TIRE, FRONT 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position (\$168.00)

WHEELS, TIRES - REAR

WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs (\$2,296.00)

(8) TIRE, REAR 11R22.5 Load Range H HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position (\$672.00)

Total of Product Features \$229,534.00**Services Section:****WARRANTY**

WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A \$0.00

Total of Service Features \$0.00**Total List Price Including Options: \$229,534.00**

SAFETY EQUIPMENT & NC OR DOT INSPECTION. \$150.00

PDI AND DEALER PREP. \$200.00

ADDITIONAL OPTIONS ARE AVAILABLE UPON REQUEST. \$0.00

MATERIAL & GOVERNMENT SURCHARGES ARE NOT DISCOUNTED.

LOCAL INSTALLATIONS BILLED AT NET PRICE, NOT DISCOUNTED.

Total Goods Purchased: \$350.00