

# ACX64 Class 8 Model Year 2022

Advantage Truck Center NC

Prepared By : Bruce Stadler

(704)597-0551

bstadler@advtrks.com

Prepared For:

Friday, January 29, 2021 9:08:08 AM EST

## Chassis Specification

01/29/2021

			Description	Front Weight	Rear Weight	Price
	AUTO	CAR TRUCKS				
S	0040002	MODELS	ACX64	10,431	6,154	185,850
S	5000001	CAB SHELL	SINGLE LEFT HAND DRIVE CAB	0	0	0
	VEHIC	LE ADAPTATION				
S	114010	COUNTRY OF USE	UNITED STATES STD MARKET ADAPTATION	0	0	0
J	SOLUT	ION				
S	C070001	FUEL SYSTEM TYPE	DIESEL	0	0	0
S	C090003	AXLE QUANTITY	3 AXLE	0	0	0
S	C080001	REAR SUSPENSION TYPE	STD/BEAM TYPE REAR SUSPENSION	0	0	0
	ENGIN	E				
S	1580001	ENGINE VOCATION	COMMERCIAL - DOMESTIC (DOT)	0	0	0
S	1012032	ENGINE ASSY	L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS	0	0	0
S	972A001	SPECIAL EMISSION CERTIFICATION LABELS	50 STATE - CALIFORNIA CLEAN IDLE CERTIFIED (DIESEL)	0	0	0
	ENGIN	E EQUIP				
S	128071	ENGINE CONTROL SPECIFICATIONS	DEFAULT SPECS	0	0	0
S	1290004	ENGINE ELECTRONICS	CUMMINS 500K COMMUNICATION	0	0	0
0	4382005	FILTER-FUEL, CHASSIS MOUNTED	FLEETGUARD FS20121 F/W SEPARATOR W/PROBE AND DASH LIGHT	0	0	0
S	1700001	FILTER-FUEL, ENGINE MOUNTED	SECONDARY SPIN-ON FILTER, REMOTE MTD.	0	0	0
S	2080001	FAN & DRIVE-ENGINE	2-SPEED FAN	0	0	0
S	2120003	RADIATOR SURGE TANK	STANDARD SURGE TANK W/ SIGHT GLASS	0	0	0
S	2200001	AIR CLEANER	15" ONE STAGE EPG CLEANER DONALDSON	0	0	0
S	226001	AIR INTAKE RAIN CAP	BLACK, HOOD TYPE	0	0	0
S	2302000	MUFFLER SYSTEM	RH VERT HORIZ DPF/SCR	0	0	0
S	2310003	EXHAUST SHIELDS	DPF & SCR SHIELDS	0	0	0

S 2322001 EXHAUST STACKS 90 DEGREE SIDE OUT 0 DIFFUSER	0	0				
S 115A200 TURBO HEAT SHIELD TURBO HEAT SHIELD 0	0	0				
S 2390002 UREA DELIVERY SYSTEM OVER-FENDER MTD., LH 0 SIDE, 10 GAL. CAPACITY	0	0				
S 5300001 ENGINE/EXHAUST COVER ALUM TURBO/EXHAUST PIPE 0 DEBRIS SHIELD	0	0				
S 700026 AIR COMPRESSOR CUMMINS WABCO 18.7 CFM 0 COMPRESSOR	0	0				
S 8200003 STARTING MOTOR DELCO REMY 12V 39 MT 0 W/OCP	0	0				
S 8020004 ALTERNATOR DELCO REMY 36SI 12V 160 13 AMP	0	0				
S P020001 ENGINE IDLE SHUT DOWN ENGINE IDLE SHUT DOWN 0 ENABLED (5 MINUTES)	0	0				
S P030001 CRUISE CONTROL CRUISE CONTROL ENABLED 0 PARAMETER	0	0				
<b>S</b> P641200 <b>RPM PTO MODE</b> 1200 RPM MAX IN PTO 0	0	0				
<b>S</b> P701200 <b>PTO SET SWITCH</b> PTO SET SWITCH = 1200 RPM 0	0	0				
S P711000 PTO RESUME SWITCH PTO RESUME SWITCH = 1000 0 RPM	0	0				
S P010065 VEHICLE GOVERNED SPEED LIMIT 65MPH 0 SPEED LIMIT	0	0				
TRANSMISSION						
S 2580003 <b>VOCATION</b> RDS REFUSE - VOC 400-XXX 0	0	0				
S 26A0001 TRANSMISSION SHIFT PRIMARY PERFORMANCE / 0	0	0				
SCHEDULE / FUEL SENSE SECONDARY ECONOMY	U	U				
S PT10001 TRANS DIRECTION SHIFT INHIBIT ENABLED 0 CHANGE SHIFT INHIBIT	0	0				
S 27P0000 TRANSMISSION NO TRANSMISSION 0 RETARDER AUDIBLE RETARDER AUDIBLE ALARM ALARM	0	0				
S 2700021 TRANSMISSION ALLISON 3000 SERIES, 5- 0 SPEED	0	0				
S 287A200 TRANSMISSION TRANSMISSION REMOTE 0 BREATHER BREATHER	0	0				
S 284016 TRANSMISSION ALLISON PUSHBUTTON 0 CONTROLS CONTROLS	0	0				
S 286005 COOLER-TRANSMISSION OIL TO WATER TYPE 0 OIL	0	0				
S 290003 TRANSMISSION OIL OIL FILL TUBE / DIPSTICK W/ 0 FILL/CHECK LEVEL SENSOR	0	0				
	0	0				
S 300011 DRIVESHAFT-MAIN SPICER 1760HD HALF ROUND 0						
S 300011 DRIVESHAFT-MAIN SPICER 1760HD HALF ROUND 0 FRONT AXLE	v					

S	371135	FRONT SUSPENSION	9500 LOW CAMBER FLATLEAF 20,800 GROUND CAPACITY	0	0	0
S	371T98	SUSPENSION, FRONT AUX	NO AUX LOAD CUSHION PROVIDED	0	0	0
S	373002	SHOCK ABSORBERS- FRONT	DOUBLE ACTING SINGLE - HEAVY DUTY	0	0	0
S	904011	HUBS-FRONT	STEEL HUB PILOTED,285MM BOLT CIRCLE	0	0	0
S	9400001	WHEEL OIL SEALS-FRONT	SCOTSEAL PLUS XL	0	0	0
S	9210001	HUB CAPS - FRONT AXLE	CR ZYTEL HUBCAP	0	0	0
S	374002	FRONT AXLE LUBRICANT	SYNTHETIC,DANA SPICER EP75W90,OR EQUIV	0	0	0
S	7510003	BRAKES-FOUNDATION, FRONT AXLE	MERITOR 16.5X6 QP	0	0	0
S	754009	BRAKE SLACK ADJUSTERS -FRONT AXLE	MERITOR AUTOMATIC	0	0	0
S	755001	DUST SHIELDS - FRT BRAKES	DUST SHIELDS - FRONT BRAKES	0	0	0
S	901001	BRAKE DRUM-FRONT	CAST IRON	0	0	0
S	383101	STEERING GEAR	INTEGRAL POWER STEERING W/RIGHT HAND RAM	0	0	0
S	387003	POWER STEERING RESERVOIR	FOUR QUART REMOTE MOUNTED	0	0	0
	REAR A	XLE				
S	3300041	REAR DRIVE AXLE-SINGLE & TANDEM		0	0	0
s s	3300041 330U98	REAR DRIVE AXLE-SINGLE & TANDEM REAR AXLE LUBE PUMP	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS) NO LUBRICATION PUMP	0		
		& TANDEM	HOUSING (40000 LBS)		0 0 0	0 0
S	330U98	& TANDEM REAR AXLE LUBE PUMP	HOUSING (40000 LBS) NO LUBRICATION PUMP	0	0	0
S	330U98	& TANDEM REAR AXLE LUBE PUMP	HOUSING (40000 LBS) NO LUBRICATION PUMP MUST CHOOSE REAR DRIVE	0	0	0
S X	330U98 331996	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS	0	0	0
s x s	330U98 331996 3500003	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO REAR SUSPENSION	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER	0 0	0 0	0 0
s x s	330U98 331996 3500003 351013	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO REAR SUSPENSION REAR SUSPENSION BEAMS	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER	0 0 0	0 0 0	0 0
s x s s	330U98 331996 3500003 351013 358005	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO REAR SUSPENSION REAR SUSPENSION BEAMS TORQUE RODS	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER  BUSHED	0 0 0 0	0 0 0 0	0 0 0 0
s x s s	330U98 331996 3500003 351013 358005	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO  REAR SUSPENSION REAR SUSPENSION BEAMS TORQUE RODS  HUBS-REAR	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER  BUSHED  IRON HUB, HP 10 STUD	0 0 0 0	0 0 0 0	0 0 0 0
s x s s	330U98 331996 3500003 351013 358005 9130001 3400001	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO  REAR SUSPENSION REAR SUSPENSION BEAMS TORQUE RODS  HUBS-REAR REAR AXLE BREATHER	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER  BUSHED  IRON HUB, HP 10 STUD  STANDARD AXLE BREATHER	0 0 0 0	0 0 0 0	0 0 0 0
s x s s s	330U98 331996 3500003 351013 358005 9130001 3400001 9410001	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO  REAR SUSPENSION  REAR SUSPENSION BEAMS  TORQUE RODS  HUBS-REAR REAR AXLE BREATHER WHEEL OIL SEALS-REAR BRAKES-FOUNDATION,	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER  BUSHED  IRON HUB, HP 10 STUD  STANDARD AXLE BREATHER  SCOTSEAL PLUS XL  MERITOR 16.5X7 Q PLUS	0 0 0 0	0 0 0 0	0 0 0 0
s x s s s s	330U98 331996 3500003 351013 358005 9130001 3400001 9410001 7610003	& TANDEM REAR AXLE LUBE PUMP REAR DRIVE AXLE RATIO  REAR SUSPENSION  REAR SUSPENSION BEAMS  TORQUE RODS  HUBS-REAR REAR AXLE BREATHER WHEEL OIL SEALS-REAR BRAKES-FOUNDATION, REAR AXLE BRAKE SLACK ADJUSTERS	HOUSING (40000 LBS)  NO LUBRICATION PUMP  MUST CHOOSE REAR DRIVE  AXLE RATIO  HENDRICKSON HMX-400  SUSP @ 54" AS  54 INCH STEEL RUBBER  BUSHED  LONGITUDINAL &  TRANSVERSE - RUBBER  BUSHED  IRON HUB, HP 10 STUD  STANDARD AXLE BREATHER  SCOTSEAL PLUS XL  MERITOR 16.5X7 Q PLUS	0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0

S	781012	BRAKE CHAMBERS- PARKING, TYPE/VENDOR	CAM TYPE MGM STOPGARD (4)	0	0	0
S	910001	BRAKE DRUM-REAR	CAST IRON	0	0	0
	BRAK	ES				
S	729002	AIR LINES-PARKING BRAKE, CHASSIS	AIR LINES CHASSIS PARK BRAKE	0	0	0
S	7410004	BRAKE CONTROL SYSTEM	MERITOR WABCO ABS 4S/4M W/PLC	0	0	0
	CHASS	SIS				
S	400210	WHEELBASE	210 INCHES	0	0	17
S	402104	FRAME-REAR OVERHANG	104"	0	0	0
S	403012	FRAME RAILS	3/8" VARIABLE DROP STEEL, EXT B	0	0	0
S	409002	FRAME CROSSMEMBER- CENTER	ALUMINUM	0	0	0
S	4110002	FRAME CROSSMEMBER- END CLOSING	ALUMINUM MEMBER-IF REQUIRED	0	0	0
S	460001	BUMPER-FRONT	STEEL PAINTED	0	0	0
S	480002	TOWING DEVICE-FRONT	TWO REMOVABLE TOW PINS	0	0	0
S	8742000	WIRING, BODY INTERFACE	RP 170 COMPLIANT	0	0	0
S	430020	FUEL TANK-LEFT	75 GAL 26" DIA UNPAINTED ALUMINUM	0	0	0
S	4470001	LH FUEL TANK SPACERS	LH FUEL TANK STANDARD HEIGHT	0	0	0
S	432002	FUEL TANK STRAP/ SUPPORT LEFT	PAINTED STEEL, LH	0	0	0
S	4280001	DRILLING FUEL TK SUPT- LEFT	FUEL TANK MTD FWD LHS - STANDARD (IF PROVIDED)	0	0	0
S	436015	FUEL LINES	SAE J1402A1 WIRE BRAIDED	0	0	0
S	8120005	BATTERY BOX	STEEL BOX, 3 BATTERY, LHS	0	0	0
S	8160001	BATTERY BOX SPACERS	BATTERY BOX STANDARD HEIGHT	0	0	0
S	8090001	BATTERY BOX DRILLING	BOX LOCATED AS FAR FORWARD AS POSSIBLE	0	0	0
S	810089	BATTERY	3 JOHNSON CONTROL 31ECL 12V 2250CCA	0	0	0
S	8140002	BATTERY SHUT-OFF SWITCH	SHUTOFF W/ LOCKOUT, NO EMERGENCY JUMPER STUDS	0	0	0
S	7110001	AIR TANK-BRAKE	STEEL AIR TANKS	0	0	0
S	7090002	AIR TANK DRILLING	AIR TANKS IN STANDARD POSITION	0	0	0
S	715002	WET TANK DRAIN	BENDIX D/V-2 AUTOMATIC	0	0	0
S	715T001	AIR RESERVOIR DRAIN SYSTEM	PETCOCK, ALL TANKS	0	0	0
-			*** ** ** * * * * * * * * * * * * * * *	m	=	1022

S	7100003	AIR DRYER DRILLING	AIR DRYER MOUNTED OUTSIDE RAIL, LHS	0	0	0
s	724001	AIR LINES-CAB	SAE J844 NYLON TUBING	0	0	0
	CAB EX	XTERIOR				
s	4510001	STEP-CAB ACCESS, CAB	DUAL SELF CLEANING CAB	0	0	0
		MOUNTED	ENTRANCE STEPS			
S	502001	CAB DOORS	STEEL	0	0	0
S	6220015	MIRRORS-DUAL WEST COAST	MIRROR, BLACK, W / LWR CONVEX	0	0	0
S	630026	HORN-AIR	TWIN MOUNTED UNDER CAB	0	0	0
S	631001	HORN-ELECTRIC	SINGLE	0	0	0
S	661001	CAB TILT MECHANISM-C.O.E.	HYDRAULIC TILT	0	0	0
S	6720001	GRILLE	AUTOCAR GRILLE	0	0	0
S	675001	BUG SCREENS	BUG SCREEN MOUNTED	0	0	0
			BEHIND GRILLE			
	CAB IN	TERIOR				
S	3800001	STEERING WHEEL	16" DIA. WHEEL, 2 SPOKE	0	0	0
S	3810002	STEERING COLUMN	TILT AND TELESCOPIC	0	0	0
			STEERING COLUMN			
S	520234	SEAT-DRIVER	NATIONAL CUSH II LOW BACK, AIR RIDE	0	0	0
S	521110	SEAT-PASSENGER	FIXED TYPE, LOW BACK	0	0	0
S	5222000	SEAT BELTS-DRIVER	THREE POINT RETRACTABLE, W/O COMFORT LATCH	0	0	0
S	5232000	SEAT BELTS-PASSENGER	THREE POINT RETRACTABLE, W/O COMFORT LATCH	0	0	0
S	526014	SEAT INSERT	BLACK CORDURA	0	0	0
S	538001	CARPET & MAT	MAT WITH FOAM BACK	0	0	0
S	5500001	CENTER CONSOLE	CENTER CONSOLE	0	0	0
S	5510001	REAR CONSOLE	REAR CONSOLE	0	0	0
S	5930001	ASH TRAY	ASHTRAY MTD IN CONSOLE	0	0	0
	CAB CI	LIMATE CONTROL				
S	060001	CAB TEMPERATURE SYSTEM	AIR COND INTEGRAL WITH HEATER/DEFROSTER	0	0	0

#### 612001 AIR CONDITIONER STANDARD (RADIATOR 0 0 0 CONDENSER MOUNTED) **GAUGES & INSTRUMENTATION** S 0572001 INSTRUMENTS SALES PKG ADVANCED DIAGNOSTIC 0 0 0 DISPLAY - V1 S 1430001 TRUCK ELECTRICAL VEHICLE CONTROL UNIT 0 0 0 CONTROL MODULE

S	1362000	TACHOMETER/RPM TACHOGRAPH	ELECTRONIC TACHOMETER	0	0	0
S	1372000	GAUGE-HOURMETER	HOURMETER INCLUDED IN ON BOARD DISPLAY	0	0	0
S	225009	AIR INTAKE RESTRICTION INDICATOR	GRADUATED, AIR CLEANER MOUNTED	0	0	0
S	4390001	GAUGE-FUEL LEVEL	ELECTRONIC FUEL LEVEL	0	0	0
S	5712003	GAUGE PANELS	ALL GAUGES IMPERIAL	0	0	0
S	1472001	VEHICLE MONITORING SYSTEM	AUTOCAR ADVANCED TELEMATICS - FULL INSTALLATION	0	0	0
	LIGHT	ING				
S	8410002	LAMPS-TURN SIGNAL - FRONT	LED FRONT TURN SIGNALS	0	0	0
S	8510002	LAMPS-MARKER	AMBER LED ROOF MARKERS	0	0	0
S	859001	LAMPS-RUNNING	DAYTIME	0	0	0
S	8700001	CIRCUIT PROTECTION	AUTO CIRCUIT BREAKERS	0	0	0
		DEVICE				
	RADIO	MISC				
S	509001	KEY & LOCK SETS- IGN/DOORS	DOOR & IGNITION SAME - UNIQUE PER TRUCK	0	0	0
	FRONT	TIRES / WHEELENDS				
S	9312009	TIRE MANUFACTURER & TREAD - FRONT	BRIDGESTONE M870	0	0	0
S	930469	TIRE SIZE & LOAD RANGE - FRONT	315/80R22.5L	0	0	0
S	9050015	WHEELS-DISC FRONT	22.5X9.0" STEEL, 5.25" INSET, HAYES	0	0	0
	REAR T	TIRES / WHEELENDS				
S	9342002	TIRE MANUFACTURER & TREAD - REAR	BRIDGESTONE M853	0	0	0
S	933062	TIRE SIZE & LOAD RANGE - REAR	11R22.5H	0	0	0
S	9140014	WHEELS-DISC REAR	22.5X8.25" STEEL, 6.2" INSET, HAYES	Ō	0	120
	<b>PAINT</b>					
s	950001	CAB PAINT SCHEME	SINGLE COLOR PAINT	0	0	0
S	9550001	CAB PAINT TYPE	STANDARD WHITE	0	0	0
S	9801002	CAB COLOR-FIRST	APPROVED DPSS-N0007EX STANDARD WHITE N0007	0	0	0
S	9861U1	CHASSIS COLOR	BLACK P3036	0	0	0
S	987949	BUMPER COLOR	SAME AS CHASSIS,UNPAINTED ALUM OR CHROME	0	0	0

S	988401	DISC WHEEL OR RIM COLOR	STEEL, E-COAT WHITE / ALUM-UNPAINTED	0	0	0
	ADDIT	IONAL OPTIONS				
S	899002	CHASSIS WARRANTY	STANDARD WARRANTY	0	0	0
S	899A200	TRANSMISSION WARRANTY	ALLISON 3YR. WARRANTY	0	0	0
S	899B001	ENGINE WARRANTY	CUMMINS STANDARD WARRANTY	0	0	0
S	978015	FLOOR PLAN	15 DAYS FLOORING	0	0	0
	OTHER	RS				
0	9722021	CERTIFICATION- EMISSIONS	COMPLIES WITH 2021 U.S. EMISSIONS	0	0	0
	SUB TO	DTALS				
			BASE WEIGHT/PRICE	10,431	6,154	185,850
			FACTORY OPTION WEIGHT/PRICE	11	-27	887
			DISTRIBUTOR OPTION WEIGHT/PRICE	0	0	0
	TOTAL	'S				
			TOTAL PRICE (\$)			186,737
			TOTAL WEIGHT (LB)	10,442	6,127	16,569

Quote Id: QA21U3PDL Phone: (704)597-0551

Model: 2022 - ACX64 Class 8

**Quote Summary** 

01/29/2021

#### Values are in U.S. Dollar


EQUIPMENT	EACH	TOTAL
ACX64 Class 8	\$185,987.00	\$185,987.00
SINGLE LEFT HAND DRIVE CAB		
QUANTITY	1.	
ADDITIONAL PURCHASED COVERAGES	\$0.00	\$0.00
EPA SURCHARGE	\$0.00	\$0.00
ADDITIONAL PRICE ADJUSTMENT	\$0.00	\$0.00
FACTORY CONTRACT MODIFICATION	\$0.00	\$0.00
OUTSIDE CONTRACT FREIGHT	\$0.00	\$0.00
PDI CHARGES	\$750.00	\$750.00
ADDITIONAL SURCHARGE	\$0.00	\$0.00
NORTH AMERICAN FREIGHT VIA DESIGNATED SHIPPER	\$1,950.00	\$1,950.00
TOTAL EQUIPMENT PRICE	\$188,687.00	\$188,687.00
OTHER CHARGES	ЕАСН	TOTAL
FET AMOUNT TOTAL		
STATE TAX/OTHER FEES		7.0
TOTAL QUOTE		
Dealer Signature	Customer Signature	<del>-</del> >
Date		<del>-</del> -:

<sup>-</sup> By signing the Quote Summary, Customer approves the information contained in the Quote, subject to final approval by Autocar. Autocar endeavors to provide but does not guarantee error-free Quotes. All price quotations are for informational purposes only, and prices are subject to change without notice. Final prices will be reflected on the invoice for the Autocar chassis or on a document expressly evidencing Autocar's intent to be bound. Autocar may substitute comparable components for those listed on any quote. Estimates of unloaded weight distribution are provided for informational purposes only, are not guaranteed by Autocar and do not take into account vehicle application, body type or other modifications. Autocar is not responsible for modifications to the Autocar chassis after shipment from the Autocar assembly plant. Modifications by body builders and other upfitters or converters may void the Autocar limited warranty in whole or in part.

<sup>-</sup> Autocar will deliver the Autocar chassis to the designated agent for delivery.

01/29/2021

### **Dimensions**




-	Dimension(ft)	Description
A	59.00	CAB HEIGHT
В	62.00	BUMPER TO BACK OF CAB
C	95.00	EFFECTIVE BUMPER TO BACK OF CAB
D	385.00	OVERALL LENGTH
Е	290.00	EFFECTIVE CAB TO END OF FRAME
F	186.00	EFFECTIVE CAB TO REAR AXLE
G	42.25	UNLADEN FRAME HEIGHT
H	104.00	OVERHANG
1	210.00	WHEELBASE
J	71.00	BUMPER TO FRONT AXLE
K	-24.00	DRIVER CENTER OF GRAVITY
L	24.00	EFFECTIVE FRONT AXLE TO BACK
M	101.25	OVERALL HEIGHT
N	0.00	FRONT FRAME EXTENSION

#### **SPECIFICATION SUMMARY**

Model	ACX64 Class 8
Engine	L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS
Transmission	ALLISON 3000 SERIES, 5-SPEED
Rear Axle	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5H

# Turning Radius

01/29/2021




	Dimension(ft)	Description
A	35.37	TURNING RADIUS
В	72.88	CURB TO CURB TURNING DIAMETER
C	79.01	WALL TO WALL TURNING DIAMETER

#### **SPECIFICATION SUMMARY**

Model	
Engine	L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS
Transmission	ALLISON 3000 SERIES, 5-SPEED
Rear Axle	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5H

01/29/2021

### Shift Chart



Gear	Trans. Ration	Rear Axle Ration	Overall Reduction	% Split	MPH	RPM After Shift
 - Octai	Rution	Rutton	Reduction			7 titel billit
1C	6.91	9.96	68.8	0.0	3.9	0
1	3.49	9.96	34.8	98.0	7.6	1,111
2	1.86	9.96	18.5	87.6	14.3	1,172
3	1.41	9.96	14.0	31.9	18.9	1,667
4	1.00	9.96	10.0	41.0	26.7	1,560
5	0.75	9.96	7.5	33.3	35.6	1,650

#### **SPECIFICATION SUMMARY**

Model

ACX64 Class 8

Engine

L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS

Rated Power

359 HP @ 2200 RPM

Peak Torque

1150 LB-FT @ 1300

Transmission

ALLISON 3000 SERIES, 5-SPEED

Rear Axle

MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)

Rear Axle Ratio

MUST CHOOSE REAR DRIVE AXLE RATIO

Rear Tire

11R22.5H

Tire Revolution


497

Quote Id: QA21U3PDL Phone: (704)597-0551

Model: 2022 - ACX64 Class 8

01/29/2021

### Operating Range



Gear	Trans. Ratio	Rear Axle Ratio	Minimum MPH	Maximum MPH
1C	6.91	9.96	2.3	3.9
1	3.49	9.96	4.5	7.6
2	1.86	9.96	8.5	14.3
3	1.41	9.96	11.2	18.9
4	1.00	9.96	15.8	26.7
5	0.75	9.96	21.0	35.6

#### **SPECIFICATION SUMMARY**

Model ACX64 Class 8

Engine L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS

Rated Power 359 HP @ 2200 RPM Peak Torque 1150 LB-FT @ 1300

Transmission **ALLISON 3000 SERIES, 5-SPEED** 

Rear Axle MERITOR MT40-14X W/.5" HOUSING (40000 LBS)


Rear Axle Ratio MUST CHOOSE REAR DRIVE AXLE RATIO

Rear Tire 11R22.5H 497

Tire Revolution

01/29/2021

### Gradeability



	Trans.		Rear Axle	Overall	Peak	Wheel		Maximum
Gear	Ratio		Ratio	Reduction	Torque	HP	MPH	Grade%
	1C	6,91	9.96	68.8	1,150.0	286.8	2.3	117.3
	1	3.49	9.96	34.8	1,150.0	286.8	4.5	58.7
	2	1.86	9.96	18.5	1,150.0	286.8	8.5	30.5
	3	1.41	9.96	14.0	1,150.0	286.8	11.2	22.5
	4	1.00	9.96	10.0	1,150.0	286.8	15.8	15.1
	5	0.75	9.96	7.5	1,150.0	286.8	21.0	10.3


### SPECIFICATION SUMMARY

Model	ACX64 Class 8
Engine	L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS
Peak Torque	1150 LB-FT @ 1300
Transmission	ALLISON 3000 SERIES, 5-SPEED
Rear Axle	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5H
Tire Revolution	497
GVW/GCV	0
Surface	Concrete

01/29/2021

Quote Id: QA21U3PDL Phone: (704)597-0551 Model: 2022 - ACX64 Class 8

### Startability



		Recommended	Calculated
Gear	Application	Minimum Grade %	Grade %
Lowest Gear	City	12.0	n/a
	On Highway	16.0	48.7
	On-Off Highway	18.0	n/a
	Off Highway	20.0	n/a
		0.0	n/a
First Highway Gear	All Applications	8.0	24.1

#### "SPECIFICATION SUMMARY"


Model	ACX64 Class 8
Engine	L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS
Clutch Torque	549 LB-FT 700 RPM
Transmission	ALLISON 3000 SERIES, 5-SPEED
Rear Axle	MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)
Rear Axle Ratio	MUST CHOOSE REAR DRIVE AXLE RATIO
Rear Tire	11R22.5H
Tire Radius	19.4
GVW/GCV	0
Surface	Concrete
Terrain	On Highway

Top Speed

01/29/2021

#### Speed At Maximum RPM





#### RPM At 60MPH





	MPH	RPM
Top Speed	35.6	2,200
Cruise Speed	60.0	3,712
Minimum Of Engine Range	11.3	700
Maximum Of Engine Range	35.6	2,200
Minimum Of Economy Range	11.3	700
Maximum Of Economy Range	32.3	2,000

#### **SPECIFICATION SUMMARY**

Model ACX64 Class 8

Engine L9 '21 360HP / 2200RPM / 1150 LB-FT, CUMMINS

Transmission ALLISON 3000 SERIES, 5-SPEED

Rear Axle MERITOR MT40-14X W/ .5" HOUSING (40000 LBS)

Rear Axle Ratio MUST CHOOSE REAR DRIVE AXLE RATIO

Rear Tire 11R22.5H

Tire Revolution 497

#### 01/29/2021

### GAWR, GVWR & Tire Pressure

<b>GVW Rating – 60,000#</b>						
Front GAWR	20,000#	Rear GAWR	40,000#			
Front Suspension	20,800#	Rear Suspension	40,000#			
Front Wheels	20,000#	Rear Wheels	59,100#			
Front Tire Size And Tread	20,000#	Rear Tire Size And Tread	48,000#			
Front Brakes	20,000#	Rear Brakes	52,000#			
Front Axle	20,000#	Rear Axle	40,000#			
PSI						
Front PSI	130.0	Rear PSI	110.0			