

Prepared by:
David Shealy
SHEALY WESTERN STAR
1340 BLUFF RD.
COLUMBIA, SC 29201
Phone: 803-771-0176
Sales: 864-347-0563



QUOTATION

WESTERN STAR 47X

SET BACK AXLE - TRUCK

CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM

EATON FULLER FR-14210B TRANSMISSION

DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE

AIRLINER 40,000# LIGHTWEIGHT EXTRA DUTY REAR SUSPENSION WITH CHAIN CLEARANCE

DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE


12,000# DUAL TAPERLEAF FRONT SUSPENSION

111 INCH BBC CONVENTIONAL ALUMINUM CAB

5325MM (210 INCH) WHEELBASE

8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI

1475MM (58 INCH) REAR FRAME OVERHANG



SB	SET BACK AXLE	A BBC: 111.6"
		в wв: up то 361"
		C BA: 46.5"



Prepared by:
David Shealy
SHEALY WESTERN STAR
1340 BLUFF RD.
COLUMBIA, SC 29201
Phone: 803-771-0176
Sales: 864-347-0563



SPECIFICATION PROPOSAL

Data (Code	Description	Weight Front	Weight Rear	Retail Price
Price Level	J. F.A		THE WILL		
PRL-2	26X	WST 47X/49X PRL-26X (EFF:07/26/21)			STD
Data Version			Se Buch		
DRL-0)40	SPECPRO21 DATA RELEASE VER 040			N/C
Vehicle Conf	igurati	on			
001-4	70	WESTERN STAR 47X	9,050	6,525	\$223,934.00
004-22	23	2023 MODEL YEAR SPECIFIED			STD
002-0	04	SET BACK AXLE - TRUCK			STD
019-0	04	STRAIGHT TRUCK PROVISION, NON-TOWING			STD
003-0	01	LH PRIMARY STEERING LOCATION			STD
General Serv	rice				
AA1-0	002	TRUCK CONFIGURATION			STD
AA6-0	001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-0	11	CONSTRUCTION SERVICE			STD
A84-1	CO	CONSTRUCTION BUSINESS SEGMENT			STD
AA4-0	003	DRY BULK COMMODITY			N/C
AA5-0	002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-0	800	MAXIMUM 8% EXPECTED GRADE			STD
AB5-0	001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1	A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-9	9D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
A68-9	9D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs			
A63-9	9D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			
Truck Servic	е				

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	AA3-004	END DUMP BODY			STD
	AF3-1V4	GODWIN MANUFACTURING COMPANY			N/C
Engine					
	101-3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM	-850	-70	(\$20,661.00)
Electro	nic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			STD
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			STD
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
	79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	79W-001	ONE REMOTE PTO SPEED			N/C
	79X-001	PTO SPEED 1 SETTING - 700 RPM			N/C
	80G-002	PTO MINIMUM RPM - 700			STD
	80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION			STD
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			STD
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			STD
	13E-001	STANDARD OIL PAN	Ea		N/C
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
	014-116	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER			STD
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		N/C
	292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES			STD
	290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD
	282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			STD
	291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
	289-006	PLASTIC BATTERY BOX COVER			STD
	107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C

Data Code	Description	Weight Front	Weight Rear	Retail Price
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-032	C-BRAKE BY JACOBS WITH LOW/OFF/HIGH BRAKING DASH SWITCH			N/C
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-027	8 GALLON DIESEL EXHAUST FLUID TANK			STD
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			STD
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			STD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		N/C
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-001	FULL FLOW OIL FILTER			STD
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
270-016	RADIATOR DRAIN VALVE			N/C
168-002	LOWER RADIATOR GUARD			STD
361-100	NO REPTO, EXTENDED FLYWHEEL HOUSING, CUML9 REQUIRED FOR PACKGING			N/C
132-004	ELECTRIC GRID AIR INTAKE WARMER			N/C
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		N/C

Data Code	Description	Weight Front	Weight Rear	Retail Price
Transmission				
342-412	EATON FULLER FR-14210B TRANSMISSION	-180	-100	(\$20,743.00)
Transmission Equi	pment			
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			N/C
183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			N/C
182-005	HYDRAULIC CLUTCH CONTROL			N/C
347-002	ALUMINUM CLUTCH HOUSING			N/C
362-2AU	CUSTOMER INSTALLED CHELSEA 680 SERIES PTO			N/C
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TREANSMISSION			(\$75.00)
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
370-002	AIR TO OIL TRANSMISSION COOLER			N/C
35T-003	SYNTHETIC TRANSMISSION LUBE			N/C
Front Axle and Equ	uipment			
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS			STD
402-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC FRONT BRAKES			STD
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-004	FRONT DISC BRAKE ROTORS			STD
427-001	FRONT BRAKE DUST SHIELDS			STD
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			STD
536-102	SINGLE POWER STEERING GEAR, BENDIX, 12-13.3K			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			STD
Front Suspension		THE REAL PROPERTY.	Merc Sills	

Data Code	Description	Weight Front	Weight Rear	Retail Price
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION			STD
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
Rear Axle and Equip	pment			
420-1T8	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE			STD
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS			STD
421-323	3.23 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	40	40	STD
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
878-045	(1) INTERAXLE LOCK VALVE FOR TANDEM DRIVE AXLES			STD
87A-012	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK			STD
423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES			STD
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-003	STANDARD BRAKE CHAMBER LOCATION			STD
451-005	REAR DISC BRAKE ROTORS			STD
425-002	REAR BRAKE DUST SHIELDS			STD
440-006	REAR OIL SEALS			STD
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			STD
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			STD
41T-006	FE 75W-85 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD
Rear Suspension				
622-1M7	AIRLINER 40,000# LIGHTWEIGHT EXTRA DUTY REAR SUSPENSION WITH CHAIN CLEARANCE		40	\$694.00
621-118	7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)			STD
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP			N/C
624-025	55 INCH AXLE SPACING			N/C
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			STD
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			STD
623-002	TRANSVERSE CONTROL RODS			STD
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)			STD
Brake System				
490-1AV	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			STD
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-040	WABCO SYSTEM SAVER 1200 HEATED AIR DRYER WITH PRESSURE CONTROL VALVE			STD
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			STD
479-012	AIR DRYER MOUNTED UNDER HOOD			STD
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			STD
Wheelbase & Frame				
545-532	5325MM (210 INCH) WHEELBASE			STD
546-108	8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI			STD
552-017	1475MM (58 INCH) REAR FRAME OVERHANG			STD
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH			N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 144.49 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 312.9 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN: 40.96 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 38.93 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 40.05 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN: 38.48 in			
553-001	SQUARE END OF FRAME			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-063	STANDARD CAST ALUMINUM MIDSHIP			STD
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER			STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
565-001	STANDARD SUSPENSION CROSSMEMBER		30	N/C
568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER			STD
Chassis Equipment				
025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS			STD
556-127	BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER			STD
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME			STD
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
551-032	CLASS 10.9 THREADED METRIC FASTENERS; REAR SUSPENSION HANGER TO BE HUCK-SPIN			STD
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fuel Tanks				
204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH			STD
218-006	25 INCH DIAMETER FUEL TANK(S)			STD
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
212-007	FUEL TANK(S) FORWARD			STD
664-001	PLAIN STEP FINISH			STD
205-001	FUEL TANK CAP(S)			STD
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD
Tires				
093-1V4	CONTINENTAL HSR2 11R22.5 14 PLY RADIAL FRONT TIRES	16		(\$304.00)
094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		88	(\$1,160.00)
Wheels		North-Bills		
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS	26		(\$214.00)
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS		104	(\$856.00)
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STE
Cab Exterior	May be a company of the second	The state of the s	THE REAL PROPERTY.	TO STATE OF
829-053	111 INCH BBC CONVENTIONAL ALUMINUM CAB			STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
82A-028	STAINLESS STEEL CAB ACCENT MOLDING			STD
667-001	FRONT FENDERS			STD
678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES			STD
65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			STD
640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			STD
644-048	X-SERIES VOCATIONAL HOOD			STD
67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			STD
652-016	WESTERN STAR NAMEPLATES			STD
727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			STD
726-001	SINGLE ELECTRIC HORN			STD
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			STD
302-072	ROOF MOUNTED LED MARKER LIGHTS			STD
311-001	DAYTIME RUNNING LIGHTS			STD
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS			STD
300-043	LED SIDE TURN SIGNAL			STD
744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			STD
74A-001	RH DOWN VIEW MIRROR			STD
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER			STD
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH			STD
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD			STD
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			STD
Cab Interior				
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE			STD

		Weight	Weight	
 Data Code	Description	Front	Rear	Retail Price
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR			STD
70K-016	CARBON WITH BASE BLACK ACCENT			STD
772-001	BLACK MATS			STD
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
170-015	STANDARD HEATER PLUMBING			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
739-033	STANDARD INSULATION			STD
324-1B3	STANDARD LED CAB LIGHTING			STD
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS			STD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-002	KEY QUANTITY OF 2			STD
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			STD
64C-003	BLACK DOOR HANDLES			STD
756-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT			STD
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			STD
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			STD
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO			STD
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			STD
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
Instruments & Cont	rols			
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS			\$31.00
106-002	ELECTRONIC ACCELERATOR CONTROL			STD
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			N/C
870-001	BLACK GAUGE BEZELS			STD
734-018	STANDARD CENTER INSTRUMENT PANEL			STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS			\$49.00
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
854-998	NO ENGINE OIL TEMPERATURE GAUGE			(\$36.00)
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-031	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			STD
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
49B-004	ELECTRONIC STABILITY CONTROL			STD
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			STD
	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939			STD
	747-001	DASH MOUNTED RADIO			STD
	750-041	STANDARD SPEAKER SYSTEM			STD
	753-998	NO AM/FM RADIO ANTENNA			(\$11.00)
	748-006	POWER AND GROUND WIRING PROVISION OVERHEAD			STD
	749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			STD
	751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO			STD
	752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			STD
	75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			\$75.00
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
	812-032	ELECTRONIC 2500 RPM TACHOMETER			STD
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
	81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			STD
	842-001	2 INCH TURBO AIR PRESSURE GAUGE			STD
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			STD
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
	48H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			\$77.00
Design			The state of	SERVICE R	
	065-000	PAINT: ONE SOLID COLOR			STD

Prepared by:
David Shealy
SHEALY WESTERN STAR
1340 BLUFF RD.
COLUMBIA, SC 29201
Phone: 803-771-0176
Sales:864-347-0563

		Weight	Weight	
Data Code	Description	Front	Rear	Retail Price
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			N/C
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			N/C
Certification / Com	pliance			
996-009	U.S. AND CANADA (DUAL CERTIFICATION), EXCEPT SALES CABS AND GLIDER KITS			N/C
Sales Programs				AMERICA . H.
	NO SALES PROGRAMS HAVE BEEN SELECTED			

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	8057 lbs	6657 lbs	14714 lbs
Total Weight ⁺	8057 lbs	6657 lbs	14714 lbs