

North Carolina Sheriffs Association Cooperative Purchasing Program Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563



QUOTATION

WESTERN STAR 49X


SET FORWARD AXLE - TRUCK

CUM X12 350V HP @ 1900 RPM, 1350 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC

EATON FULLER FR-14210B TRANSMISSION

DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE

AIRLINER 40,000# LIGHTWEIGHT EXTRA DUTY REAR SUSPENSION WITH CHAIN CLEARANCE DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE 12,000# DUAL TAPERLEAF FRONT SUSPENSION 121 INCH BBC ALUMINUM CONVENTIONAL CAB 5340MM (210 INCH) WHEELBASE, SFA ONLY 8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI 1475MM (58 INCH) REAR FRAME OVERHANG



SF	SET FORWARD AXLE	A BBC: 122"
		B WB: UP TO 361"
		С ВА: 30.1"

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ...



North Carolina Sheriffs Association Cooperative Purchasing Program Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563



SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level	the state of the second states	N.S. Pare	-	
PRL-26X	WST 47X/49X PRL-26X (EFF:07/26/21)			STD
Data Version			44.002	Since the
DRL-040	SPECPRO21 DATA RELEASE VER 040			N/C
Vehicle Configurat	ion			
001-472	WESTERN STAR 49X	9,175	6,500	\$217,264.00
004-223	2023 MODEL YEAR SPECIFIED			STD
002-003	SET FORWARD AXLE - TRUCK	-600	600	N/C
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
A85-011	CONSTRUCTION SERVICE			STD
A84-1CO	CONSTRUCTION BUSINESS SEGMENT			STD
AA4-010	DIRT/SAND/ROCK COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1A5	WESTERN STAR VOCATIONAL WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 40000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 52000.0 lbs			
Truck Service				

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ... 03/21/2022 4:51 PM

Page 3 of 15

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	AA3-004	END DUMP BODY			STD
	AF3-1V4	GODWIN MANUFACTURING COMPANY			N/C
Engine					
	101-26R	CUM X12 350V HP @ 1900 RPM, 1350 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-670	-55	(\$6,948.00)
Electro	nic Paramet	ters			
	79A-070	70 MPH ROAD SPEED LIMIT			N/C
	79K-013	PTO MODE ENGINE RPM LIMIT - 1600 RPM			STD
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			N/C
	79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
	79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
	79W-001	ONE REMOTE PTO SPEED			N/C
	79X-003	PTO SPEED 1 SETTING - 800 RPM			N/C
	80G-002	PTO MINIMUM RPM - 700			N/C
	80S-001	PTO 1, DASH SWITCH, STATIONARY OPERATION			STE
Engine	Equipment				
	99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			STE
	99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)			STE
	13E-001	STANDARD OIL PAN			N/C
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
	014-116	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER			STD
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	-10		N/C
	292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES			STE
	290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB			STD
					STE
	282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT			512
	282-013 291-017				STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			N/C
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			STD
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH			STD
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			STD
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			STD
23U-027	8 GALLON DIESEL EXHAUST FLUID TANK			STD
23Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER			STD
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			STD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			N/C
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR	10		N/C
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-001	FULL FLOW OIL FILTER			STD
266-107	1400 SQUARE INCH VOCATIONAL RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
261-001	STANDARD CHARGE AIR COOLER PLUMBING			STD
270-016	RADIATOR DRAIN VALVE			N/C
168-002	LOWER RADIATOR GUARD			STD
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH			N/C

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ...

Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563

Data Code	Description	Weight Front	Weight Rear	Retail Price
Transmission			A 43-53	
342-412	EATON FULLER FR-14210B TRANSMISSION	-30	-10	(\$6,654.00)
Transmission Equi	ipment	4.1947 54 14	1	
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH			N/C
183-008	TORQUE LIMITING CLUTCH BRAKE			N/C
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING			N/C
182-005	HYDRAULIC CLUTCH CONTROL			N/C
347-002	ALUMINUM CLUTCH HOUSING			STD
362-802	CUSTOMER INSTALLED CHELSEA 442 SERIES PTO			N/C
363-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TREANSMISSION			(\$75.00)
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE			N/C
370-002	AIR TO OIL TRANSMISSION COOLER			STD
35T-003	SYNTHETIC TRANSMISSION LUBE			STD
Front Axle and Equ	uipment			
400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			STD
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS			STD
402-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC FRONT BRAKES			STD
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
419-004	FRONT DISC BRAKE ROTORS			STD
427-001	FRONT BRAKE DUST SHIELDS			STD
409-006	FRONT OIL SEALS			STE
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
405-030	FRONT AIR DISC BRAKE INTERNAL ADJUSTERS			STD
536-102	SINGLE POWER STEERING GEAR, BENDIX, 12- 13.3K			STD
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			STD
Front Suspension			17- n	2.5.16.5
		A THE PARTY OF	and the second second	

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ...

03/21/2022 4:51 PM

Page 6 of 15

Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563

Data Code	Description	Weight Front	Weight Rear	Retail Price
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION			STE
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STE
410-001	FRONT SHOCK ABSORBERS			STE
ear Axle and Equ	ipment			
420-1T8	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE			STE
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS			ST
421-264	2.64 REAR AXLE RATIO			N/0
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			ST
386-083	RPL35 MERITOR MAIN DRIVELINE	55	55	\$729.0
388-044	RPL25 MERITOR INTERAXLE DRIVELINE		20	\$295.0
878-045	(1) INTERAXLE LOCK VALVE FOR TANDEM DRIVE AXLES			ST
87A-012	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK			STI
423-1A4	MERITOR EX-L OPTIMIZED AXIAL AIR DISC REAR BRAKES			ST
433-002	NON-ASBESTOS REAR BRAKE LINING			ST
434-003	STANDARD BRAKE CHAMBER LOCATION			ST
451-005	REAR DISC BRAKE ROTORS			ST
425-002	REAR BRAKE DUST SHIELDS			ST
440-006	REAR OIL SEALS			ST
426-094	AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS			STI
428-030	REAR AIR DISC BRAKE INTERNAL ADJUSTERS			ST
41T-006	FE 75W-85 REAR AXLE LUBE			ST
42T-001	STANDARD REAR AXLE BREATHER(S)			ST
lear Suspension				
622-1M7	AIRLINER 40,000# LIGHTWEIGHT EXTRA DUTY REAR SUSPENSION WITH CHAIN CLEARANCE		10	\$694.0
621-118	7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)			ST
431-005	RESTRAINED AXLE SEATS IN AXLE CLAMP GROUP			N/0
624-025	55 INCH AXLE SPACING			N/
888-078	IGNITION CONTROLLED ELECTRIC DUMP SWITCH FOR AIR SUSPENSION WITH STATE RETENTION AND GAUGE			ST
87D-012	REAR AIR SUSPENSION DUMP VALVE AUTOFILL >5 MPH WITH INDICATOR LIGHT			ST

Application Version 11.7.10203/21/2022 4:51 PMData Version PRL-26X.040Copy of NC Sheriffs Association 49XPage 7 of 15set ...set ...Page 7 of 15

Data Code	Description	Weight Front	Weight Rear	Retail Price
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE			STD
623-002	TRANSVERSE CONTROL RODS			STD
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)			STD
Brake System				
490-1AV	WABCO 6S/6M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			(\$73.00)
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			N/C
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER			STD
479-015	AIR DRYER FRAME MOUNTED			N/C
460-001	STEEL AIR BRAKE RESERVOIRS			STD
477-004	PULL CABLES ON ALL AIR RESERVOIR(S)			STD
Wheelbase & Frame		7.2. 1.12.12	- A. 1.	
545-121	5340MM (210 INCH) WHEELBASE, SFA ONLY			N/C
546-108	8.0MM X 82.0MM X 281.0MM STEEL FRAME (0.32X3.23X11.06 INCH) 120 KSI			(\$72.00)
552-017	1475MM (58 INCH) REAR FRAME OVERHANG			STD
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH			N/C
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 118.9 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 297.15 in			
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 40.81 in			
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN: 38.73 in			
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN: 40.05 in			
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 38.48 in			
553-001	SQUARE END OF FRAME			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
562-063	STANDARD CAST ALUMINUM MIDSHIP			STD
572-082	STANDARD CAST ALUMINUM REARMOST CROSSMEMBER			STD
565-001	STANDARD SUSPENSION CROSSMEMBER		30	N/C

Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	568-012	CAST ALUMINUM REAR SUSPENSION CROSSMEMBER			STD
Chassis	Equipment				1. 19
	025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS			STD
	556-127	BRIGHT STEEL 1/8 INCH VOCATIONAL BUMPER			STD
	558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME			STD
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	551-032	CLASS 10.9 THREADED METRIC FASTENERS; REAR SUSPENSION HANGER TO BE HUCK-SPIN			STD
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			STD
Fuel Ta	nks				
	204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH			STD
	218-006	25 INCH DIAMETER FUEL TANK(S)			STD
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD
	212-007	FUEL TANK(S) FORWARD			STD
	664-001	PLAIN STEP FINISH			STD
	205-001	FUEL TANK CAP(S)			STE
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STE
Tires					
	093-14F	BRIDGESTONE R213 ECOPIA 11R22.5 14 PLY RADIAL FRONT TIRES	6		(\$182.00)
	094-1RB	CONTINENTAL HDL2 11R22.5 14 PLY RADIAL REAR TIRES		88	(\$1,160.00)
Wheels					
	502-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS			STD
	505-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS			STE
	496-011	FRONT WHEEL MOUNTING NUTS			STE
	497-011	REAR WHEEL MOUNTING NUTS			STE
Cab Ex	terior				
	829-116	121 INCH BBC ALUMINUM CONVENTIONAL CAB			STD

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ...

03/21/2022 4:51 PM

Page 9 of 15

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	82A-028	STAINLESS STEEL CAB ACCENT MOLDING			STD
	667-001	FRONT FENDERS			STD
	678-066	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES			STD
	65X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS			STD
	640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB			STD
	644-048	X-SERIES VOCATIONAL HOOD			STD
	67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT			STD
	652-016	WESTERN STAR NAMEPLATES			STD
	727-012	DUAL HADLEY SD-978 26 INCH RECTANGULAR AIR HORNS			STD
	726-001	SINGLE ELECTRIC HORN			STD
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
	312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM			STD
	302-072	ROOF MOUNTED LED MARKER LIGHTS			STD
	311-001	DAYTIME RUNNING LIGHTS			STD
	294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS			STD
	300-043	LED SIDE TURN SIGNAL			STD
	744-106	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BLACK C-BAR			STD
	796-001	102 INCH EQUIPMENT WIDTH			STD
	743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS			STD
	74A-001	RH DOWN VIEW MIRROR			STD
	729-001	STANDARD SIDE/REAR REFLECTORS			STD
	677-098	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER			STD
	768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH			STD
	663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD			STD
	659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR			STD
Cat	o Interior				
	055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE			STD

Data Code	Description	Weight Front	Weight Rear	Retail Price
 707-1C3	CHARCOAL BLACK VINYL BASE LEVEL			STD
70K-016	CARBON WITH BASE BLACK ACCENT			STD
772-001	BLACK MATS			STD
785-014	(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY			STD
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS			STD
741-015	(2) COAT HOOKS ON BACKWALL OF CAB			STD
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
170-015	STANDARD HEATER PLUMBING			STD
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER			STD
739-033	STANDARD INSULATION			STD
324-1B3	STANDARD LED CAB LIGHTING			STD
787-004	REMOTE KEYLESS ENTRY AND 2 TRANSMITTERS			STD
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-002	KEY QUANTITY OF 2			STD
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION			STD
64C-003	BLACK DOOR HANDLES			STD
756-1J5	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT			STD
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT			STD
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS			STD
758-135	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO			STD
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO			STD
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD

Prepared by: David Shealy SHEALY WESTERN STAR 1340 BLUFF RD. COLUMBIA, SC 29201 Phone: 803-771-0176 Sales: 864-347-0563

Data Code	Description	Weight Front	Weight Rear	Retail Price
Instruments & Con	trols	1141	Sec. 14	States States
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS			\$31.00
106-002	ELECTRONIC ACCELERATOR CONTROL			(\$51.00)
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK			N/C
870-001	BLACK GAUGE BEZELS			STD
734-018	STANDARD CENTER INSTRUMENT PANEL			STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-045	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-072	ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS			\$49.00
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
854-001	ENGINE OIL TEMPERATURE GAUGE			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-031	ENGINE, TRIP AND PTO HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			STD
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
49B-004	ELECTRONIC STABILITY CONTROL			STD
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)

Da	ata Code	Description	Weight Front	Weight Rear	Retail Price
61	TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL			STD
74	46-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939			STE
74	47-001	DASH MOUNTED RADIO			STD
75	50-041	STANDARD SPEAKER SYSTEM			STD
75	53-998	NO AM/FM RADIO ANTENNA			(\$11.00)
74	48-006	POWER AND GROUND WIRING PROVISION OVERHEAD			STD
74	49-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			STD
75	51-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO			STE
75	52-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD			STE
75	5W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, GNSS/GPS			\$75.00
81	10-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STE
81	12-032	ELECTRONIC 2500 RPM TACHOMETER			STE
81	13-1C8	DETROIT CONNECT PLATFORM HARDWARE			STE
16	62-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STE
81	1Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY			STE
84	42-001	2 INCH TURBO AIR PRESSURE GAUGE			STE
83	36-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STE
30	04-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C
88	82-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			(\$45.00
29	99-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STE
48	8H-001	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS			\$77.00
esign					
Of	65-000	PAINT: ONE SOLID COLOR			STE

Color

Application Version 11.7.102 Data Version PRL-26X.040 Copy of NC Sheriffs Association 49X set ...

	Data Code	Description	Weight Front	Weight Rear	Retail Price
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
Certifica	ation / Comp	bliance	7		
	996-009	U.S. AND CANADA (DUAL CERTIFICATION), EXCEPT SALES CABS AND GLIDER KITS			N/C
Sales P	rograms			F. S. 9 (9)	

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	7936 lbs	7238 lbs	15174 lbs
Total Weight ⁺	7936 lbs	7238 lbs	15174 lbs