

AGRA0540	Heavy Duty Arm, Comb & Grabber (Domestic 64-95gal and European Rectangular 660-1100L cart)
AGRA0550	Basic Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
AGRA0560	Heavy Duty Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
AGRA0570	Alley-Hand Arm & Grabber "32 to 95 gal."
ALHG0500	Low height gripper (-6") on Right-Hand - N/A with 1100 L. comb gripper
ALHG0510	Mid height gripper (-3") on Right-Hand - N/A with 1100 L. comb gripper
BCPH0500	Crusher Panel
BMLS0500	Body hydraulic service hoist
CCNG0501	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CCNG0500	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG0503	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CCNG0505	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Hopper Roof optional)
CCNG0510	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Hopper Roof optional)
CCNG0515	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 26 yds. minimum) (Hopper Roof optional)
CCNG0520	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CCNG0530	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CNGI0530	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0535	Ignition interlock on filling port cap (Front port)
CNGF0540	Transit style port on street side
CNGP0550	Filling port on street side front bumper
CNGA0500	In-cab CNG gas alarm system
CNGR0500	Hopper Roof for CNG Roof Mounted system
CNRD0500	Rear deflector for CNG Roof Mounted system
CNGW0500	CNG Winter Package
AGCD0510	Grabber counting device: counts number of carts dumped

AGSS0500	Spill shield: installed behind grabber (Not compatible with AGRA0540)
AAJC0500	Arm joystick controls in-cab: Dual-side- moveable (N/A on cab-over chassis)
AAJC0510	Arm joystick controls in-cab: Dual joystick (Conventional and cab-over)
AAAC0550	Auxiliary arm controls in-cab: RH-side, (Mini-joystick style)
APJC0500	Packer control on joystick
ACJC0500	Crusher panel control on joystick
HPTO0540	Hot-Shift PTO with pump mounted on crossmember
HHOH0500	Hydraulic oil heater: in-tank (Electric 110V)
HHFD0520	High pressure filter with dirt alarm (body hydraulics only)
HHFD0530	High pressure filter with dirt alarm (arm hydraulics only)
HHFD0540	High pressure filters (2) with dirt alarm (body and arm hydraulics)
HHPG0500	Hydraulic pressure gauge on main valve
HHFR0500	Alarm for hydraulic filter replacement on return line
HHWK0510	Alarm for hydraulic oil temperature
HHWK0520	Alarm for low hydraulic oil level
HHWK0500	Alarm for low hydraulic oil level & hydraulic oil temperature
HPSO0500	Automatic pump shut off at 50 km/h- 32 mph
HSP0500	Snow plow provision - Additional valve (2 sections) and in-cab joystick
EPHM0500	Hour Meter connected to pump switch
EGSE0520	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0530	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0510	Third Eye single sensor Radar Detection System
EMSL0500	Truck speed limited at 11 km/h - 7 mph if arm not stowed (For Mack MP7 and Detroit Diesel engines only)
EMSL0510	Engine speed limited at 900 RPM if arm not stowed (For all Cummins engines except L-9 and Paccar engines only)
EMSL0515	Engine speed limited at 1200 RPM if arm not stowed (For Cummins L-9 engines only)
EAOA0500	Arm out alarm set at 1 mph
MSPP0500	Multiplex system password protection
CSLA0530	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
CSLA0540	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
LAFL0500	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LAFF0550	Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LAFL0570	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2

LAFF0560	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LBLT0500	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
LBLT0505	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
LBLT0510	Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type
LBLT0515	Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type
BLR0520	Back up lights: Qty 2 additional on mid-body rubrails - Bulb type
BLR0525	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LLPA0500	LED light package: Additional red central brake light, stop, turn & tail lights in special tailgate light box
LLTD0525	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
LSLA0520	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
LSLA0530	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1
LBLP0510	High Visibility Lighting Package: -Oval 6 inches red central brake light on tailgate. Qty 1 -Round 4 inches red stop lights in upper tailgate light bar. Qty 2 -Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 -Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 -Additional marker lights on each side of top body's rear. Qty 2 -Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 -Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 -Round 4 inches LED back up lights on tailgate. Qty 2 -Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 -Round 4 inches LED work light, hopper and RH side rail. Qty 2 -Strobe lights activated manually, hydraulics turned on, or transmission reverse
LLTD0520	Whelen Light Bar on Tailgate: - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2

LLPA0510	Multifunction Lights Package: -Multifunction round amber lights (4) -Oval center brake light,red, in upper tailgate (1) -Round brake lights, red, in upper tailgate light bar (2)
LWLK0510	Work light kit: single, in-cab single manual switch - Bulb type
LWLK0515	Work light kit: single, in-cab single manual switch - LED type
LWLK0520	Work light kit: dual, in-cab single manual switch - Bulb type
LWLK0525	Work light kit: dual, in-cab single manual switch - LED type
LWLK0530	Work light kit: triple, in-cab single manual switch - Bulb type
LWLK0535	Work light kit: triple, in-cab single manual switch - LED type
LSSO0500	Automatic strobe lights shut-off at 50 km/h - 32 mph
AUL-0001	LH-side hopper (1)
AUL-0003	RH-side post (3)
AUL-0004	RH-side rail (4)
AUL-0005	Top of Right Hand arm (5)
CCCC0541	Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0542	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0543	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0544	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0501	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0502	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0503	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter

CCCC0504	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0511	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0512	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0513	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0514	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0521	Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0522	Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0523	Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0524	Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0527	Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0528	Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter

CCCC0529	Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0530	Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCM0541	Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen
CCCM0501	3rd Eye 7" color LCD monitor : - Included in system base price - Split screen
CCCM0503	3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen
CCCM0504	3rd Eye 9" color LCD DVR monitor : - Split screen
CCCM0521	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0522	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0523	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0500	3rd Eye Air Wash on backup camera
CCSB0500	Camera system: 3rd Eye, installed on body builder cable
CCPC0500	Protection cages on cameras
CCRH0500	Camera mounted on Right-Hand arm (35)
AU-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
AU-0001	Tailgate center 2/3 (1)
AU-0002	Tailgate center 1/2 (2)
AU-0003	Center tailgate 1/3 (3)
AU-0004	Hopper LH-side (4)
AU-0005	RH-side post (5)
AU-0006	RH-side rail (6)
AU-0007	Tailgate center left 2/3 (7)
AU-0008	Tailgate center right 2/3 (8)
AU-0009	Tailgate center left 1/2 (9)
AU-0010	Tailgate Center right 1/2 (10)

AU-0011	Alley left 2/3 (11)
AU-0012	Alley right 2/3 (12)
AU-0013	Alley left 1/2 (13)
AU-0014	Alley right 1/2 (14)
AU-0015	Mirror L-H side (15)
AU-0016	Mirror R-H side (16)
AU-0026	Windshield pointing forward (26)
AU-0028	Windshield pointing towards driver (28)
AU-0360	360 view - 4 cameras total (360)
BALS0510	Ground level grease points: for tailgate & hopper door hinges
BSAL0510	Auto-lube system for Right Hand arm only - 28 points (full)
BASB0500	Anti-sail bars on rear mudflaps (N/A with tag axle)
BCOT0500	Clean out tools (broom, hoe & shovel kit including brackets; installed at front-of-body)
BHRO0500	Hopper roof to protect against wind, rain or snow (Max Height: 13' 6") (Not available with roof mounted CNG)
BFEX0510	Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation)
BFEX0520	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BRTB0500	Retainer teeth under breaker bar
BRWD0500	Display Signs - 32in H. x 84in L.
BRWD0510	Display Signs - 32in H. x 96in L.
BRWD0520	Display Signs - 48in H. x 96in L. (N/A on 19 cu.yds CNG roof mount)
BESK0500	Environmental spill kit installed on body
BESK0510	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0500	Truck side guards (Bike guards)
BWCH0500	Wheel chocks (2) mounted curbside
BCHT0500	Cart holders on tailgate (2) (Subject to space availability)
BTDP0500	Tailgate drip pan (NOT available with tag axle)
BNLD0500	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
BASN0500	Mud flaps w/o Logo
CRAD0500	Remote air drains petcock type
CCTB0500	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0530	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBTB0540	Toolbox: Aluminum tool box mounted on ICC DOT bumper
CERM0520	Exhaust routing modification on International chassis - EPA2010.
CRTH0500	Rear tow hooks (2)

CBFH0500	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0500	Fire Suppression system Safecraft LT5
CWBM0500	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
CWBM0505	Wheelbase modification: Shorten single axle chassis WB
CWBM0510	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)
CWBM0515	Wheelbase modification: Shorten tandem axle chassis WB
CHPA0510	13.5K Hendrickson Composilite steerable tag axle (including steel wheels and tires)
CHPA0520	13.5K Hendrickson Composilite steerable tag axle (including aluminum wheels and tires)
PCBP0510	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0500	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0520	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0525	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE0520	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0530	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0525	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0535	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PZUC0500	Undercoating on cab: chassis & body
PSSS0510	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
PSSS0520	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
PSSD0530	SLOW DOWN TO GET AROUND, 36in x 18in
CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU

CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
CANB0600	Auto-neutral on brake pedal
CCFR0620	Heated floor on RH-side cab conversion
CDMP0600	Deadman platform on low entry floor
CDPI0620	Dashboard package on cab conversion: engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
CLRH0600	Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and Freightliner cabs)
CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
CSRH0610	Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included)
CWDF0600	Windshield defroster fans: Qty 2
CWFD0600	Windows in foldable door on RH-side: Qty 4
LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type
LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type
CRBR0600	Automatic retainer arm in RHSUD cab door
CRBL0610	Automatic retainer arm in LHSUD cab door
CHBM0600	Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion)
CHBM0610	One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
CHBM0620	One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
FEWA0550-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0550-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0550-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0550-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
HEWA0550-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
HEWA0550-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)

HEWA0550-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0550-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
CEWA0550-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0550-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0550-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
CEWA0550-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)