

# Automizer Right Hand Co-Mingle -

(Do not share or reproduce unless approved by Labrie Group Management)

Category	Option	English description
Product Standards	STD0101	Maximum horizontal arm reach from side of vehicle: 144 in.
Product Standards	STD0102	Arm lifting capacity (maximum reach): 1000 lbs
Product Standards	STD0103	Electro-proportional joystick with feathering capability
Product Standards	STD0104	Hardox 450 body floor
Product Standards	STD0105	Onboard diagnostic tool with LCD display
Product Standards	STD0106	Tapered body
Product Standards	STD0107	Auto-Pack and gripper auto-close override
Product Standards	STD0108	Multi-cycle for packing ram (2 to 3 strokes)
Product Standards	STD0109	Circuit breakers with manual reset
Product Standards	STD0110	Zinc-plated hydraulic tubing
Product Standards	STD0111	ANSI Z245.1-2012 compliant
Product Standards	STD0112	Body blasted with steel grit
Product Standards	STD0113	Marine rust inhibitor treatment on body
Product Standards	STD0114	Warranty on Body & Hydraulics: 1 Year
Product Standards	STD0115	5 lbs fire extinguisher- first aid kit & triangle kit
Body Size	YRHC0152	Total capacity 17 cu.yd. (15+2)
Body Size	YRHC0154	Total capacity 19 cu.yd. (15+4)
Body Size	YRHC0156	Total capacity 21 cu.yd. (15+6)
Body Size	YRHC0202	Total capacity 22 cu.yd. (20+2)
Body Size	YRHC0204	Total capacity 24 cu.yd. (20+4)
Body Size	YRHC0206	Total capacity 26 cu.yd. (20+6)
Body Size	YRHC0272	Total capacity 29 cu.yd. (27+2)
Body Size	YRHC0274	Total capacity 31 cu.yd. (27+4)
Body Size	YRHC0276	Total capacity 33 cu.yd. (27+6)
Body Size	YRHC0312	Total capacity 33 cu.yd. (31+2)
Body Size	YRHC0314	Total capacity 35 cu.yd. (31+4)
Body Size	YRHC0316	Total capacity 37 cu.yd. (31+6)
Configurative Features	AGRA0110	Heavy Duty Arm & Grabber "32 to 95 gal."
Configurative Features	AGRA0130	Heavy Duty Arm & Grabber "64-95 gal and 300 gal. Round" (N/A with Co-Mingle)
Configurative Features	AGRA0140	Heavy Duty Arm, Comb & Grabber ( Domestic 64-95gal and European Rectangular 660-1100L cart)
Configurative Features	AGRA0150	Basic Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
Configurative Features	AGRA0160	Heavy Duty Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
Configurative Features	AGRA0170	Alley-Hand Arm & Grabber "32 to 95 gal."
Configurative Features	ALHG0100	Low height gripper (-6") on Right-Hand - N/A with 1100 L. comb gripper
Configurative Features	ALHG0110	Mid height gripper (-3") on Right-Hand - N/A with 1100 L. comb gripper
Configurative Features	BCPH0100	Crusher Panel
Configurative Features	QUES4060	40% left side / 60% right side
Configurative Features	QUES5050	50% left side / 50% right side
Configurative Features	QUES6040	60% left side / 40% right side
Configurative Features	QUESSTAU	Crusher panel installed on street side (N/A on 60/40 and 50/50 split)
Configurative Features	QUESCUAU	Crusher panel installed on curb side
Compressed Natural gas (CNG)	CCNG0101	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
Compressed Natural gas (CNG)	CCNG0100	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE

Compressed Natural gas (CNG)	CCNG0103	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
Compressed Natural gas (CNG)	CCNG0105	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE   (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0110	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE   (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0115	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE   (Body size must be 27 yds. minimum) (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0120	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE   (Available with tailgate 0 cu. yds. only - <u>Conditional to engineering approval</u> )
Compressed Natural gas (CNG)	CCNG0130	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE   (Available with tailgate 0 cu. yds. only - <u>Conditional to engineering approval</u> )
Compressed Natural gas (CNG)	CNGI0130	Ignition interlock on filling port cap (Street side port)   (Not available on transit-style port)
Compressed Natural gas (CNG)	CNGC0135	Ignition interlock on filling port cap (Front port)
Compressed Natural gas (CNG)	CNGF0140	Transit style port on street side
Compressed Natural gas (CNG)	CNGP0150	Filling port on street side front bumper
Compressed Natural gas (CNG)	CNGA0100	In-cab CNG gas alarm system
Compressed Natural gas (CNG)	CNGR0100	Hopper Roof for CNG Roof Mounted system
Compressed Natural gas (CNG)	CNRD0100	Rear deflector for CNG Roof Mounted system
Compressed Natural gas (CNG)	CNGW0100	CNG Winter Package
Lifting Arm Option	AGCD0110	Grabber counting device: counts number of carts dumped
Lifting Arm Option	AGSS0100	Spill shield: installed behind grabber (Not compatible with AGRA0140)
Controls Options	AAJC0100	Arm joystick controls in-cab: Dual-side- moveable (N/A on cab-over chassis)
Controls Options	AAJC0110	Arm joystick controls in-cab: Dual joystick (Conventional and cab-over)
Controls Options	AAAC0150	Auxiliary arm controls in-cab: RH-side, (Mini-joystick style)
Controls Options	APJC0100	Packer control on joystick   (Cannot be combined with ACJC0100 on Co-mingle units)
Controls Options	ACJC0100	Crusher panel control on joystick   (Cannot be combined with APJC0100 on Co-mingle units)
Hydraulic Options	HPTO0140	Hot-Shift PTO with pump mounted on crossmember
Hydraulic Options	HHOH0100	Hydraulic oil heater: in-tank (Electric 110V)
Hydraulic Options	HHOC0100	Hydraulic oil cooler
Hydraulic Options	HHFD0120	High pressure filter with dirt alarm (body hydraulics only)
Hydraulic Options	HHFD0130	High pressure filter with dirt alarm (arm hydraulics only)
Hydraulic Options	HHFD0140	High pressure filters (2) with dirt alarm (body and arm hydraulics)
Hydraulic Options	HHPG0100	Hydraulic pressure gauge on main valve
Hydraulic Options	HHFR0100	Alarm for hydraulic filter replacement on return line
Hydraulic Options	HHWK0110	Alarm for hydraulic oil temperature
Hydraulic Options	HHWK0120	Alarm for low hydraulic oil level
Hydraulic Options	HHWK0100	Alarm for low hydraulic oil level & hydraulic oil temperature
Hydraulic Options	HPCR0100	Packer cylinders hydraulic oil regeneration (not available with ISL-G or L9N engine)
Hydraulic Options	HPSO0100	Automatic pump shut off at 50 km/h- 32 mph
Hydraulic Options	HHST0100	Hydraulic saddle tank

Hydraulic Options	HSPP0100	Snow plow provision - Additional valve (2 sections) and in-cab joystick
Electrical Options	EBCV0100	Body control valve: electric-over-hydraulic
Electrical Options	EPHM0100	Hour Meter connected to pump switch
Electrical Options	EGSE0120	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
Electrical Options	EGSE0130	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
Electrical Options	EGSE0110	Third Eye single sensor Radar Detection System
Electrical Options	EMSL0100	Truck speed limited at 11 km/h - 7 mph if arm not stowed   (For Mack MP7 and Detroit Diesel engines only)
Electrical Options	EMSL0110	Engine speed limited at 900 RPM if arm not stowed   (For all Cummins engines except L-9 and Paccar engines only)
Electrical Options	EMSL0115	Engine speed limited at 1200 RPM if arm not stowed   (For Cummins L-9 engines only)
Electrical Options	EAOA0100	Arm out alarm set at 1 mph
Electrical Options	MSPP0100	Multiplex system password protection
Lighting Options	CSLA0130	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
Lighting Options	CSLA0140	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
Lighting Options	LAFL0100	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
Lighting Options	LAFF0150	Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2   (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
Lighting Options	LAFL0170	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
Lighting Options	LAFF0160	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2   (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
Lighting Options	LBLT0100	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
Lighting Options	LBLT0105	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
Lighting Options	LBLT0110	Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type
Lighting Options	LBLT0115	Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type
Lighting Options	LBLR0120	Back up lights: Qty 2 additional on mid-body rubrails - Bulb type
Lighting Options	LBLR0125	Back up lights: Qty 2 additional on mid-body rubrails - LED type
Lighting Options	LLPA0100	LED light package:   Additional red central brake light, stop, turn & tail lights in special tailgate light box
Lighting Options	LLTD0125	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
Lighting Options	LSLA0120	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
Lighting Options	LSLA0130	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1

Lighting Options	LBLP0110	High Visibility Lighting Package:   - Oval 6 inches red central brake light on tailgate. Qty 1 - Round 4 inches red stop lights in upper tailgate light bar. Qty 2 - Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 - Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 - Additional marker lights on each side of top body's rear. Qty 2 - Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 - Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 - Round 4 inches LED back up lights on tailgate. Qty 2 - Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 - Round 4 inches LED work light, hopper and RH side rail. Qty 2 - Strobe lights activated manually, hvdraulics turned on, or Whelen Light Bar on Tailgate:
Lighting Options	LLTD0120	- Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
Lighting Options	LLPA0110	Multifunction Lights Package:   - Multifunction round amber lights (4) - Oval center brake light, red, in upper tailgate (1) - Round brake lights, red, in upper tailgate light bar (2)
Lighting Options	LWLK0110	Work light kit: single, in-cab single manual switch - Bulb type
Lighting Options	LWLK0115	Work light kit: single, in-cab single manual switch - LED type
Lighting Options	LWLK0120	Work light kit: dual, in-cab single manual switch - Bulb type
Lighting Options	LWLK0125	Work light kit: dual, in-cab single manual switch - LED type
Lighting Options	LWLK0130	Work light kit: triple, in-cab single manual switch - Bulb type
Lighting Options	LWLK0135	Work light kit: triple, in-cab single manual switch - LED type
Lighting Options	LSSO0100	Automatic strobe lights shut-off at 50 km/h - 32 mph
Lighting Options	AUL-0001	LH-side hopper (1)
Lighting Options	AUL-0003	RH-side post (3)
Lighting Options	AUL-0004	RH-side rail (4)
Lighting Options	AUL-0005	Top of Right Hand arm (5)
Camera Options	CCCC0141	Single Safety Vision camera (with shutter) :   - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0142	Dual Safety Vision cameras (with shutter) :   - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0143	Triple Safety Vision cameras (with shutter) :   - Monitor must be selected separately - Heater - Shutter

Camera Options	CCCC0144	<p>Quadruple Safety Vision cameras (with shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- Shutter</li> <li>- Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened</li> </ul>
Camera Options	CCCC0101	<p>Single 3rd Eye camera (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0102	<p>Dual 3rd Eye cameras (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0103	<p>Triple 3rd Eye cameras (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0104	<p>Quadruple 3rd Eye cameras (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0111	<p>Single 3rd Eye camera - Wide angle (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0112	<p>Dual 3rd Eye cameras - Wide angle (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0113	<p>Triple 3rd Eye cameras - Wide angle (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0114	<p>Quadruple 3rd Eye cameras - Wide angle (no shutter) :  </p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- No Shutter</li> </ul>
Camera Options	CCCC0121	<p>Single Zone Defense camera (with shutter) :  </p> <p>(N/A with DVR monitor)</p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- Shutter</li> </ul>
Camera Options	CCCC0122	<p>Dual Zone Defense cameras (with shutter) :  </p> <p>(N/A with DVR monitor)</p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- Shutter</li> </ul>
Camera Options	CCCC0123	<p>Triple Zone Defense cameras (with shutter) :  </p> <p>(N/A with DVR monitor)</p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- Shutter</li> </ul>
Camera Options	CCCC0124	<p>Quadruple Zone Defense cameras (with shutter) :  </p> <p>(N/A with DVR monitor)</p> <ul style="list-style-type: none"> <li>- Monitor must be selected separately</li> <li>- Heater</li> <li>- Shutter</li> </ul>

Camera Options	CCCC0127	Single Zone Defense camera (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0128	Dual Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0129	Triple Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0130	Quadruple Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCM0141	Safety Vision 7" color LCD monitor :   - Included in system base price for shuttered and non-shuttered cameras - Split screen
Camera Options	CCCM0101	3rd Eye 7" color LCD monitor :   - Included in system base price - Split screen
Camera Options	CCCM0103	3rd Eye 7" color LCD monitor - AWT07MLEDT :   - Split screen
Camera Options	CCCM0104	3rd Eye 9" color LCD DVR monitor :   - Split screen
Camera Options	CCCM0121	Zone Defense 7" color LCD monitor :   - Included in system base price - Split screen - Touch screen
Camera Options	CCCM0122	Zone Defense 9" color LCD monitor :   - Split screen - Touch screen
Camera Options	CCCM0123	Zone Defense 9" color DVR monitor :   - Split screen - Touch screen - N/A with shuttered cameras
Camera Options	CCAW0100	3rd Eye Air Wash on backup camera
Camera Options	CCSB0100	Camera system: 3rd Eye, installed on body builder cable
Camera Options	CCPC0100	Protection cages on cameras
Camera Options	CCRH0100	Camera mounted on Right-Hand arm (35)
Camera Options	AU-0000	No camera system.   At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
Camera Options	AU-0001	Tailgate center 2/3 (1)
Camera Options	AU-0002	Tailgate center 1/2 (2)
Camera Options	AU-0003	Center tailgate 1/3 (3)
Camera Options	AU-0004	Hopper LH-side (4)
Camera Options	AU-0005	RH-side post (5)
Camera Options	AU-0006	RH-side rail (6)
Camera Options	AU-0007	Tailgate center left 2/3 (7)
Camera Options	AU-0008	Tailgate center right 2/3 (8)
Camera Options	AU-0009	Tailgate center left 1/2 (9)
Camera Options	AU-0010	Tailgate Center right 1/2 (10)

Camera Options	AU-0011	Alley left 2/3 (11)
Camera Options	AU-0012	Alley right 2/3 (12)
Camera Options	AU-0013	Alley left 1/2 (13)
Camera Options	AU-0014	Alley right 1/2 (14)
Camera Options	AU-0015	Mirror L-H side (15)
Camera Options	AU-0016	Mirror R-H side (16)
Camera Options	AU-0026	Windshield pointing forward (26)
Camera Options	AU-0028	Windshield pointing towards driver (28)
Camera Options	AU-0360	360 view - 4 cameras total (360)
Body Options	BALS0110	Ground level grease points: for tailgate & hopper door hinges
Body Options	BSAL0110	Auto-lube system for Right Hand arm only - 28 points (full)
Body Options	BPLS0100	Central grease point for packer shoes and rails
Body Options	BRLS0100	Central grease point for follower panel rollers
Body Options	BCOT0100	Clean out tools (broom, hoe & shovel kit including brackets; installed at front-of-body)
Body Options	BHRO0101	Hopper roof (universal, adapted to cart size) to protect against wind   (Not available with roof mounted CNG)
Body Options	BFEX0110	Fire Extinguisher- 20 lbs   (standard position : body curbside unless specified otherwise by regulation)
Body Options	BFEX0120	Two (2) Fire Extinguishers- 20 lbs   (standard position : body streetside and curbside unless specified otherwise by regulation)
Body Options	BHWS0100	Hopper floor liner: 0.250" Hardox 450 steel
Body Options	BHSL0100	Hopper side wall liners: 4mm Hardox 450 steel
Body Options	BSFL0110	Body floor liner at front-of-body: 0.160" Hardox 450 steel - 48" long
Body Options	BSFL0120	Body floor liner: 0.160" Hardox 450 steel - full length
Body Options	BSWL0135	Body Side Wall liners: 1/8" x 18" x 24" Hardox 450
Body Options	BRTB0100	Retainer teeth under breaker bar
Body Options	BWBT0100	Continuous body welding at specified points
Body Options	BRWD0100	Display Signs - 32in H. x 84in L.
Body Options	BRWD0110	Display Signs - 32in H. x 96in L.
Body Options	BRWD0120	Display Signs - 48in H. x 96in L. (N/A on 20 cu.yds CNG roof mount)
Body Options	BESK0100	Environmental spill kit installed on body
Body Options	BESK0110	Spill kit, Inside toolbox (toolbox not included), BREG 9040
Body Options	BBGA0100	Truck side guards (Bike guards)
Body Options	BWCH0100	Wheel chocks (2) mounted curbside
Body Options	BCHT0100	Cart holders on tailgate (2) (Subject to space availability)
Body Options	BLCO0100	Larger clean out doors and foldable ladder
Body Options	BFBP0100	Front body panel, paper guard (Screen)
Body Options	BFBP0110	Front body panel, splash guard (Solid panel)
Body Options	BTDP0100	Tailgate drip pan (NOT available with tag axle)
Body Options	BNLD0100	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
Body Options	BASN0100	Mud flaps w/o Logo
Chassis Options	CRAD0100	Remote air drains petcock type
Chassis Options	CCTB0100	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24"   (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
Chassis Options	CCTB0130	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14"   (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
Chassis Options	CERM0120	Exhaust routing modification on International chassis - EPA2010.
Chassis Options	CRTH0100	Rear tow hooks (2)

Chassis Options	CBFH0100	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
Chassis Options	CFSS0100	Fire Suppression system Safecraft LT5
Chassis Options	CWBM0100	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0105	Wheelbase modification: Shorten single axle chassis WB
Chassis Options	CWBM0110	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0115	Wheelbase modification: Shorten tandem axle chassis WB
Chassis Options	CHPA0110	13.5K Hendrickson Compositelite steerable tag axle (including steel wheels and tires)
Chassis Options	CHPA0120	13.5K Hendrickson Compositelite steerable tag axle (including aluminum wheels and tires)
Paint Options	PCBP0110	Body: 1 Color Urethane Body Paint   - Included in unit base price - Includes bolt-on parts painted body color
Paint Options	PCBP0100	Body: 1 Color Base Coat/Clear Coat Body Paint   - Includes bolt-on parts painted body color
Paint Options	PCBP0120	Body: 2 Colors Urethane Body Paint   - 1 color separation - Includes bolt-on parts painted body color
Paint Options	PCBP0125	Body: 2 Colors Base Coat/Clear Coat Body Paint   - 1 color separation - Includes bolt-on parts painted body color
Paint Options	PPCE0120	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied)   - No paint scheme - Including doors iambs
Paint Options	PPCE0130	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied)   - No paint scheme - Including doors iambs
Paint Options	PPCE0125	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied)   - With paint scheme (1 color separation) - Including doors iambs
Paint Options	PPCE0135	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied)   - With paint scheme (1 color separation) - Including doors iambs
Paint Options	PZUC0100	Undercoating on cab: chassis & body
Paint Options	PSSS0110	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
Paint Options	PSSS0120	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
Paint Options	PSSD0130	SLOW DOWN TO GET AROUND, 36in x 18in
Cab Conversion	CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
Cab Conversion	CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
Cab Conversion	CANB0600	Auto-neutral on brake pedal
Cab Conversion	CCFR0620	Heated floor on RH-side cab conversion
Cab Conversion	CDMP0600	Deadman platform on low entry floor

Cab Conversion	CDPI0620	Dashboard package on cab conversion:   engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
Cab Conversion	CLRH0600	Low entry on RH-side ONLY: without pedals & steering;   requires Deadman platform option (International and Freightliner cabs)
Cab Conversion	CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
Cab Conversion	CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
Cab Conversion	CSRH0610	Sit-down drive on RH-side: with pedals & steering   (International and Freightliner cabs only - Seat not included)
Cab Conversion	CWDF0600	Windshield defroster fans: Qty 2
Cab Conversion	CWFD0600	Windows in foldable door on RH-side: Qty 4
Cab Conversion	LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake,   on Stand-up drive only - Bulb type
Cab Conversion	LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake,   on Stand-up drive only - LED type
Cab Conversion	CRBR0600	Automatic retainer arm in RHSUD cab door
Cab Conversion	CRBL0610	Automatic retainer arm in LHSUD cab door
Cab Conversion	CHBM0600	Two (2) heated bus type mirrors on cab fenders   (for International or Freightliner cab without Labrie cab conversion)
Cab Conversion	CHBM0610	One (1) Unheated bus type mirror on cab LH side   (for Cab Over chassis without Labrie cab conversion)
Cab Conversion	CHBM0620	One (1) Heated bus type mirror on cab LH side   (for Cab Over chassis without Labrie cab conversion)
Body Warranty (PARTS AND LABOR)	FEWA0150-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0150-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0150-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0150-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0150-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0150-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0150-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0150-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (incl. hyd cooler)   (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0150-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (incl. hyd cooler)   (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0150-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (incl. hyd cooler)   (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0150-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (incl. hyd cooler)   (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)























































































































