

AGRA0110	Heavy Duty Arm & Grabber "32 to 95 gal."
AGRA0130	Heavy Duty Arm & Grabber "64-95 gal and 300 gal. Round" (N/A with Co-Mingle)
AGRA0140	Heavy Duty Arm, Comb & Grabber (Domestic 64-95gal and European Rectangular 660-1100L cart)
AGRA0150	Basic Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
AGRA0160	Heavy Duty Arm & Grabber "32 to 95 gal." with Helping-Hand gripper
AGRA0170	Alley-Hand Arm & Grabber "32 to 95 gal."
ALHG0100	Low height gripper (-6") on Right-Hand - N/A with 1100 L. comb gripper
ALHG0110	Mid height gripper (-3") on Right-Hand - N/A with 1100 L. comb gripper
BCPH0100	Crusher Panel
QUES4060	40% left side / 60% right side
QUES5050	50% left side / 50% right side
QUES6040	60% left side / 40% right side
QUESSTAU	Crusher panel installed on street side (N/A on 60/40 and 50/50 split)
QUESCUAU	Crusher panel installed on curb side
CCNG0101	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CCNG0100	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG0103	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CCNG0105	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Hopper Roof optional)
CCNG0110	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Hopper Roof optional)
CCNG0115	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 27 yds. minimum) (Hopper Roof optional)
CCNG0120	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CCNG0130	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval)
CNGI0130	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0135	Ignition interlock on filling port cap (Front port)
CNGF0140	Transit style port on street side
CNGP0150	Filling port on street side front bumper

CNGA0100	In-cab CNG gas alarm system
CNGR0100	Hopper Roof for CNG Roof Mounted system
CNRD0100	Rear deflector for CNG Roof Mounted system
CNGW0100	CNG Winter Package
AGCD0110	Grabber counting device: counts number of carts dumped
AGSS0100	Spill shield: installed behind grabber (Not compatible with AGRA0140)
AAJC0100	Arm joystick controls in-cab: Dual-side- moveable (N/A on cab-over chassis)
AAJC0110	Arm joystick controls in-cab: Dual joystick (Conventional and cab-over)
AAAC0150	Auxiliary arm controls in-cab: RH-side, (Mini-joystick style)
APJC0100	Packer control on joystick (Cannot be combined with ACJC0100 on Co-mingle units)
ACJC0100	Crusher panel control on joystick (Cannot be combined with APJC0100 on Co-mingle units)
HPTO0140	Hot-Shift PTO with pump mounted on crossmember
HHOH0100	Hydraulic oil heater: in-tank (Electric 110V)
HHOC0100	Hydraulic oil cooler
HHFD0120	High pressure filter with dirt alarm (body hydraulics only)
HHFD0130	High pressure filter with dirt alarm (arm hydraulics only)
HHFD0140	High pressure filters (2) with dirt alarm (body and arm hydraulics)
HHPG0100	Hydraulic pressure gauge on main valve
HHFR0100	Alarm for hydraulic filter replacement on return line
HHWK0110	Alarm for hydraulic oil temperature
HHWK0120	Alarm for low hydraulic oil level
HHWK0100	Alarm for low hydraulic oil level & hydraulic oil temperature
HPCR0100	Packer cylinders hydraulic oil regeneration (not available with ISL-G or L9N engine)
HPSO0100	Automatic pump shut off at 50 km/h- 32 mph
HHST0100	Hydraulic saddle tank
HSP0100	Snow plow provision - Additional valve (2 sections) and in-cab joystick
EBCV0100	Body control valve: electric-over-hydraulic
EPHM0100	Hour Meter connected to pump switch
EGSE0120	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0130	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0110	Third Eye single sensor Radar Detection System
EMSL0100	Truck speed limited at 11 km/h - 7 mph if arm not stowed (For Mack MP7 and Detroit Diesel engines only)
EMSL0110	Engine speed limited at 900 RPM if arm not stowed (For all Cummins engines except L-9 and Paccar engines only)

EMSL0115	Engine speed limited at 1200 RPM if arm not stowed (For Cummins L-9 engines only)
EAOA0100	Arm out alarm set at 1 mph
MSPP0100	Multiplex system password protection
CSLA0130	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
CSLA0140	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
LAFL0100	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LAFF0150	Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LAFL0170	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
LAFF0160	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LBLT0100	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
LBLT0105	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
LBLT0110	Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type
LBLT0115	Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type
LBLR0120	Back up lights: Qty 2 additional on mid-body rubrails - Bulb type
LBLR0125	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LLPA0100	LED light package: Additional red central brake light, stop, turn & tail lights in special tailgate light box
LLTD0125	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
LSLA0120	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
LSLA0130	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1

LBLP0110	<p>High Visibility Lighting Package: </p> <ul style="list-style-type: none"> -Oval 6 inches red central brake light on tailgate. Qty 1 -Round 4 inches red stop lights in upper tailgate light bar. Qty 2 -Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 -Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 -Additional marker lights on each side of top body's rear. Qty 2 -Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 -Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 -Round 4 inches LED back up lights on tailgate. Qty 2 -Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 -Round 4 inches LED work light, hopper and RH side rail. Qty 2 -Strobe lights activated manually, hydraulics turned on, or transmission reverse
LLTD0120	<p>Whelen Light Bar on Tailgate: </p> <ul style="list-style-type: none"> - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
LLPA0110	<p>Multifunction Lights Package: </p> <ul style="list-style-type: none"> -Multifunction round amber lights (4) -Oval center brake light,red, in upper tailgate (1) -Round brake lights, red, in upper tailgate light bar (2)
LWLK0110	Work light kit: single, in-cab single manual switch - Bulb type
LWLK0115	Work light kit: single, in-cab single manual switch - LED type
LWLK0120	Work light kit: dual, in-cab single manual switch - Bulb type
LWLK0125	Work light kit: dual, in-cab single manual switch - LED type
LWLK0130	Work light kit: triple, in-cab single manual switch - Bulb type
LWLK0135	Work light kit: triple, in-cab single manual switch - LED type
LSSO0100	Automatic strobe lights shut-off at 50 km/h - 32 mph
AUL-0001	LH-side hopper (1)
AUL-0003	RH-side post (3)
AUL-0004	RH-side rail (4)
AUL-0005	Top of Right Hand arm (5)
CCCC0141	<p>Single Safety Vision camera (with shutter) : </p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter

CCCC0142	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0143	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0144	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0101	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0102	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0103	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0104	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0111	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0112	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0113	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0114	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter

CCCC0121	<p>Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter</p>
CCCC0122	<p>Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter</p>
CCCC0123	<p>Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter</p>
CCCC0124	<p>Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter</p>
CCCC0127	<p>Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter</p>
CCCC0128	<p>Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter</p>
CCCC0129	<p>Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter</p>
CCCC0130	<p>Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter</p>
CCCM0141	<p>Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen</p>
CCCM0101	<p>3rd Eye 7" color LCD monitor : - Included in system base price - Split screen</p>
CCCM0103	<p>3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen</p>

CCCM0104	3rd Eye 9" color LCD DVR monitor : - Split screen
CCCM0121	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0122	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0123	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0100	3rd Eye Air Wash on backup camera
CCSB0100	Camera system: 3rd Eye, installed on body builder cable
CCPC0100	Protection cages on cameras
CCRH0100	Camera mounted on Right-Hand arm (35)
AU-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
AU-0001	Tailgate center 2/3 (1)
AU-0002	Tailgate center 1/2 (2)
AU-0003	Center tailgate 1/3 (3)
AU-0004	Hopper LH-side (4)
AU-0005	RH-side post (5)
AU-0006	RH-side rail (6)
AU-0007	Tailgate center left 2/3 (7)
AU-0008	Tailgate center right 2/3 (8)
AU-0009	Tailgate center left 1/2 (9)
AU-0010	Tailgate Center right 1/2 (10)
AU-0011	Alley left 2/3 (11)
AU-0012	Alley right 2/3 (12)
AU-0013	Alley left 1/2 (13)
AU-0014	Alley right 1/2 (14)
AU-0015	Mirror L-H side (15)
AU-0016	Mirror R-H side (16)
AU-0026	Windshield pointing forward (26)
AU-0028	Windshield pointing towards driver (28)
AU-0360	360 view - 4 cameras total (360)
BALS0110	Ground level grease points: for tailgate & hopper door hinges
BSAL0110	Auto-lube system for Right Hand arm only - 28 points (full)
BPLS0100	Central grease point for packer shoes and rails
BRLS0100	Central grease point for follower panel rollers
BCOT0100	Clean out tools (broom, hoe & shovel kit including brackets; installed at front-of-body)
BHRO0101	Hopper roof (universal, adapted to cart size) to protect against wind (Not available with roof mounted CNG)

BFEX0110	Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation)
BFEX0120	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BHWS0100	Hopper floor liner: 0.250" Hardox 450 steel
BHSL0100	Hopper side wall liners: 4mm Hardox 450 steel
BSFL0110	Body floor liner at front-of-body: 0.160" Hardox 450 steel - 48" long
BSFL0120	Body floor liner: 0.160" Hardox 450 steel - full length
BSWL0135	Body Side Wall liners: 1/8" x 18" x 24" Hardox 450
BRTB0100	Retainer teeth under breaker bar
BWBT0100	Continuous body welding at specified points
BRWD0100	Display Signs - 32in H. x 84in L.
BRWD0110	Display Signs - 32in H. x 96in L.
BRWD0120	Display Signs - 48in H. x 96in L. (N/A on 20 cu.yds CNG roof mount)
BESK0100	Environmental spill kit installed on body
BESK0110	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0100	Truck side guards (Bike guards)
BWCH0100	Wheel chocks (2) mounted curbside
BCHT0100	Cart holders on tailgate (2) (Subject to space availability)
BLCO0100	Larger clean out doors and foldable ladder
BFBP0100	Front body panel, paper guard (Screen)
BFBP0110	Front body panel, splash guard (Solid panel)
BTDP0100	Tailgate drip pan (NOT available with tag axle)
BNLD0100	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
BASN0100	Mud flaps w/o Logo
CRAD0100	Remote air drains petcock type
CCTB0100	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0130	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CERM0120	Exhaust routing modification on International chassis - EPA2010.
CRTH0100	Rear tow hooks (2)
CBFH0100	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0100	Fire Suppression system Safecraft LT5
CWBM0100	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
CWBM0105	Wheelbase modification: Shorten single axle chassis WB
CWBM0110	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)

CWBM0115	Wheelbase modification: Shorten tandem axle chassis WB
CHPA0110	13.5K Hendrickson Composilite steerable tag axle (including steel wheels and tires)
CHPA0120	13.5K Hendrickson Composilite steerable tag axle (including aluminum wheels and tires)
PCBP0110	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0100	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0120	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0125	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE0120	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0130	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0125	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0135	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PZUC0100	Undercoating on cab: chassis & body
PSSS0110	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
PSSS0120	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
PSSD0130	SLOW DOWN TO GET AROUND, 36in x 18in
CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
CANB0600	Auto-neutral on brake pedal
CCFR0620	Heated floor on RH-side cab conversion

CDMP0600	Deadman platform on low entry floor
CDPI0620	Dashboard package on cab conversion: engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
CLRH0600	Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and Freightliner cabs)
CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
CSRH0610	Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included)
CWDF0600	Windshield defroster fans: Qty 2
CWFD0600	Windows in foldable door on RH-side: Qty 4
LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type
LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type
CRBR0600	Automatic retainer arm in RHSUD cab door
CRBL0610	Automatic retainer arm in LHSUD cab door
CHBM0600	Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion)
CHBM0610	One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
CHBM0620	One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
FEWA0150-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (incl. hyd cooler) (PARTS AND LABOR)
FEWA0150-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (incl. hyd cooler) (PARTS AND LABOR)
FEWA0150-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (incl. hyd cooler) (PARTS AND LABOR)
FEWA0150-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (incl. hyd cooler) (PARTS AND LABOR)
HEWA0150-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (incl. hyd cooler) (PARTS AND LABOR)
HEWA0150-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (incl. hyd cooler) (PARTS AND LABOR)
HEWA0150-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (incl. hyd cooler) (PARTS AND LABOR)

HEWA0150-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (incl. hyd cooler) (PARTS AND LABOR)
CEWA0150-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (incl. hyd cooler) (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)
CEWA0150-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (incl. hyd cooler) (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)
CEWA0150-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (incl. hyd cooler) (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)
CEWA0150-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (incl. hyd cooler) (hydraulic cooler warranty is 1 year) (PARTS AND LABOR)