| CDFL0301 | Drop-frame only by Labrie (Hydraulic and fuel tank not included, must be selected separately) |
|----------|--|
| CHFT0300 | Tanks, Saddle tanks: combo 65 gal. fuel / 71 gal. hydraulic (Cab-over Diesel) |
| CHFT0310 | Tanks, Saddle tanks: larger - combo 85 gal. fuel / 71 gal. Hydraulic (Cab-over Diesel) |
| CHFT0320 | Tank, Hydraulic tank in drop section - 65 gal. (All chassis Diesel or CNG) |
| CHFT0330 | Tank, Single hydraulic saddle tank - 65 gal. (Cab-over Diesel or CNG) |
| CFTD0301 | Tank, All chassis Diesel: Main Fuel tank in drop section - 65 gal. (If OEM tank cannot be used) |
| BCPH0300 | Deduct for no crusher panel |
| BCPH0310 | Dual crusher panels (including RH-side controls) (Only on Co-mingle units) |
| QUESSTEX | Crusher panel installed on street side |
| QUESCUEX | Crusher panel installed on curb side |
| BGCB0300 | Glass compartment in hopper - 3 cu. yd 2 compartments (Crusher panel not available on street side) (Body size must be 20 yds. minimum) |
| BGCB0310 | Glass compartment in hopper - 3 cu. yd 1 compartment (Crusher panel not available on street side) (Body size must be 20 yds. minimum) |
| CCNG0301 | CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE |
| CCNG0300 | CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE |
| CCNG0303 | CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE |
| CCNG0305 | CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Hopper Roof optional) |
| CCNG0310 | CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Hopper Roof optional) |
| CCNG0315 | CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE (Body size must be 27 yds. minimum) (Hopper Roof optional) |
| CCNG0320 | CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval) |
| CCNG0330 | CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Conditional to engineering approval) |
| CNGI0330 | Ignition interlock on filling port cap (Street side port) (Not available on transit-style port) |
| CNGC0335 | Ignition interlock on filling port cap (Front port) |
| CNGF0340 | Transit style port on street side |

| CNGP0350 | Filling port on street side front bumper |
|----------|---|
| CNGA0300 | In-cab CNG gas alarm system |
| CNGR0300 | Hopper Roof for CNG Roof Mounted system |
| CNRD0300 | Rear deflector for CNG Roof Mounted system |
| CNGW0300 | CNG Winter Package |
| BCTR0310 | R-H side cart tipper, Series 220 Cylinder style |
| BCTR0320 | R-H side cart tipper, Series 330 Hi-Lift, Cylinder style, single cart |
| BCTR0330 | R-H side cart tipper plumbing only (Includes flow divider and control valve) |
| BCTR0340 | RH-side only, SSO bucket dumper - with fixed wall hopper divider (Only with manual Co-mingle units. LH-side cart dumper option not compatible. RH-side cart dumper to be Labrie Rotary Actuator style if equipped. Cart attachment on bucket for 64 gal. carts maximum) |
| BCTR0350 | RH-side only, SSO bucket dumper with additional Labrie Rotary Actuator style RH-side tipper with fixed wall hopper divider (Only with manual Co-mingle units. LH-side cart dumper option not compatible. Cart attachment on bucket for 64 gal. carts maximum) |
| BCCR0300 | Cart counter for cart tipper, right hand side |
| BCTL0310 | L-H side cart tipper, Series 220 Cylinder style, includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand) (N/A with Helping-Hand Co-mingle units) |
| BCTL0320 | L-H side cart tipper, Series 330 Hi-Lift, Cylinder style, includes Packer and Crusher panel controls and Chute controls (Not available with Dual Helping-Hand) (Only model available with Helping Hand comingle units) |
| BCTL0330 | L-H side cart tipper plumbing, includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand) |
| BCCL0300 | Cart counter for cart tipper, left hand side |
| BHCD0300 | Deduct for no hydraulic Chute (For Manual Co-mingle units only) |
| ECKA0340 | LH-side outside controls : Additional Packer and Crusher panel controls (Included with cart tipper on L-H side. N/A with Co-mingle units with chute) |
| ECKA0350 | LH-side outside controls: Additional Packer, Crusher panel and Chute controls (Included with cart tipper on L-H side. N/A with single stream units) |
| HPTO0340 | Hot-Shift PTO with pump mounted on crossmember (Automated or Manual) |
| HHOH0300 | Hydraulic oil heater: in-tank (Electric 110V) |
| HHFD0320 | High pressure filter with dirt alarm (body hydraulics only) |

| HHPG0300 | Hydraulic pressure gauge on main valve |
|-----------|---|
| HHTG0300 | Hydraulic temperature gauge in multiplex display |
| HHFR0300 | Alarm for hydraulic filter replacement on return line |
| HHWK0310 | Alarm for hydraulic oil temperature |
| HHWK0320 | Alarm for low hydraulic oil level |
| HHWK0300 | Alarm for low hydraulic oil level & hydraulic oil temperature |
| LIDODAGGA | Packer cylinders hydraulic oil regeneration |
| HPCR0300 | (not available with ISL-G or L9N engine) |
| HPSO0300 | Automatic pump shut off at 50 km/h- 32 mph |
| HSPP0300 | Snow plow provision - Additional valve (2 sections) and incab joystick |
| EBCV0300 | Body control valve: electric-over-hydraulic |
| EPHM0300 | Hour Meter connected to pump switch |
| EGSE0320 | Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system |
| 50050000 | Global Search Eye Infra-Red Detection System (3 sensors) |
| EGSE0330 | with automatic braking system |
| EGSE0310 | Third Eye single sensor Radar Detection System |
| MSPP0300 | Multiplex system password protection |
| CSLA0330 | Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1 |
| CSLA0340 | Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1 |
| LAFL0300 | Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2 |
| LAFF0350 | Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure) |
| LAFL0370 | Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2 |
| LAFF0360 | Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure) |
| LBLT0300 | Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type |
| LBLT0305 | Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type |
| LBLT0310 | Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type |
| LBLT0315 | Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type |
| LBLR0320 | Back up lights: Qty 2 additional on mid-body rubrails - Bulb type |
| LBLR0325 | Back up lights: Qty 2 additional on mid-body rubrails - LED type |
| LLPA0300 | LED light package: Additional red central brake light, stop, turn & tail lights in special tailgate light box |
| LLTD0325 | Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch |

| LSLA0320 | Light: amber strobe 6" Whelen L10 in center of tailgate: incab switch - Qty 1 |
|----------|--|
| LSLA0330 | Light: amber strobe 6" Whelen L41, in center of tailgate; incab switch - Qty 1 |
| LBLP0310 | High Visibility Lighting Package: -Oval 6 inches red central brake light on tailgate. Qty 1 -Round 4 inches red stop lights in upper tailgate light bar. Qty 2 -Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 -Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 -Additional marker lights on each side of top body's rear. Qty 2 -Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 -Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 -Round 4 inches LED back up lights on tailgate. Qty 2 -Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 -Round 4 inches LED work light, hopper and RH side rail. Qty 2 -Strobe lights activated manually, hydraulics turned on, or transmission reverse |
| LLTD0320 | Whelen Light Bar on Tailgate: - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2 |
| LLPA0310 | Multifunction Lights Package: -Multifunction round amber lights (4) -Oval center brake light,red, in upper tailgate (1) -Round brake lights, red, in upper tailgate light bar (2) |
| LWLK0310 | Work light kit: single, in-cab single manual switch - Bulb type |
| LWLK0315 | Work light kit: single, in-cab single manual switch - LED type |
| LWLK0320 | Work light kit: dual, in-cab single manual switch - Bulb type |
| LWLK0325 | Work light kit: dual, in-cab single manual switch - LED type |
| LWLK0330 | Work light kit: triple, in-cab single manual switch - Bulb type |
| LWLK0335 | Work light kit: triple, in-cab single manual switch - LED type |
| LSSO0300 | Automatic strobe lights shut-off at 50 km/h - 32 mph |
| EXL-0001 | LH-side hopper (1) |
| EXL-0002 | LH-side rail (2) |
| EXL-0003 | RH-side post (3) |
| EXL-0004 | RH-side rail (4) |
| L/L-0004 | TATE SIGN (T) |

| CCCC0341 | Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter |
|----------|--|
| CCCC0342 | Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter |
| CCCC0343 | Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter |
| CCCC0344 | Quadruple Safety Vision cameras (with shutter): - Monitor must be selected separately - Heater - Shutter - Note: the shutter of the 4th camera (default camera - ex: hopper) will always stay opened |
| CCCC0301 | Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0302 | Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0303 | Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0304 | Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0311 | Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0312 | Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0313 | Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter |
| CCCC0314 | Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter |

| CCCC0321 | Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter |
|----------|---|
| CCCC0322 | Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter |
| CCCC0323 | Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter |
| CCCC0324 | Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter |
| CCCC0327 | Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter |
| CCCC0328 | Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter |
| CCCC0329 | Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter |
| CCCC0330 | Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter |
| CCCM0341 | Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen |
| CCCM0301 | 3rd Eye 7" color LCD monitor : - Included in system base price - Split screen |
| CCCM0303 | 3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen |

| CCCM0304 | 3rd Eye 9" color LCD DVR monitor : - Split screen |
|----------|---|
| CCCM0321 | Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen |
| CCCM0322 | Zone Defense 9" color LCD monitor : - Split screen - Touch screen |
| CCCM0323 | Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras |
| CCAW0300 | 3rd Eye Air Wash on backup camera |
| CCSB0300 | Camera system: 3rd Eye, installed on body builder cable |
| CCPC0300 | Protection cages on cameras |
| EX-0000 | No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery. |
| EX-0001 | Tailgate center 2/3 (1) |
| EX-0002 | Tailgate center 1/2 (2) |
| EX-0003 | Center tailgate 1/3 (3) |
| EX-0004 | Hopper LH-side (4) |
| EX-0005 | RH-side post pointing curbside (5) |
| EX-0006 | RH-side rail (6) |
| EX-0007 | Tailgate center left 2/3 (7) |
| EX-0008 | Tailgate center right 2/3 (8) |
| EX-0009 | Tailgate center left 1/2 (9) |
| EX-0010 | Tailgate Center right 1/2 (10) |
| EX-0011 | Alley left 2/3 (11) |
| EX-0012 | Alley right 2/3 (12) |
| EX-0013 | Alley left 1/2 (13) |
| EX-0014 | Alley right 1/2 (14) |
| EX-0015 | Mirror L-H side (15) |
| EX-0016 | Mirror R-H side (16) |
| EX-0017 | LH-side rail (17) |
| EX-0018 | Hopper Center Left (18) |
| EX-0019 | Hopper Center Right (19) |
| EX-0026 | Windshield pointing forward (26) |
| EX-0028 | Windshield pointing towards driver (28) |
| EX-0360 | 360 view - 4 cameras total (360) |
| BALS0310 | Ground level grease points: for tailgate & hopper door hinges |
| BPLS0300 | Central grease point for packer shoes and rails |
| BRLS0300 | Central grease point for follower panel rollers |
| BCOT0300 | Clean out tools (broom & shovel kit including brackets installed inside RH-side door; hoe including bracket installed on LH-side body) |

| BFEX0310 | Fire Extinguisher- 20 lbs (standard position : body curbside unless specified otherwise by regulation) |
|----------|--|
| BFEX0320 | Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation) |
| BLSH0300 | Loading step (2), both sides at hopper: also requires safety panic bars |
| BPBK0300 | Panic bars/limit switch kit/2nd hand enable button (MOL 2004) |
| BPBK0310 | Panic bars only |
| BRWD0300 | Display Signs - 32in H. x 84in L. |
| BRWD0310 | Display Signs - 32in H. x 96in L. |
| BRWD0320 | Display Signs - 48in H. x 96in L. |
| BWBT0300 | Continuous body welding at specified points |
| BSFU0300 | Hardox 450 body floor upgrade |
| BESK0300 | Environmental spill kit installed on body |
| BESK0310 | Spill kit, Inside toolbox (toolbox not included), BREG 9040 |
| BRTB0300 | Retainer teeth under breaker bar |
| BBGA0300 | Truck side guards (Bike guards) |
| BCHT0300 | Cart holders on tailgate (2) (Subject to space availability) |
| BWCH0300 | Wheel chocks (2) mounted curbside |
| BTDP0300 | Tailgate drip pan (NOT available with tag axle) |
| BNLD0300 | No logos or decals other than safety and Labrie Enviroquip Group logo on unit |
| BASN0300 | Mud flaps w/o Logo |
| CRAD0300 | Remote air drains petcock type |
| CCTB0320 | Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43", hydraulic tank shape (fits in-drop; n/a on all chassis types) |
| CCTB0330 | Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated) |
| CERM0300 | Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only (for drop frame and cab conversion) |
| CERM0320 | Exhaust routing modification on International chassis - EPA2010. |
| CRTH0300 | Rear tow hooks (2) |
| CBFH0300 | Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis |
| CFSS0300 | Fire Suppression system Safecraft LT5 |
| CWBM0300 | Wheelbase modification: Lenghten single axle chassis WB (including longer ABS cable & drive shaft) |
| CWBM0305 | Wheelbase modification: Shorten single axle chassis WB |
| CWBM0310 | Wheelbase modification: Lenghten tandem axle chassis WB (including longer ABS cable & drive shaft) |
| CWBM0315 | Wheelbase modification: Shorten tandem axle chassis WB |

| CHPA0310 | 13.5K Hendrickson Composilite steerable tag axle (including steel wheels and tires) |
|----------|--|
| CHPA0320 | 13.5K Hendrickson Composilite steerable tag axle (including aluminum wheels and tires) |
| PCBP0310 | Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color |
| PCBP0300 | Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color |
| PCBP0320 | Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color |
| PCBP0325 | Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color |
| PPCE0350 | Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs |
| PPCE0360 | Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs |
| PPCE0370 | Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs |
| PPCE0380 | Cab: Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs |
| PZUC0300 | Undercoating on cab: chassis & body |
| PSSS0310 | CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background) |
| PSSS0320 | CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background) |
| PSSD0330 | SLOW DOWN TO GET AROUND, 36in x 18in |
| CACH0600 | Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU |
| CADS0600 | Air driver's sliding seat: vinyl, no armrest - Bostrum type |
| CADS0610 | Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type |
| CADS0690 | Air driver seat moved from LH-side to Sit-down drive conversion on RH-side |
| CANB0600 | Auto-neutral on brake pedal |
| CCFR0620 | Heated floor on RH-side cab conversion |
| CDMP0600 | Deadman platform on low entry floor |

| CDPI0620 | Dashboard package on cab conversion: engine temperature, engine-oil pressure & transmission temperature gauge on RH-side |
|------------|--|
| CLRH0600 | Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and Freightliner cabs) |
| CSLH0600 | Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only) |
| CSRH0600 | Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only) |
| CSRH0610 | Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included) |
| CWDF0600 | Windshield defroster fans: Qty 2 |
| CWFD0600 | Windows in foldable door on RH-side: Qty 4 |
| LWLM0600 | Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type |
| LWLM0610 | Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type |
| CRBR0600 | Automatic retainer arm in RHSUD cab door |
| CRBL0610 | Automatic retainer arm in LHSUD cab door |
| CHBM0600 | Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion) |
| CHBM0610 | One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion) |
| CHBM0620 | One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion) |
| FEWA0350-1 | PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR) |
| FEWA0350-2 | PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR) |
| FEWA0350-3 | PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR) |
| FEWA0350-4 | PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR) |
| HEWA0350-1 | PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR) |
| HEWA0350-2 | PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR) |
| HEWA0350-3 | PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR) |
| HEWA0350-4 | PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR) |
| CEWA0350-1 | PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR) |
| CEWA0350-2 | PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR) |

| CEWA0350-3 | PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR) |
|------------|--|
| CEWA0350-4 | PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR) |