

# Expert Manual Co-Mingle -

(Do not share or reproduce unless approved by Labrie Group Management)

Category	Option	English description
Product Standards	STD0307	Tapered body
Product Standards	STD0304	Hopper floor and slope liners 1/4" Hardox 500 steel
Product Standards	STD0305	Hopper side walls liners 0.157" Hardox 450 steel
Product Standards	STD0306	Onboard diagnostic tool with LCD display
Product Standards	STD0310	Circuit breakers with manual reset
Product Standards	STD0311	Zinc-plated hydraulic tubing
Product Standards	STD0312	ANSI Z245.1-2012 compliant
Product Standards	STD0313	Body blasted with steel grit
Product Standards	STD0314	Marine rust inhibitor treatment on body
Product Standards	STD0315	Warranty on Body & Hydraulics: 1 Year
Body Size	XMCC0152	Total capacity 17 cu.yd. (15+2)
Body Size	XMCC0202	Total capacity 22 cu.yd. (20+2)
Body Size	XMCC0204	Total capacity 24 cu.yd. (20+4)
Body Size	XMCC0206	Total capacity 26 cu.yd. (20+6)
Body Size	XMCC0222	Total capacity 24 cu.yd. (22+2) - For Tag axle
Body Size	XMCC0224	Total capacity 26 cu.yd. (22+4) - For Tag axle
Body Size	XMCC0226	Total capacity 28 cu.yd. (22+6) - For Tag axle
Body Size	XMCC0272	Total capacity 29 cu.yd. (27+2)
Body Size	XMCC0274	Total capacity 31 cu.yd. (27+4)
Body Size	XMCC0276	Total capacity 33 cu.yd. (27+6)
Body Size	XMCC0312	Total capacity 33 cu.yd. (31+2) - For Tag axle or Telma
Body Size	XMCC0314	Total capacity 35 cu.yd. (31+4) - For Tag axle or Telma
Body Size	XMCC0316	Total capacity 37 cu.yd. (31+6) - For Tag axle or Telma
Configurative Features	QUES4060	40% left side / 60% right side
Configurative Features	QUES5050	50% left side / 50% right side
Configurative Features	QUES6040	60% left side / 40% right side
Configurative Features	CDFL0301	Drop-frame only by Labrie (Hydraulic and fuel tank not included, must be selected separately)
Configurative Features	CHFT0300	Tanks, Saddle tanks: combo 65 gal. fuel / 71 gal. hydraulic (Cab-over Diesel)
Configurative Features	CHFT0310	Tanks, Saddle tanks: larger - combo 85 gal. fuel / 71 gal. Hydraulic (Cab-over Diesel)
Configurative Features	CHFT0320	Tank, Hydraulic tank in drop section - 65 gal. (All chassis Diesel or CNG)
Configurative Features	CHFT0330	Tank, Single hydraulic saddle tank - 65 gal. (Cab-over Diesel or CNG)
Configurative Features	CFTD0301	Tank, All chassis Diesel : Main Fuel tank in drop section - 65 gal. (If OEM tank cannot be used)
Configurative Features	BCPH0300	Deduct for no crusher panel
Configurative Features	BCPH0310	Dual crusher panels (including RH-side controls)   (Only on Co-mingle units)
Configurative Features	QUESSTEX	Crusher panel installed on street side
Configurative Features	QUESCUEX	Crusher panel installed on curb side
Configurative Features	BGCB0300	Glass compartment in hopper - 3 cu. yd. - 2 compartments   (Crusher panel not available on street side) (Body size must be 20 yds. minimum)
Configurative Features	BGCB0310	Glass compartment in hopper - 3 cu. yd. - 1 compartment   (Crusher panel not available on street side) (Body size must be 20 yds. minimum)
Compressed Natural gas (CNG)	CCNG0301	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
Compressed Natural gas (CNG)	CCNG0300	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE

Compressed Natural gas (CNG)	CCNG0303	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
Compressed Natural gas (CNG)	CCNG0305	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE   (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0310	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE   (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0315	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 4 tanks - 100DGE   (Body size must be 27 yds. minimum) (Hopper Roof optional)
Compressed Natural gas (CNG)	CCNG0320	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE   (Available with tailgate 0 cu. yds. only - <u>Conditional to engineering approval</u> )
Compressed Natural gas (CNG)	CCNG0330	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE   (Available with tailgate 0 cu. yds. only - <u>Conditional to engineering approval</u> )
Compressed Natural gas (CNG)	CNGI0330	Ignition interlock on filling port cap (Street side port)   (Not available on transit-style port)
Compressed Natural gas (CNG)	CNGC0335	Ignition interlock on filling port cap (Front port)
Compressed Natural gas (CNG)	CNGF0340	Transit style port on street side
Compressed Natural gas (CNG)	CNGP0350	Filling port on street side front bumper
Compressed Natural gas (CNG)	CNGA0300	In-cab CNG gas alarm system
Compressed Natural gas (CNG)	CNGR0300	Hopper Roof for CNG Roof Mounted system
Compressed Natural gas (CNG)	CNRD0300	Rear deflector for CNG Roof Mounted system
Compressed Natural gas (CNG)	CNGW0300	CNG Winter Package
Cans & Tippers Options	BCTR0310	R-H side cart tipper, Series 220 Cylinder style
Cans & Tippers Options	BCTR0320	R-H side cart tipper, Series 330 Hi-Lift, Cylinder style, single cart
Cans & Tippers Options	BCTR0330	R-H side cart tipper plumbing only (Includes flow divider and control valve)
Cans & Tippers Options	BCTR0340	RH-side only, SSO bucket dumper - with fixed wall hopper divider   (Only with manual Co-mingle units. LH-side cart dumper option not compatible. RH-side cart dumper to be Labrie Rotary Actuator style if equipped. Cart attachment on bucket for 64 gal. carts maximum)
Cans & Tippers Options	BCTR0350	RH-side only, SSO bucket dumper with additional Labrie Rotary Actuator style RH-side tipper   with fixed wall hopper divider (Only with manual Co-mingle units. LH-side cart dumper option not compatible. Cart attachment on bucket for 64 gal. carts maximum)
Cans & Tippers Options	BCCR0300	Cart counter for cart tipper, right hand side
Cans & Tippers Options	BCTL0310	L-H side cart tipper, Series 220 Cylinder style,   includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand) (N/A with <u>Helping-Hand Co-mingle units</u> )
Cans & Tippers Options	BCTL0320	L-H side cart tipper, Series 330 Hi-Lift, Cylinder style,   includes Packer and Crusher panel controls and Chute controls (Not available with Dual Helping-Hand) (Only model <u>available with Helping Hand comingle units</u> )
Cans & Tippers Options	BCTL0330	L-H side cart tipper plumbing,   includes Packer and Crusher panel controls and Chute controls if equipped (Not available with Dual Helping-Hand)
Cans & Tippers Options	BCCL0300	Cart counter for cart tipper, left hand side

Chute Options	BHCD0300	Deduct for no hydraulic Chute (For Manual Co-mingle units only)
Controls Options	ECKA0340	LH-side outside controls : Additional Packer and Crusher panel controls   (Included with cart tipper on L-H side. N/A with Co-mingle units with chute)
Controls Options	ECKA0350	LH-side outside controls: Additional Packer, Crusher panel and Chute controls   (Included with cart tipper on L-H side. N/A with single stream units)
Hydraulic Options	HPTO0340	Hot-Shift PTO with pump mounted on crossmember (Automated or Manual)
Hydraulic Options	HHOH0300	Hydraulic oil heater: in-tank (Electric 110V)
Hydraulic Options	HHFD0320	High pressure filter with dirt alarm (body hydraulics only)
Hydraulic Options	HHPG0300	Hydraulic pressure gauge on main valve
Hydraulic Options	HHTG0300	Hydraulic temperature gauge in multiplex display
Hydraulic Options	HHFR0300	Alarm for hydraulic filter replacement on return line
Hydraulic Options	HHWK0310	Alarm for hydraulic oil temperature
Hydraulic Options	HHWK0320	Alarm for low hydraulic oil level
Hydraulic Options	HHWK0300	Alarm for low hydraulic oil level & hydraulic oil temperature
Hydraulic Options	HPCR0300	Packer cylinders hydraulic oil regeneration (not available with ISL-G or L9N engine)
Hydraulic Options	HPSO0300	Automatic pump shut off at 50 km/h- 32 mph
Hydraulic Options	HSPP0300	Snow plow provision - Additional valve (2 sections) and in-cab joystick
Electrical Options	EBCV0300	Body control valve: electric-over-hydraulic
Electrical Options	EPHM0300	Hour Meter connected to pump switch
Electrical Options	EGSE0320	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
Electrical Options	EGSE0330	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
Electrical Options	EGSE0310	Third Eye single sensor Radar Detection System
Electrical Options	MSPP0300	Multiplex system password protection
Lighting Options	CSLA0330	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
Lighting Options	CSLA0340	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
Lighting Options	LAFL0300	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
Lighting Options	LAFF0350	Lights: amber, alternating, flashing 4" LED in front-of-body - Qty 2   (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
Lighting Options	LAFL0370	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
Lighting Options	LAFF0360	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2   (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
Lighting Options	LBLT0300	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
Lighting Options	LBLT0305	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
Lighting Options	LBLT0310	Back up lights: Qty 2 additional on tailgate, position 1/2 - 4" Bulb type
Lighting Options	LBLT0315	Back up lights: Qty 2 additional on tailgate position 1/2 - 4" LED type
Lighting Options	LBLR0320	Back up lights: Qty 2 additional on mid-body rubrails - Bulb type
Lighting Options	LBLR0325	Back up lights: Qty 2 additional on mid-body rubrails - LED type
Lighting Options	LLPA0300	LED light package:   Additional red central brake light, stop, turn & tail lights in special tailgate light box

Lighting Options	LLTD0325	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
Lighting Options	LSLA0320	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
Lighting Options	LSLA0330	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1
Lighting Options	LBLP0310	High Visibility Lighting Package:   -Oval 6 inches red central brake light on tailgate. Qty 1 -Round 4 inches red stop lights in upper tailgate light bar. Qty 2 -Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 -Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 -Additional marker lights on each side of top body's rear. Qty 2 -Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 -Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 -Round 4 inches LED back up lights on tailgate. Qty 2 -Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 -Round 4 inches LED work light, hopper and RH side rail. Qty 2 <del>-Strobe lights activated manually, hvdraulics turned on or</del>
Lighting Options	LLTD0320	Whelen Light Bar on Tailgate:   - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
Lighting Options	LLPA0310	Multifunction Lights Package:   -Multifunction round amber lights (4) -Oval center brake light,red, in upper tailgate (1) <del>-Round brake lights. red. in upper tailgate light bar (2)</del>
Lighting Options	LWLK0310	Work light kit: single, in-cab single manual switch - Bulb type
Lighting Options	LWLK0315	Work light kit: single, in-cab single manual switch - LED type
Lighting Options	LWLK0320	Work light kit: dual, in-cab single manual switch - Bulb type
Lighting Options	LWLK0325	Work light kit: dual, in-cab single manual switch - LED type
Lighting Options	LWLK0330	Work light kit: triple, in-cab single manual switch - Bulb type
Lighting Options	LWLK0335	Work light kit: triple, in-cab single manual switch - LED type
Lighting Options	LSSO0300	Automatic strobe lights shut-off at 50 km/h - 32 mph
Lighting Options	EXL-0001	LH-side hopper (1)
Lighting Options	EXL-0002	LH-side rail (2)
Lighting Options	EXL-0003	RH-side post (3)
Lighting Options	EXL-0004	RH-side rail (4)
Camera Options	CCCC0341	Single Safety Vision camera (with shutter) :   - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0342	Dual Safety Vision cameras (with shutter) :   - Monitor must be selected separately - Heater - Shutter

Camera Options	CCCC0343	Triple Safety Vision cameras (with shutter) :   - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0344	Quadruple Safety Vision cameras (with shutter) :   - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
Camera Options	CCCC0301	Single 3rd Eye camera (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0302	Dual 3rd Eye cameras (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0303	Triple 3rd Eye cameras (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0304	Quadruple 3rd Eye cameras (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0311	Single 3rd Eye camera - Wide angle (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0312	Dual 3rd Eye cameras - Wide angle (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0313	Triple 3rd Eye cameras - Wide angle (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0314	Quadruple 3rd Eye cameras - Wide angle (no shutter) :   - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0321	Single Zone Defense camera (with shutter) :   (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0322	Dual Zone Defense cameras (with shutter) :   (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0323	Triple Zone Defense cameras (with shutter) :   (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter

Camera Options	CCCC0324	Quadruple Zone Defense cameras (with shutter) :   (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
Camera Options	CCCC0327	Single Zone Defense camera (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0328	Dual Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0329	Triple Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCC0330	Quadruple Zone Defense cameras (no shutter) :   (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
Camera Options	CCCM0341	Safety Vision 7" color LCD monitor :   - Included in system base price for shuttered and non-shuttered cameras - Split screen
Camera Options	CCCM0301	3rd Eye 7" color LCD monitor :   - Included in system base price - Split screen
Camera Options	CCCM0303	3rd Eye 7" color LCD monitor - AWT07MLEDT :   - Split screen
Camera Options	CCCM0304	3rd Eye 9" color LCD DVR monitor :   - Split screen
Camera Options	CCCM0321	Zone Defense 7" color LCD monitor :   - Included in system base price - Split screen - Touch screen
Camera Options	CCCM0322	Zone Defense 9" color LCD monitor :   - Split screen - Touch screen
Camera Options	CCCM0323	Zone Defense 9" color DVR monitor :   - Split screen - Touch screen - N/A with shuttered cameras
Camera Options	CCAW0300	3rd Eye Air Wash on backup camera
Camera Options	CCSB0300	Camera system: 3rd Eye, installed on body builder cable
Camera Options	CCPC0300	Protection cages on cameras
Camera Options	EX-0000	No camera system.   At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
Camera Options	EX-0001	Tailgate center 2/3 (1)
Camera Options	EX-0002	Tailgate center 1/2 (2)
Camera Options	EX-0003	Center tailgate 1/3 (3)
Camera Options	EX-0004	Hopper LH-side (4)
Camera Options	EX-0005	RH-side post pointing curbside (5)
Camera Options	EX-0006	RH-side rail (6)

Camera Options	EX-0007	Tailgate center left 2/3 (7)
Camera Options	EX-0008	Tailgate center right 2/3 (8)
Camera Options	EX-0009	Tailgate center left 1/2 (9)
Camera Options	EX-0010	Tailgate Center right 1/2 (10)
Camera Options	EX-0011	Alley left 2/3 (11)
Camera Options	EX-0012	Alley right 2/3 (12)
Camera Options	EX-0013	Alley left 1/2 (13)
Camera Options	EX-0014	Alley right 1/2 (14)
Camera Options	EX-0015	Mirror L-H side (15)
Camera Options	EX-0016	Mirror R-H side (16)
Camera Options	EX-0017	LH-side rail (17)
Camera Options	EX-0018	Hopper Center Left (18)
Camera Options	EX-0019	Hopper Center Right (19)
Camera Options	EX-0026	Windshield pointing forward (26)
Camera Options	EX-0028	Windshield pointing towards driver (28)
Camera Options	EX-0360	360 view - 4 cameras total (360)
Body Options	BALS0310	Ground level grease points: for tailgate & hopper door hinges
Body Options	BPLS0300	Central grease point for packer shoes and rails
Body Options	BRLS0300	Central grease point for follower panel rollers
Body Options	BCOT0300	Clean out tools   (broom & shovel kit including brackets installed inside RH-side door; hoe including bracket installed on LH-side body)
Body Options	BFEX0310	Fire Extinguisher- 20 lbs   (standard position : body curbside unless specified otherwise by regulation)
Body Options	BFEX0320	Two (2) Fire Extinguishers- 20 lbs   (standard position : body streetside and curbside unless specified otherwise by regulation)
Body Options	BLSH0300	Loading step (2), both sides at hopper: also requires safety panic bars
Body Options	BPBK0300	Panic bars/limit switch kit/2nd hand enable button (MOL 2004)
Body Options	BPBK0310	Panic bars only
Body Options	BRWD0300	Display Signs - 32in H. x 84in L.
Body Options	BRWD0310	Display Signs - 32in H. x 96in L.
Body Options	BRWD0320	Display Signs - 48in H. x 96in L.
Body Options	BWBT0300	Continuous body welding at specified points
Body Options	BSFU0300	Hardox 450 body floor upgrade
Body Options	BESK0300	Environmental spill kit installed on body
Body Options	BESK0310	Spill kit, Inside toolbox (toolbox not included), BREG 9040
Body Options	BRTB0300	Retainer teeth under breaker bar
Body Options	BBGA0300	Truck side guards (Bike guards)
Body Options	BCHT0300	Cart holders on tailgate (2) (Subject to space availability)
Body Options	BWCH0300	Wheel chocks (2) mounted curbside
Body Options	BTDP0300	Tailgate drip pan (NOT available with tag axle)
Body Options	BNLD0300	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
Body Options	BASN0300	Mud flaps w/o Logo
Chassis Options	CRAD0300	Remote air drains petcock type
Chassis Options	CCTB0320	Toolbox: Aluminum, chassis-mounted, size 18" x 24" x 43",   hydraulic tank shape (fits in-drop; n/a on all chassis types)
Chassis Options	CCTB0330	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14"   (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
Chassis Options	CERM0300	Exhaust routing modification on Freightliner M2-112 and 114SD - CNG chassis only   (for drop frame and cab conversion)

Chassis Options	CERM0320	Exhaust routing modification on International chassis - EPA2010.
Chassis Options	CRTH0300	Rear tow hooks (2)
Chassis Options	CBFH0300	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
Chassis Options	CFSS0300	Fire Suppression system Safecraft LT5
Chassis Options	CWBM0300	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0305	Wheelbase modification: Shorten single axle chassis WB
Chassis Options	CWBM0310	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)
Chassis Options	CWBM0315	Wheelbase modification: Shorten tandem axle chassis WB
Chassis Options	CHPA0310	13.5K Hendrickson Composites steerable tag axle (including steel wheels and tires)
Chassis Options	CHPA0320	13.5K Hendrickson Composites steerable tag axle (including aluminum wheels and tires)
Paint Options	PCBP0310	Body: 1 Color Urethane Body Paint   - Included in unit base price - Includes bolt-on parts painted body color
Paint Options	PCBP0300	Body: 1 Color Base Coat/Clear Coat Body Paint   - Includes bolt-on parts painted body color
Paint Options	PCBP0320	Body: 2 Colors Urethane Body Paint   - 1 color separation - Includes bolt-on parts painted body color
Paint Options	PCBP0325	Body: 2 Colors Base Coat/Clear Coat Body Paint   - 1 color separation - Includes bolt-on parts painted body color
Paint Options	PPCE0350	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied)   - No paint scheme - Including doors iambes
Paint Options	PPCE0360	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied)   - No paint scheme - Including doors iambes
Paint Options	PPCE0370	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied)   - With paint scheme (1 color separation) - Including doors iambes
Paint Options	PPCE0380	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied)   - With paint scheme (1 color separation) - Including doors iambes
Paint Options	PZUC0300	Undercoating on cab: chassis & body
Paint Options	PSSS0310	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
Paint Options	PSSS0320	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
Paint Options	PSSD0330	SLOW DOWN TO GET AROUND, 36in x 18in
Cab Conversion	CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
Cab Conversion	CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
Cab Conversion	CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
Cab Conversion	CANB0600	Auto-neutral on brake pedal



Cab Conversion	CCFR0620	Heated floor on RH-side cab conversion
Cab Conversion	CDMP0600	Deadman platform on low entry floor
Cab Conversion	CDPI0620	Dashboard package on cab conversion:   engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
Cab Conversion	CLRH0600	Low entry on RH-side ONLY: without pedals & steering;   requires Deadman platform option (International and Freightliner cabs)
Cab Conversion	CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
Cab Conversion	CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
Cab Conversion	CSRH0610	Sit-down drive on RH-side: with pedals & steering   (International and Freightliner cabs only - Seat not included)
Cab Conversion	CWDF0600	Windshield defroster fans: Qty 2
Cab Conversion	CWFD0600	Windows in foldable door on RH-side: Qty 4
Cab Conversion	LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake,   on Stand-up drive only - Bulb type
Cab Conversion	LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake,   on Stand-up drive only - LED type
Cab Conversion	CRBR0600	Automatic retainer arm in RHSUD cab door
Cab Conversion	CRBL0610	Automatic retainer arm in LHSUD cab door
Cab Conversion	CHBM0600	Two (2) heated bus type mirrors on cab fenders   (for International or Freightliner cab without Labrie cab conversion)
Cab Conversion	CHBM0610	One (1) Unheated bus type mirror on cab LH side   (for Cab Over chassis without Labrie cab conversion)
Cab Conversion	CHBM0620	One (1) Heated bus type mirror on cab LH side   (for Cab Over chassis without Labrie cab conversion)
Body Warranty (PARTS AND LABOR)	FEWA0350-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	FEWA0350-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	HEWA0350-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
Body Warranty (PARTS AND LABOR)	CEWA0350-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

[illegible]

[illegible]

[illegible]