

BBPA0202	Body partitions - 1 additional - total 2 : air-operated
BBPA0203	Body partitions - 2 additional - total 3 : air-operated
BBPA0204	Body partitions - 3 additional - total 4 : air-operated
BBPA0205	Body partitions - 4 additional - total 5 : air-operated
BBPA0206	Body partitions - 5 additional - total 6 : air-operated
BBPA0207	Body partitions - 6 additional - total 7 : air-operated
BCAR0203	Cart attachments : auto-lock, for 95 gal. American-Style Carts, RH-side, Qty 3 (for TS 1000 or TS 2000)
BCAR0204	Cart attachments : auto-lock, for 95 gal. American-Style Carts, RH-side, Qty 4 (for TS 1000 or TS 2000)
BCAR0205	Cart attachments : auto-lock, for 95 gal. American-Style Carts, RH-side, Qty 5 (for TS 1000 or TS 2000)
BCAR0206	Cart attachments : auto-lock, for 95 gal. American-Style Carts, RH-side, Qty 6 (for TS 1000 or TS 2000) (N/A on 6X4 chassis with 315/80R22.5 rear tires)
BCAR0210	Cart attachments : auto-lock, for European-style carts, RH-side, Qty 1 (for TS 1000 or TS 2000) (Rear tires width must be less than 96")
BRCR0200	Cart attachments: RH Commercial application reinforced (for TS 1000 or TS 2000)
BFBM0200	Body reinforced fixed partition at rear for Maximizer
BMPB0284	Maximizer partition: 84" stroke
CCNG0201	CNG neck-mounted fuel tank (Behind Cab) - Qty 3 tanks - 50DGE
CCNG0200	CNG neck-mounted fuel tank (Behind Cab) - Qty 4 tanks - 66DGE
CCNG0203	CNG neck-mounted fuel tank (Behind Cab) - Qty 5 tanks - 82DGE
CNGI0230	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0235	Ignition interlock on filling port cap (Front port)
CNGF0240	Transit style port on street side
CNGP0250	Filling port on street side front bumper
CNGA0200	In-cab CNG gas alarm system
CNGW0200	CNG Winter Package
HHOH0200	Hydraulic oil heater: in-tank (Electric 110V)
HHWK0200	Alarm for low hydraulic oil level
HHFD0250	High pressure filter with dirt alarm
EPHM0200	Hour Meter connected to pump switch
EGSE0220	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0230	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0210	Third Eye single sensor Radar Detection System

EMPI0200	Partition unlocked indicator lights
CSLA0230	Light: amber strobe 6" Whelen L10 on cab; in-cab switch; Qty 1
CSLA0240	Light: amber strobe 6" Whelen L41, on cab: in-cab switch; Qty 1
LAFL0270	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
LAFF0260	Lights: amber, alternating, strobing 4" LED in front-of-body - Qty 2 (located in bulkhead except for CNG Behind Cab where it's a on a raised structure)
LBLT0200	Back up lights: Qty 2 additional on tailgate, position 2/3 - 4" Bulb type
LBLT0205	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
LLPA0200	LED light package: Additional red central brake light, stop, turn & tail lights in upper tailgate light box
LLTD0225	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
LSLA0220	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
LSLA0230	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1
LBLP0210	High Visibility Lighting Package: - Oval 6 inches red central brake light on tailgate. Qty 1 - Round 4 inches red stop lights in upper tailgate light bar. Qty 2 - Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 - Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 - Additional marker lights on each side of top body's rear. Qty 2 - Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 - Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 - Round 4 inches LED back up lights on tailgate. Qty 2 - Strobe lights activated manually, hydraulics turned on, or transmission reverse
LLTD0220	Whelen Light Bar on Tailgate: - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
LLPA0205	Multifunction Lights Package: - Multifunction round amber lights (4) - Oval center brake light, red, in upper tailgate (1) - Round brake lights, red, in upper tailgate light bar (2)
LWLK0220	Work light kit: Dual, in-cab single manual switch - Bulb type (for TS 1000 or TS 2000)

LWLK0225	Work light kit: Dual, in-cab single manual switch - LED type (for TS 1000 or TS 2000)
TSL-0003	RH-side bucket - Rear (3) (for TS 1000 or TS 2000)
TSL-0004	RH-side bucket - Front (4) (for TS 1000 or TS 2000)
CCCC0241	Single Safety Vision camera (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0242	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0243	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0244	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0201	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0202	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0203	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0204	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0211	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0212	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0213	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter

CCCC0214	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0221	Single Zone Defense camera (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0222	Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0223	Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0224	Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor) - Monitor must be selected separately - Heater - Shutter
CCCC0227	Single Zone Defense camera (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0228	Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0229	Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCC0230	Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor) - Monitor must be selected separately - Heater - No Shutter
CCCM0241	Safety Vision 7" color LCD monitor : - Included in system base price for shuttered and non-shuttered cameras - Split screen

CCCM0201	3rd Eye 7" color LCD monitor : - Included in system base price - Split screen
CCCM0203	3rd Eye 7" color LCD monitor - AWT07MLEDT : - Split screen
CCCM0204	3rd Eye 9" color LCD DVR monitor : - Split screen
CCCM0221	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0222	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0223	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0200	3rd Eye Air Wash on backup camera
CCSB0200	Camera system: 3rd Eye, installed on body builder cable
CCPC0200	Protection cages on cameras
TS-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
TS-0001	Tailgate center 2/3 (1)
TS-0007	Tailgate center left 2/3 (7)
TS-0008	Tailgate center right 2/3 (8)
TS-0011	Alley left 2/3 (11)
TS-0012	Alley right 2/3 (12)
TS-0013	Alley left 1/2 (13)
TS-0014	Alley right 1/2 (14)
TS-0015	Mirror L-H side (15)
TS-0016	Mirror R-H side (16)
TS-0026	Windshield pointing forward (26)
TS-0028	Windshield pointing towards driver (28)
TS-0027	LH-side bus type mirror if equipped (27)
BASB0200	Anti-sail bar on rear mudflap (available only on TS1000)
BCOT0200	Clean out tools (broom, hoe & shovel kit including brackets; installed at front-of-body)
BFEX0210	Fire Extinguisher- 20 lbs (standard position : front-of-body streetside unless specified otherwise by regulation)
BESK0200	Environmental spill kit installed on body
BESK0210	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0200	Truck side guard (Bike guard) streetside (available only on TS1000)
BWCH0200	Wheel chocks (2)
BBBR0200	Blue box rack on tailgate
BBTS0230	Tailgate seal: 18" on each side & bottom; standard with 8 cu. yd. tailgate

BJBC0210	Rear joystick bucket control: RH-side
BWDR0200	Wind deflectors at front & rear on RH-side: Fan-style
BNLD0200	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
BASN0200	Mud flaps w/o Logo
CRAD0200	Remote air drains petcock type
CRTH0200	Rear tow hooks (2)
CCTB0200	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0230	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBTB0240	Toolbox: Aluminum tool box mounted on ICC DOT bumper
CBFH0200	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0200	Fire Suppression system Safecraft LT5
CWBM0200	Wheelbase modification: Lengthen single axle chassis WB (including longer ABS cable & drive shaft)
CWBM0205	Wheelbase modification: Shorten single axle chassis WB
CWBM0210	Wheelbase modification: Lengthen tandem axle chassis WB (including longer ABS cable & drive shaft)
CWBM0215	Wheelbase modification: Shorten tandem axle chassis WB
CFTA0210	Diesel tank: additional 52 U.S. gal. for TS 2000; mandatory with cab over
PCBP0210	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0205	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0220	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0225	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color
PPCE0220	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0230	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs

PPCE0225	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0235	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PZUC0200	Undercoating on cab: chassis & body
PSSS0210	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
PSSS0220	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
PSSD0230	SLOW DOWN TO GET AROUND, 36in x 18in
CACH0600	Auxiliary cab heater & glove dryer: on RH-side, stand-up drive - 12,500 BTU
CADS0600	Air driver's sliding seat: vinyl, no armrest - Bostrum type
CADS0610	Air driver and passenger sliding seats: vinyl, no armrest - Bostrum type
CADS0690	Air driver seat moved from LH-side to Sit-down drive conversion on RH-side
CANB0600	Auto-neutral on brake pedal
CCFR0620	Heated floor on RH-side cab conversion
CDMP0600	Deadman platform on low entry floor
CDPI0620	Dashboard package on cab conversion: engine temperature, engine-oil pressure & transmission temperature gauge on RH-side
CLRH0600	Low entry on RH-side ONLY: without pedals & steering; requires Deadman platform option (International and Freightliner cabs)
CSLH0600	Stand-up drive on LH-side: with pedals & lateral sliding seat (International cab only)
CSRH0600	Stand-up drive on RH-side: with pedals & steering (International and Freightliner cabs only)
CSRH0610	Sit-down drive on RH-side: with pedals & steering (International and Freightliner cabs only - Seat not included)
CWDF0600	Windshield defroster fans: Qty 2
CWFD0600	Windows in foldable door on RH-side: Qty 4
LWLM0600	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - Bulb type
LWLM0610	Work light on cab conversion RH-side (4), in-cab manual switch, auto-activated by work brake, on Stand-up drive only - LED type
CRBR0600	Automatic retainer arm in RHSUD cab door
CRBL0610	Automatic retainer arm in LHSUD cab door

CHBM0600	Two (2) heated bus type mirrors on cab fenders (for International or Freightliner cab without Labrie cab conversion)
CHBM0610	One (1) Unheated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
CHBM0620	One (1) Heated bus type mirror on cab LH side (for Cab Over chassis without Labrie cab conversion)
FEWA0250-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0250-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0250-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0250-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
FEWA0260-1	PLAN A1 - Maximizer - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0260-2	PLAN A2 - Maximizer - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0260-3	PLAN A3 - Maximizer - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0260-4	PLAN A4 - Maximizer - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
HEWA0250-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
HEWA0250-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
HEWA0250-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0250-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
HEWA0260-1	PLAN B1 - Maximizer - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
HEWA0260-2	PLAN B2 - Maximizer - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
HEWA0260-3	PLAN B3 - Maximizer - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0260-4	PLAN B4 - Maximizer - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)
CEWA0250-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0250-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0250-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)

CEWA0250-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)
CEWA0260-1	PLAN C1 - Maximizer - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0260-2	PLAN C2 - Maximizer - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0260-3	PLAN C3 - Maximizer - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
CEWA0260-4	PLAN C4 - Maximizer - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)