

BMLS0950	Service Hoist (according to space availability)
BMLS0965	Safety Props (without service hoist)
BCOS0900	Hopper Clean Out Sump with Door (Street Side)
Hhaf0900	Adjustable Hydraulic Fork: Right Fork Movement Only (1-1/4" thick forks)
Hhaf0910	Adjustable Hydraulic Forks: Right & Left Forks Movement (1-1/4" thick forks)
BBEH0900	Extended Hopper Wind Flanges (6" high)
BBCS0900	Canopy Sweeper (Not available with Adjustable Hydraulic Forks, options HHAF0900 - HHAF0910)
CCNG0920	CNG neck-mounted fuel tank (Roof Mounted) - Qty 4 tanks - 60DGE (Body size must be 34 yds. minimum) (Reinforced top door included (Starlight and Superduty only) in all roof mount CNG options) (Extended hopper wind flanges included)
CCNG0930	CNG neck-mounted fuel tanks (Roof Mounted) - Qty 5 tanks - 75DGE (Body size must be 34 yds. minimum) (Reinforced top door included (Starlight and Superduty only) in all roof mount CNG options) (Extended hopper wind flanges included)
CCNG0940	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 2 tanks - 86DGE (Available with tailgate 0 cu. yds. only - Not available on single axle chassis - Tag axle conditional to engineering approval)
CCNG0950	CNG neck-mounted fuel tanks (Tailgate mounted) Qty 3 tanks - 96DGE (Available with tailgate 0 cu. yds. only - Not available on single axle chassis - Tag axle conditional to engineering approval)
CCNG0960	CNG system 97 DGE (75 DGE Roof mounted, 22 DGE on frame rail) (Body size must be 34 yds. minimum) (Reinforced top door included (Starlight and Superduty only) in all roof mount CNG options) (Extended hopper wind flanges included) (Conditional to chassis space availability)
CCNG0970	CNG system 79 DGE (60 DGE on frame rails, 19 DGE on tailgate) (Conditional to chassis space availability)
CCNG0980	CNG system 82 DGE (60 DGE Roof mounted, 22 DGE on frame rail) (Body size must be 34 yds. minimum) (Reinforced top door included (Starlight and Superduty only) in all roof mount CNG options) (Extended hopper wind flanges included) (Conditional to chassis space availability)
CNGI0930	Ignition interlock on filling port cap (Street side port) (Not available on transit-style port)
CNGC0935	Ignition interlock on filling port cap (Front port)
CNGF0940	Transit style port on street side
CNGP0950	Filling port on street side front bumper

CNGA0900	In-cab CNG gas alarm system
CNGW0900	CNG Winter Package
AALC0950	Arm Lifting Capacity: 10,000 lbs.
ADVD0900	Deceleration Valve Arms Down Movement
AGCD0910	Container counting device: counts number of containers dumped
ALTL0900	Lodal triangle type loader arm (exceeds 13'6" OAH with Arms Stowed, waiver required)
BCCG0900	Cart gripper on fork tube
BRCC0910	Residential container 4 C.Y. with Wittke cart tipper model LAF-220 (ATT AMER.) : - Includes tipper hydraulics, arms cradles, decel valve down - Tipper controls Curbside - Tipper installed Curbside
BRCC0915	Residential container 4 C.Y. with R-150 Barrel-grabber Cart Tipper : - Includes tipper hydraulics, arms cradles, decel valve down - Tipper controls Curbside - Tipper installed Curbside
BRCM0930	Wittke residential container 4 C.Y. for manual operations : - Includes arms cradles and decel valve down
BHPR0950	Hydraulic provision for residential collection container with Wittke cart tipper : - Includes hydraulic components, arms cradles and decel valve down - External control valve installed on Curb-side - No can included
BHPR0975	Curotto Provision Street Side (No Can, No Auto-Dump, Single Left Drive Cab) - Dual vane pump mandatory. Must select option CCPM0930 or CCPM0935. - Controls (street side): => STD twin stick (forks and arms), => Option #AAJC0910 available: single joystick, double directions (arms & forks), => Curotto Can joystick, => Packer controls (pack, stop and return). - Hydraulics: Decel valves (downward and upward), Parker connectors. - Mechanical/Electrical: Forks compliance, adjustable cradles, Auto-Pack, Weather Pack connectors.

BHPR0970	<p>Curotto Provision Curbside (No Can, No Auto-Dump, Dual Drive Cab) </p> <ul style="list-style-type: none"> - Dual vane pump mandatory. Must select option CCPM0930 or CCPM0935. - Controls (street side): => STD twin stick (forks & arms), => Option #AAJC0910 available: single joystick, double directions (arms & forks). - Controls (curbside): => STD twin stick (forks & arms), => Option #AAJC0910 available: single joystick, double directions (arms & forks), => Curotto Can joystick, => Packer controls accessible both sides (pack, stop and return). - Hydraulics: Decel valves (downward and upward), Parker connectors. - Mechanical/Electrical: Forks compliance, adjustable cradles, Auto-Pack, Weather Pack connectors.
BHPR0980	<p>Curotto Provision Curbside (No Can, With Auto-Dump, Dual Drive Cab) </p> <ul style="list-style-type: none"> - Dual vane pump mandatory. Must select option CCPM0930 or CCPM0935. - Controls (street side): => STD twin stick (forks and arms), => Option #AAJC0910 available: single joystick, double directions (arms & forks), => Commercial Auto-Dump joystick (No Deadman, Auto-Leveling). - Controls (curbside): => Residential Auto-Dump Joystick (Deadman, Auto-Leveling), => Curotto Can joystick, => Packer controls accessible both sides (pack, stop and return). - Hydraulics: Decel valves (downward and upward), Parker connectors - Mechanical/Electrical: Forks compliance, adjustable cradles, Auto-Pack, Weather Pack connectors, throttle advance toggle switch - Can't be ordered with option EMVS0915 Electric Main Valve System ILO Pneumatic Main Valve System
BEHC0900	Electric and hydraulic connections located on the right arm (old Curotto)
BEHC0910	Electric and hydraulic connections located on the left arm (new Curotto)
BCDT0900	Preparation for TRI Cart tippers (2) installed on arm torque tube (American & European carts) - TRI Cart tippers not included
HHOH0900	Hydraulic oil heater: in-tank (Electric 110V)

HHPG0900	Hydraulic pressure gauge on main valve
HHFR0900	Alarm for hydraulic filter replacement on return line
HHWK0910	Alarm for hydraulic oil temperature
HHWK0900	Alarm for low hydraulic oil level & hydraulic oil temperature
HPSO0900	Automatic pump shut off at 50 km/h- 32 mph
HNHC0930	Packer Cylinders: Telescopic - Double Acting - Nitrided with Durascopetm shavers
CCPM0960	Transmission Driven PTO: Continuous Engagement with Standard Gear Pump
CCPM0900	Work-At-Idle Dual Front Mount Pump (Not available on CNG, Cummins ISL and Paccar PX-9 engines)
CCPM0910	Front Vane Pump ILO Standard Front Gear Pump
CCPM0930	Front Mount Dual Vane Pump for Residential unit with Curotto Can
CCPM0935	Transmission Driven PTO: Continuous Engagement with Dual Vane Pump for Residential unit with Curotto Can
HHPC0900	Hydraulic Front Pump Top Cover
HHFD0950	High pressure filter with dirt alarm
HHFD0960	High pressure filters (2) with dirt alarm for a Dual Vane Pump
HHFW0900	Replace standard hoses by 4 wire braided hoses
EPHM0900	Hour Meter connected to pump switch
EGSE0920	Global Search Eye Infra-Red Detection System (3 sensors) w/o automatic braking system
EGSE0930	Global Search Eye Infra-Red Detection System (3 sensors) with automatic braking system
EGSE0910	Third Eye single sensor Radar Detection System
EADB0900	Commercial Auto-Dump Street Side with Auto-Leveling (Throttle advance toggle switch and Deceleration Valve Arms Down Movement included). (Can't be ordered with option EMVS0915 Electric Main Valve System ILO Pneumatic Main Valve System).
AAJC0900	Drive Position Main Control Pneumatic Joystick, 2 handles, arm & fork actuation (Can't be ordered with option EMVS0915 Electric Main Valve System ILO Pneumatic Main Valve System)
AAJC0910	Drive Position Main Control Pneumatic Joystick, 1 handle, arm & fork actuation (upgrade from 2 handle stick)
EMVS0915	Electric Main Valve System ILO Pneumatic Main Valve System (AAJC0910 included)
EICB0900	Autopack (engaged when arms drop below windshield with on/off switch)
EBWI0920	Body Raised Warning Indicator Lamp and Audible Buzzer (Option BMLS0950 Service hoist required)
ATAT0930	Throttle Advance Toggle Switch (ON/OFF/Auto)

ASOC0920	<p>Street Side Outside Controls (behind the cab) : </p> <ul style="list-style-type: none"> - Twin stick (forks/arms) - Packer (pack, stop and return) - Throttle advance toggle switch (ON/OFF/Auto) - if option ATAT0930 has been selected - N/A with option EMVS0915 Electric Main Valve System ILO Pneumatic Main Valve System.
ASOC0925	<p>Curb Side Outside Controls (behind the cab) : </p> <ul style="list-style-type: none"> - Twin stick (forks/arms) - Packer (pack, stop and return) - Throttle advance toggle switch (ON/OFF/Auto) - if option ATAT0930 has been selected - Can't be ordered with option EMVS0915 Electric Main Valve System ILO Pneumatic Main Valve System
MSP0900	Multiplex system password protection
LAFL0900	Lights: amber, alternating, flashing 4" LED in upper tailgate - Qty 2
LAFL0970	Lights: amber, alternating, strobing 4" LED in upper tailgate - Qty 2
LBLT0905	Back up lights: Qty 2 additional on tailgate position 2/3 - 4" LED type
LBLR0925	Back up lights: Qty 2 additional on mid-body rubrails - LED type
LLPA0900	LED light package: Additional red central brake light, stop, turn & tail lights in special tailgate light box
LLTD0925	Bar light 48" LED light traffic director: SWS Model 59050/59056 in middle of tailgate - in cab switch
LSLA0920	Light: amber strobe 6" Whelen L10 in center of tailgate: in-cab switch - Qty 1
LSLA0930	Light: amber strobe 6" Whelen L41, in center of tailgate; in-cab switch - Qty 1

LBLP0910	<p>High Visibility Lighting Package: </p> <ul style="list-style-type: none"> -Oval 6 inches red central brake light on tailgate. Qty 1 -Round 4 inches red stop lights in upper tailgate light bar. Qty 2 -Round 4 inches amber turn signals in upper tailgate light bar. Qty 2 -Replacement of the STD red turn-tail lights by amber turn signals on tailgate lower light bar. Qty 2 -Additional marker lights on each side of top body's rear. Qty 2 -Oval 6 inches amber Whelen strobe lights on additional light bar center of tailgate. Qty 5 -Oval 6 inches amber Whelen strobe lights each side of additional tailgate light bar. Qty 2 -Round 4 inches LED back up lights on tailgate. Qty 2 -Round 4 inches LED back up lights on mid-body rubrails with guards. Qty 2 -Round 4 inches LED work light, hopper and RH side rail. Qty 2 -Strobe lights activated manually, hydraulics turned on, or transmission reverse
LLTD0920	<p>Whelen Light Bar on Tailgate: </p> <ul style="list-style-type: none"> - Amber Strobe Lights - on Additional Light Bar - Center of Tailgate - Qty 5 - Amber Strobe Lights - Each Side of Additional Tailgate Light Bar - Qty 2
LLPA0910	<p>Multifunction Lights Package: </p> <ul style="list-style-type: none"> -Multifunction round amber lights (4) -Oval center brake light,red, in upper tailgate (1) -Round brake lights, red, in upper tailgate light bar (2)
LWLK0910	Additional Work Light: LH Mirror facing hopper - Bulb - Qty 1
LWLK0915	Additional Work Light: LH Mirror facing hopper - LED - Qty 1
LWLK0920	Additional Work Lights: LH Mirror & RH Mirror facing hopper - Bulb - Qty 2
LWLK0925	Additional Work Lights: LH Mirror & RH Mirror facing hopper - LED - Qty 2
LSSO0900	Automatic strobe lights shut-off at 50 km/h - 32 mph
LPWL0900	Lights: Behind Packer Work Lamp - Bulb - ON/OFF Switch
LPWL0905	Lights: Behind Packer Work Lamp - LED - ON/OFF Switch
LBLF0900	Additional Work Lights: Canopy - Bulb - Qty 2
LBLF0910	Additional Work Lights: Canopy - LED - Qty 2
LBLH0905	Additional Work Light: Hopper - LED - Qty 1
CCCC0941	<p>Single Safety Vision camera (with shutter) : </p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter

CCCC0942	Dual Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0943	Triple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter
CCCC0944	Quadruple Safety Vision cameras (with shutter) : - Monitor must be selected separately - Heater - Shutter - Note : the shutter of the 4th camera (default camera - ex : hopper) will always stay opened
CCCC0901	Single 3rd Eye camera (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0902	Dual 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0903	Triple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0904	Quadruple 3rd Eye cameras (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0911	Single 3rd Eye camera - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0912	Dual 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0913	Triple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter
CCCC0914	Quadruple 3rd Eye cameras - Wide angle (no shutter) : - Monitor must be selected separately - Heater - No Shutter

CCCC0921	<p>Single Zone Defense camera (with shutter) : (N/A with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter
CCCC0922	<p>Dual Zone Defense cameras (with shutter) : (N/A with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter
CCCC0923	<p>Triple Zone Defense cameras (with shutter) : (N/A with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter
CCCC0924	<p>Quadruple Zone Defense cameras (with shutter) : (N/A with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - Shutter
CCCC0927	<p>Single Zone Defense camera (no shutter) : (Only model available with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - No Shutter
CCCC0928	<p>Dual Zone Defense cameras (no shutter) : (Only model available with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - No Shutter
CCCC0929	<p>Triple Zone Defense cameras (no shutter) : (Only model available with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - No Shutter
CCCC0930	<p>Quadruple Zone Defense cameras (no shutter) : (Only model available with DVR monitor)</p> <ul style="list-style-type: none"> - Monitor must be selected separately - Heater - No Shutter
CCCM0941	<p>Safety Vision 7" color LCD monitor : </p> <ul style="list-style-type: none"> - Included in system base price for shuttered and non-shuttered cameras - Split screen
CCCM0901	<p>3rd Eye 7" color LCD monitor : </p> <ul style="list-style-type: none"> - Included in system base price - Split screen
CCCM0903	<p>3rd Eye 7" color LCD monitor - AWT07MLEDT : </p> <ul style="list-style-type: none"> - Split screen

CCCM0904	3rd Eye 9" color LCD DVR monitor : - Split screen
CCCM0921	Zone Defense 7" color LCD monitor : - Included in system base price - Split screen - Touch screen
CCCM0922	Zone Defense 9" color LCD monitor : - Split screen - Touch screen
CCCM0923	Zone Defense 9" color DVR monitor : - Split screen - Touch screen - N/A with shuttered cameras
CCAW0900	3rd Eye Air Wash on backup camera
CCSB0900	Camera system: 3rd Eye, installed on body builder cable
CCPC0900	Protection cages on cameras
WIT-0000	No camera system. At customer request no camera installed at Labrie but for safety and liability reasons camera sytem will be retrofitted after delivery.
WIT-0001	Tailgate center 2/3 (1)
WIT-0002	Tailgate center 1/2 (2)
WIT-0003	Center tailgate 1/3 (3)
WIT-0004	Hopper LH-side (4)
WIT-0007	Tailgate center left 2/3 (7)
WIT-0008	Tailgate center right 2/3 (8)
WIT-0011	Alley left 2/3 (11)
WIT-0012	Alley right 2/3 (12)
WIT-0015	Mirror L-H side (15)
WIT-0016	Mirror R-H side (16)
WIT-0020	Tailgate center left 1/3 (20)
WIT-0021	Tailgate center right 1/3 (21)
WIT-0022	Alley left 1/3 (22)
WIT-0023	Alley right 1/3 (23)
WIT-0026	Windshield pointing forward (26)
WIT-0028	Windshield pointing towards driver (28)
WIT-0360	360 view - 4 cameras total (360)
BGGB0910	Tailgate Hinges Ground Level Grease Points
BASB0900	Anti-sail bars on rear mudflaps
BFEX0910	Fire Extinguisher- 20 lbs (standard position : body streetside unless specified otherwise by regulation)
BFEX0920	Two (2) Fire Extinguishers- 20 lbs (standard position : body streetside and curbside unless specified otherwise by regulation)
BRWD0900	Display Signs - 32in H. x 84in L.
BRWD0910	Display Signs - 32in H. x 96in L.
BRWD0920	Display Signs - 48in H. x 96in L. (N/A with Body valve on streetside wall on 34cy body)
BRWD0930	Display Signs - 48in H. x 96in L. (Curb side) and 48in H. x 72in L. (Street side)

BWBT0900	Continuous body welding at specified points
BESK0900	Environmental spill kit installed on body
BESK0910	Spill kit, Inside toolbox (toolbox not included), BREG 9040
BBGA0900	Truck side guards (Bike guards)
BWCH0900	Wheel chocks (2) mounted curbside
BSWS0930	Chromium Overlay Wear Strips - Packer Shoes - Channels
CCGW0900	Cab Guard (Windshield protector only, installation included)
BSAD0900	Sliding Type Access Door (ILO Hinge type)
BCGB0900	Centralized Grease Block - Cylinders Pins on Packer - Body Side Door Access: 2 points
BPGB0920	Centralized Grease Block - Cylinders Pins on Body Front Wall - Body Side Door Access: 2 points
BWOT0900	Aluminum Washout Tank - 50 Gallons
BTDP0900	Tailgate drip pan (NOT available with tag axle)
BNLD0900	No logos or decals other than safety and Labrie Enviroquip Group logo on unit
BASN0900	Mud flaps w/o Logo
BBTA0900	Clean out tool tarpARMOR - Brush with extendable handle on the body RH side wall
BBTA0910	Clean out tools tarpARMOR - expendable gear - in torque tube and tool box (not included) or cab
CRAD0900	Remote air drains petcock type
CCTB0900	Toolbox: Aluminium, chassis-mounted, size: 24" x 24" x 24" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CCTB0930	Toolbox: Aluminum, chassis-mounted, size: 24" x 24" x 14" (Location TBD, depending on space availability, Additional charges may apply if chassis components need to be relocated)
CBTB0940	Toolbox: Aluminum tool box mounted on ICC DOT bumper
CRTH0900	Rear tow hooks (2)
CBAC0900	Adjustable Arms Cradles on Front Bumper
CBFH0900	Chassis, Holes filling, Grade 8 bolts in the holes without paint on the chassis
CFSS0900	Fire Suppression system Safecraft LT5
PCBP0910	Body: 1 Color Urethane Body Paint - Included in unit base price - Includes bolt-on parts painted body color
PCBP0900	Body: 1 Color Base Coat/Clear Coat Body Paint - Includes bolt-on parts painted body color
PCBP0920	Body: 2 Colors Urethane Body Paint - 1 color separation - Includes bolt-on parts painted body color
PCBP0925	Body: 2 Colors Base Coat/Clear Coat Body Paint - 1 color separation - Includes bolt-on parts painted body color

PPCE0920	Cab : Urethane Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0930	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 1 color (other than color supplied) - No paint scheme - Including doors jambs
PPCE0925	Cab : Urethane Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PPCE0910	Cab : Base Coat/Clear Coat Paint (Cab Exterior) 2 colors (other than color supplied) - With paint scheme (1 color separation) - Including doors jambs
PCCP0919	Paint Chassis Components - Customer Color (other than black)
PSSS0910	CAUTION THIS VEHICLE STOPS AND BACKS FREQUENTLY, 74.5in x 23.5in (black on yellow background)
PSSS0920	CAUTION THIS VEHICLE MAKES FREQUENT STOPS STAY BACK 50 FEET, 65in x 20in (red on white background)
PSSD0930	SLOW DOWN TO GET AROUND, 36in x 18in
DAWS1200	DIGILOAD Dynamic Arm Weighing System - Manual Transfer Package (incl. digital display, USB memory stick and RS-232 transfer cable) - Per Truck
DAWS1240	DIGILOAD Dynamic Arm Weighing System Preparation (incl. Arms openings and covers only)
EWWS1200	DAWS1200 Extended 1 Year Hardware Warranty - DIGILOAD Dynamic Arm Weighing System - Per Truck - Per Year
FEWA0950-1	PLAN A1 - Add 1 year on body & hydraulics for a total of 2 years (PARTS AND LABOR)
FEWA0950-2	PLAN A2 - Add 2 years on body & hydraulics for a total of 3 years (PARTS AND LABOR)
FEWA0950-3	PLAN A3 - Add 3 years on body & hydraulics for a total of 4 years (PARTS AND LABOR)
FEWA0950-4	PLAN A4 - Add 4 years on body & hydraulics for a total of 5 years (PARTS AND LABOR)
HEWA0950-1	PLAN B1 - Add 1 year on hydraulics PUMPS AND VALVES only for a total of 2 years (PARTS AND LABOR)
HEWA0950-2	PLAN B2 - Add 2 years on hydraulics PUMPS AND VALVES only for a total of 3 years (PARTS AND LABOR)
HEWA0950-3	PLAN B3 - Add 3 years on hydraulics PUMPS AND VALVES only for a total of 4 years (PARTS AND LABOR)
HEWA0950-4	PLAN B4 - Add 4 years on hydraulics PUMPS AND VALVES only for a total of 5 years (PARTS AND LABOR)

CEWA0950-1	PLAN C1 - Add 1 year on hydraulic CYLINDERS only for a total of 2 years (PARTS AND LABOR)
CEWA0950-2	PLAN C2 - Add 2 years on hydraulic CYLINDERS only for a total of 3 years (PARTS AND LABOR)
CEWA0950-3	PLAN C3 - Add 3 years on hydraulic CYLINDERS only for a total of 4 years (PARTS AND LABOR)
CEWA0950-4	PLAN C4 - Add 4 years on hydraulic CYLINDERS only for a total of 5 years (PARTS AND LABOR)