

DOES NOT INCLUDE FREIGHT



CS415T

NTEA Class B featuring
4" Bore, 15" Stroke, 2" Diameter Rod
PDF File #1

- » 9' 12' Bodies
- » Capacity Range: 4.9 9.9 Tons
- » Read more...



CS515T

NTEA Class C featuring
5" Bore, 15" Stroke, 2" Diameter Rod
PDF File #1

- » 10' 14' Bodies
- » Capacity Range: 6.4 12.9 Tons
- » Read more...



CS628T

NTEA Class G featuring
6" Bore, 28" Stroke, 2" Diameter Rod
PDF File #1

- » 13' 18' Bodies
- » Capacity Range: 12.1 21.5 Tons
- » Read more...



CS615T

NTEA Class D featuring
6" Bore, 15" Stroke, 2" Diameter Rod
PDF File #1
PDF File #2

- » 10' 16' Bodies
- » Capacity Range: 7 18.5 Tons
- » Read more...



CS520T

NTEA Class C featuring
5" Bore, 20" Stroke, 2" Diameter Rod
PDF File #1
PDF File #2

- » 8' 14' Bodies
- » Capacity Range: 6.1 17.1 Tons
- » Read more...



CS620T

NTEA Class D featuring
6" Bore, 20" Stroke, 2" Diameter Rod
PDF File #1

- » 12' 16' Bodies
- » Capacity Range: 10.5 18.4 Tons
- » Read more...



CS5520T

NTEA Class E featuring » 13' - 18' Bodies

Two 5" Bore, 20" Stroke, 2" Diameter Rod" Capacity Range: 12.8 - 22.7 Tons

PDF File #1 ** Read more...

PDF File #2



CS6620T

NTEA Class G featuring » 13' - 18' Bodies

Two 6" Bore, 20" Stroke, 2" Diameter Rod" Capacity Range: 18.4 - 32.7 Tons

PDF File #1 Read more...

APDF File #2



CS412T

NTEA Class A featuring

4" Bore, 12" Stroke, 2" Diameter Rod

PDF File #1

PDF File #2

» 8' - 12' Bodies

» Capacity Range: 4.6 - 11.5 Tons

» Read more...