


CHAMPION™

Hoist and Equipment

DOES NOT INCLUDE FREIGHT




CS415

NTEA Class B featuring
4" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 8' - 10' Bodies
- » Capacity Range: 4 - 9 Tons
- » [Read more...](#)




CS515

NTEA Class C featuring
5" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 8' - 12' Bodies
- » Capacity Range: 6 - 15 Tons
- » [Read more...](#)




CS615

NTEA Class D featuring
6" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 9' - 12' Bodies
- » Capacity Range: 10 - 22 Tons
- » [Read more...](#)




CS615HD

NTEA Class C featuring
6" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 9' - 14' Bodies
- » Capacity Range: 8 - 21 Tons
- » [Read more...](#)




CS615LS

NTEA Class C featuring
6" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 9' - 16' Bodies
- » Capacity Range: 5.7 - 15.3 Tons
- » [Read more...](#)




CS620HD

NTEA Class D featuring
6" Bore, 20" Stroke, 2" Diameter Rod
 PDF File #1

- » 12' - 16' Bodies
- » Capacity Range: 12 - 24 Tons
- » [Read more...](#)




CS6615

NTEA Class E featuring
Two 6" Bore, 15" Stroke, 2" Diameter Rod
 PDF File #1

- » 12' - 15' Bodies
- » Capacity Range: 18 - 27 Tons
- » [Read more...](#)




CS6620

NTEA Class G featuring
Two 6" Bore, 20" Stroke, 2" Diameter Rod
 PDF File #1

- » 12' - 20' Bodies
- » Capacity Range: 12.1 - 26.9 Tons
- » [Read more...](#)



CS628

NTEA Class E featuring
6" Bore, 28" Stroke, 2" Diameter Rod
 PDF File #1

- » 10' - 18' Bodies
- » Capacity Range: 9 - 22 Tons
- » [Read more...](#)




CS5530

NTEA Class G featuring
Two 5" Bore, 30" Stroke, 2-1/2" Diameter Rod

- » 12' - 20' Bodies
- » Capacity Range: 12.5 - 27.8 Tons





CS6630

NTEA Class H featuring
Two 6" Bore, 30" Stroke, 2-1/2" Diameter Rod
 PDF File #1

- » 12' - 22' Bodies
- » Capacity Range: 15 - 40.1 Tons
- » [Read more...](#)



CS412

NTEA Class B featuring
4" Bore, 12" Stroke, 2" Diameter Rod
 PDF File #1
 PDF File #2

- » 8' - 10' Bodies
- » Capacity Range: 5 - 5 Tons
- » [Read more...](#)



CLASS C & D WITH SUBFRAME

Class C& D featuring
Subframe
 PDF File #1
 PDF File #2

- » 10' - 13' Bodies
- » Capacity Range: 4.7 - 22 Tons
- » [Read more...](#)

