



LIFE LINE
EMERGENCY VEHICLES

North Carolina Sherriff's Association

Southeastern Specialty Vehicles
Dennis Tingen
911 Martin Creek Road
Henderson, North Carolina 27537
866-640-2028
Dennis.Tingen@ssvsales.com

Southeastern Specialty Vehicles
Dennis E. Tingen
911 Martin Creek Road
Henderson, North Carolina 27537
866-640-2028
Extension 5101
252-430-1503
Dennis.Tingen@ssvsales.com



Exp. Date: 06/12/2022
Quote No: 10034-0001
BODY: SUPER B




NCSA 2023 Type III Ford E450
SUPERLINER TYPE III



05/23/2022 12:09:44




Page 1






| PART NO | DESCRIPTION | QTY |
|---|---|-----|
| == SUPERLINER TYPE III - 1.000 01/12/22 == | | 1 |
| MASTER PARTS REVISION DATE (Start 04-06-22 to 07-12-22) | | 1 |
| 00-00-0500 | LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated LL Paint Warranty Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10% | 1 |
| 00-00-0700 | >>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: Draft Work Order Process Date: 1st Dealer Draft Date: Final Dealer Draft Date: Sign-Off Date: Parts/Drafting/Paint: Shop Release Date: | 1 |

| PART NO | DESCRIPTION | QTY | |
|------------|--|--------|---|
| | SFD: | | |
| 00-00-0800 | Customer Contact Person (Required For Factory Use) Specify Name And Number:T.B.A. | 1 | |
| 00-00-0805 | Customer End User Contact Person & E-mail (Required For Factory Use) Specify Name and E-mail: | 1 | |
| 00-00-FL00 | Fill Unit With Fuel For Delivery (Charge To Dealer Account) | 1 | |
| 00-00-FN00 | Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number:T.B.A. If Available. | 1 | |
| 00-00-PU00 | Specify Previous Unit Number: (FACTORY USE ONLY) *** BODY STYLE *** | 1 1 | |
| 00-01-3000 | 167" x 96" SUPERLINER TYPE III BODY (WIDE AISLE) Includes wide aisle width. | 1 |  |
| 15-01-8500 | -- Cab To Module Sliding Door *** CHASSIS *** | 1 1 | |
| 10-00-0100 | Chassis VIN Number: (FACTORY USE ONLY) | 1 | |
| 10-00-1501 | 2024 Ford E-450 SD Cutaway Van (Gas V8 Engine) Includes the standard Ford O.E.M. 3-Year/36,000 Mile warranty. Includes rubber floor as standard. Final Price T.B.D. | 1 | |
| 10-01-5510 | -- IPD/Roadmaster Rear Sway Bar E-450 #1139-197 Rear sway bar for E450 without tire chains | 1 | |
| 60-01-4000 | -- Federal Signal ES100C Thru Bumper Speakers (E-Series) "F" Guard Cover Included | 1 | |
| 10-01-3400 | **FACTORY USE ONLY** Spare key and owner's manual to be shipped loose with the completed vehicle. | 1 | |
| 10-01-7500 | Real Wheels Stainless Steel Wheel Covers Includes Air Max valve extenders. | 1 |  |
| 10-02-1000 | O.E.M. Door Mirrors | 1 | |
| 10-02-3500 | O.E.M. Radio W/Cab Speakers | 1 | |
| 10-02-5000 | Low Voltage Throttle Manager | 1 | |
| 10-02-5700 | Hand Held Cab Spot Light This option includes a 12v outlet for the light. Please specify location for the outlet: Spot light to ship loose unless otherwise specified. | 1 | |


| PART NO | DESCRIPTION | QTY | |
|------------|---|--------|---|
| 10-02-6000 | E-Series Molded Switch Panel Console/Engine Cover Engine cover mounted formed console for the switch panel. This includes two cup holders in the base of the console. This is available only for the Ford "E" series chassis. | 1 |  |
| 10-03-8500 | Dual Matched Batteries In Slide Out Compartment Standard group 65 batteries. | 1 | |
| 10-04-3500 | Owner's Manual (1 Included With Unit) ***MODULAR BODY TYPE III*** | 1 1 |  |
| 15-01-5000 | Standard 72" Finished Headroom | 1 | |
| 15-01-5500 | Cab To Module Bulkhead Wall Includes the standard 3" recess. | 1 | |
| 15-02-0000 | Standard Perko Body Intake And Exhaust Vents (3-STD) | 1 | |
| 15-02-1600 | 1 Piece Stainless Steel Wheel Well Trim Rings (Small) 18.75" radius for Ford E-Series, F-Series, RAM, Chevy G-Series, CK and TerraStar | 1 | |
| 15-02-2500 | Standard Cast Fuel Fill Housing ***MODULE DOORS AND WINDOWS*** | 1 1 | |
| 20-00-0100 | 2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom. | 1 | |
| 20-00-0500 | Combination Extruded/Pan Formed Module Entry Doors With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate | 1 | |
| 20-01-0000 | Full Height Side Entry Door With Gas Style Hold-Open Position The Hold-Open At 90 Degrees. | 1 | |
| 20-01-1000 | Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape | 1 | |
| 20-01-1500 | Fixed Side Entry Door Window (Standard Tint) | 1 | |
| 20-01-3500 | Rear Doors With Grabber Style Hold-Opens | 1 | |
| 20-01-5000 | Fixed Rear Entry Door Windows (Standard Tint) | 1 | |
| 20-01-8500 | Exterior Assist Handle On Side And Rear Entry Doors (3) LL Part# F05038 | 1 | |
| 20-02-0000 | Tri-Mark 030-18 Free Float Handles with Chrome Exterior and Black Pocket | 1 |  |
| 20-02-1500 | Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard | 1 | |
| 20-02-1600 | Secondary Door Release Latches On All Entry Doors (3) L04025 Label LH Arrow (3) L04026 Label RH Arrow | 1 | |
| 20-02-2500 | Shielded Cable Activated Module/Compartment Door Latches | 1 | |
| | | | |



| PART NO | DESCRIPTION | QTY | |
|------------|--|----------|---|
| 20-02-3500 | Cage Nuts On All Door Panels | 1 | |
| 20-02-4000 | Polished Diamond Plate Lower Module Entry Door Trim Panels | 1 | |
| 20-02-6000 | Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD E & G Series with 3" Lower Skirt Specified will have Dual Side Entry Step | 1 | |
| | ***EXTERIOR COMPARTMENTS*** | 1 | |
| 25-00-0100 | SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. | 1 | |
| 25-00-0200 | 2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door. | 1 | |
| 25-00-0500 | Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors. | 1 | |
| 25-00-0600 | Polished Diamond Plate Exterior Compartment Door Panels | 1 | |
| 25-01-0000 | Magnetic Compartment Door Switches | 1 | |
| 25-01-1000 | Polyurethane Compartment Lining-Standard Gray | 1 | |
| 25-01-2500 | Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard. The Standard Light Lengths Used Are: 18" E22140 31.5" E22141 54" E22145 72" E22149 | 1 |  |
| 25-01-3300 | Black Texture Coated Aluminum Exterior Compartment Vents | 1 |  |
| 25-04-2500 | Superliner Curbside Front Backboard Compartment Includes Fixed Vertical Divider And Horizontal Shelf. Install The Vertical Divider In The Center. Install The Horizontal Divider On The Left Side. | 1 | |
| 25-04-3500 | Full Height Superliner Curbside Front IS/OS Compartment | 1 | |
| 25-04-5500 | 1 Fixed And 2 Adjustable IS/OS Compartment PVC Shelves (1) Adjustable In The Upper Section. (1) Adjustable In The Lower Section. | 1 | |
| 25-04-7000 | Cabinet Liner Lined Walls In The IS/OS Compartment | 1 | |
| 25-04-8000 | Superliner Curbside Front Battery Compartment | 1 | |
| 25-05-2000 | Superliner Double Door Curbside Rear Compartment | 1 | |
| 25-05-3500 | Superliner Full Height Streetside Front Compartment | 1 | |
| 25-05-4500 | Superliner Streetside Front Single Door Intermediate Comp | 1 | |



| PART NO | DESCRIPTION | QTY | |
|------------|---|-----|---|
| 25-05-8000 | Superliner Double Door Streetside Rear Compartment | 1 | |
| | ***REAR STEP AND BUMPER ASSEMBLY*** | 1 | |
| 30-01-0000 | Rear Bumper With Angled Style End Caps (LOW) Includes Standard Reinforced Corner Angle Supports. Center Section And End Caps To Be At The Same Height | 1 | |
| | Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame | | |
| 30-01-3500 | Full Width Diamond Plate Rear Kick Plate | 1 | |
| | ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** | 1 | |
| 35-01-0000 | One Piece Body Side Panels With Aluminum Lower Impact Rails Includes Lower Impact Rails Only. | 1 | |
| 35-01-2000 | Diamond Plate Running Boards | 1 | |
| 35-01-7500 | Rear Mud Flaps With Metal Stabilizers | 1 | |
| 35-01-9000 | Stainless Steel Compartment And Entry Door Sill Plates | 1 |  |
| 35-02-0000 | Drip Rail Over Doors Specify ship loose, install or delete. No credit available if deleted. | 1 |  |
| 35-02-1000 | 24" High Front Stone Guards With Sealed Top Edge. | 1 | |
| | ***ELECTRICAL SYSTEM*** | 1 | |
| 40-00-0550 | Elite G3 Touch Screen Electrical System Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches with Stainless Steel Guard (1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location Is The R.F.S. Cabinet. (1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator. (3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. These Are Rated 20 AMPS Or Less. Dealer To Specify Location: (1) Back-Up Camera White (ASA VCMS20) (This Camera Will Always Be Displayed Thru The Elite Front Touch Screen And The Camera Head Will Be White Unless Otherwise Specified) Specify (VCMS24B) For Black Dome Lights On Low With Entry Door. (On High Is Not An Option) The R.F.S. Switch May Turn On the Dome Lights On High or the Center Strip Lights. Specify: Inverter Will Come On With Ignition If One Is Specified, Along With Button | 1 |  |



| PART NO | DESCRIPTION | QTY | |
|-------------------------|---|-----|---|
| | Provided On Switch Panel. | | |
| 40-01-2000 | Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm. | 1 | |
| 40-01-2500 | 20 Amp Shoreline Inlet W/Heavy Duty Hubble Inlet Cover Includes Gray Heavy Duty Hubble Cover. Requires Exterior Access Plate For Painted Access Plate to Match Module SEE 15-02-3200 & specify 15-02-3220 Specify Location: SPECIAL NOTE ABOUT 125 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 125 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment. | 1 | |
| 40-01-6900 | **FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present. | 1 | |
| 40-03-0000 | Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit. | 1 |  |
| 40-03-2000 | R.F.S. Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet Mounted In The Lower Section On Wall #1. Full Time Hot Circuit. | 1 |  |
| 40-03-6000 | Action Area 125 Volt Standard Style Hospital Grade Outlet | 1 | |
| 40-03-7000 | R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet Mounted In The Lower Section On Wall #1. | 1 | |
| 40-04-4000 | Power Door Locks For Side Entry & Rear Entry Doors | 1 | |
| 40-04-6000 | Hidden Switch In Rear License Plate Housing (Unlock Only) Unlocks Cab & Module For Dodge, G-Series & Freightliner Unlocks Modules Only For E & F Series Unlocks Cab & Module For International When Cab is Running Only | 1 |  |
| ***INTERIOR LIGHTING*** | | 1 | |
| 45-01-0000 | Oxygen Compartment Light | 1 | |
| 45-01-0500 | Side Entry Door Stepwell 3" Round LED Light Whelen 3" Round Super-LED Surface Mounted | 1 | |
| 45-01-1500 | 8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With White Trim 4-Streetside 4-Curbside TecNiq# E08-LW00-1 | 1 |  |
| 45-01-3000 | TecNiq LED Action Area Light E32-L00S-1 14" Light | 1 |  |

| PART NO | DESCRIPTION | QTY | |
|---|---|----------|--|
| ***EXTERIOR LIGHTING*** | | 1 | |
| 50-01-0000 | Whelen 600 Series "LED" Stop/Tail Lights (Pr) Use Whelen #60BTT Lights (Meets SAE Requirements). Mounted Above The Rear Kick Plate. | 1 | |
| 50-01-6000 | Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) Mounted Above The Rear 600 Series LED Stop/Tail Lights. They shall be programmed to flash sequentially in the direction of the arrow. | 1 | |
| 50-02-9000 | C.P.I. License Plate Housing | 1 | |
| 50-02-9520 | Whelen 600 Series "LED" Minimum-Populated Back-Up Lights (Pr) Mounted Above The Rear Turn Lights Unless Otherwise Specified. Model # 60C00VCR | 1 | |
| 50-03-2000 | Two Reverse Activated Whelen 900 Halogen Rear Load Lights Whelen Part#90E000ZR | 1 | |
| 50-03-5500 | Whelen 900 Halogen Side Scene Lights (Two Each Side) Whelen Part#90E000ZR | 1 | |
| 50-03-9000 | Right Side Scene Lights On With Open Side Entry Door | 1 | |
| 50-04-7500 | Federal Commander COM1 "LED" ICC Marker Lights COM1MC-A=Amber COM1MC-R=Red | 1 |  |
| 50-04-8000 | Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail Unless Otherwise Specified. Mid Sections To Be Wired Thru The Brake Light Circuit. | 1 | |
| 50-04-8100 | Innovative Lighting Slimline Front DOT Light Mounted Above The Drip Rail Unless Otherwise Specified. | 1 | |
| ***RADIO PROVISIONS AND AIR HORNS*** | | 1 | |
| Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start date. | | | |
| 55-01-8500 | KE-794 Antenna Base With Coax Specify Termination Location: (1) Front Module Roof To The Auxiliary Electrical Cabinet. (Unless Otherwise Specified). Coil, Zip Tie & Tag Include rain caps on all module roof antenna bases | 1 | |
| ***SIRENS AND EMERGENCY LIGHTING*** | | 1 | |
| 60-01-1000 | Standard Siren Whelen 295HFS2 Siren System THIS IS A SINGLE AMP SIREN MEETS 49 STATE REQUIREMENTS | 1 | |
| 60-01-9000 | 4 Whelen 900 Super "LED" Side Module Warning Lights Part #90RR5FRR Mount The Side Lights Inline. | 1 | |

| PART NO | DESCRIPTION | QTY | |
|------------|---|----------|---|
| | Model # ILOS: Specify KKK Or Comet Flash Pattern: | | |
| | REQUIRES EXTERNAL FLASHER. NON KKK PATTERNS REQUIRE AUX FLASHERS (#60-11-40). | | |
| 60-02-2000 | 2 Whelen 900 Super "LED" Front Module Warning Lights Part# 90RR5FRR | 1 | |
| | Model # ILOS: | | |
| | Specify KKK Or Comet Flash Pattern: | | |
| | REQUIRES EXTERNAL FLASHER IF NOT ON THE PRIMARY/SECONDARY ELITE CURCUIT NON KKK PATTERNS REQUIRE AUX FLASHERS (#60-11-40). | | |
| 60-02-5500 | 1 Whelen 900 Super "LED" Center Front Module Warning Light Part #90CC5FCR | 1 | |
| | Model # ILOS: | | |
| | Specify KKK Or Comet Flash Pattern: | | |
| 60-02-9500 | 2 Whelen 900 Super "LED" Rear Module Warning Lights #90RR5FRR With Red Lens Unless Otherwise Specified. Specify KKK Or Comet Flash Pattern: REQUIRES EXTERNAL FLASHER. NON KKK PATTERNS REQUIRE AUX FLASHERS (#60-11-40). | 1 | |
| 60-03-3000 | 1 Whelen 900 Super "LED" Center Rear Warning Light Part #90AA5FAR Amber Lens Unless Otherwise Specified. | 1 | |
| | Model # ILOS: | | |
| | Specify KKK Or Comet Flash Pattern: | | |
| 60-04-5300 | 2 Whelen 500 Super "LED" Grille Lights #50R02ZRR Red Lens With Steady Flash Unless Otherwise Specified. E-Series requires: CPI #LH52605, driver's side CPI #LH52606, passenger's side | 1 | |
| 60-05-0500 | 2 Whelen 700 Super "LED" Intersection Lights Part#70R02FRR | 1 |  |
| | Model # ILOS: | | |
| | Specify KKK Or Comet Flash Pattern: | | |
| | ***PATIENT COMPARTMENT*** | 1 | |
| 65-00-0100 | Standard Solid Surface Construction Interior Cabinets | 1 | |
| 65-00-9900 | SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. | 1 | |
| 65-01-2000 | Standard Smooth Headliner | 1 | |

| PART NO | DESCRIPTION | QTY | |
|------------|--|-----|---|
| 65-01-3000 | 1/4" Clear Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim. | 1 | |
| 65-02-2215 | "LL Standard Package" Performance Load System This is the Stryker Performance Load Option. Will Be Center Mount Unless Otherwise Specified Includes: Floor Structure - Tapping Blocks Pre-Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by Shoreline or Battery on Power. The Power And Ground Is Run To Inside The Track. Power & Performance Load Floor Plate Kit #6390-700-001 Needs To Include Track Cover #6390-001-109 Push Rail Floor Mount Only Stryker Part# 6360-30-11 Includes Hardware Kit F09053 Which Is (2) Silver Knobs (2) Threaded Stryker Plates To Install In The Track If Customer Or Dealer Needs To Install Antlers. These Are To Be Installed In The Track By Life Line Installer. | 1 | |
| 65-02-7500 | L.R.O. Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-03-7000 | L.F.O. Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-04-1000 | Left Rear Base Cabinet With Sliding Polycarbonate Door Includes (2) Adjustable shelves | 1 |  |
| 65-04-2500 | Telemetry Area Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-04-7000 | Lower Telemetry Area Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-04-8500 | Action Area Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-05-0500 | Lower Action Area Cabinet With Sliding Polycarbonate Door | 1 | |
| 65-05-2500 | Action Area Tip-Out Trash Cabinet LL# F18152 | 1 | |
| 65-05-4000 | Side Facing CPR Seat w/Contoured Ergo Backrest & 4-Point Seat Belt Includes Black IMMI 4-Point Seat Belt | 1 |  |
| 65-05-6500 | Rear Facing EVS Advanced Sewn Attendant Seat On EVS Box Base 177030 EVS Advanced Sewn Seat with Life Line Logo To Match Cushion Vinyl unless otherwise specified Includes 3-Point Belt. Question: Will there be an O2 Bottle Attached to the Head of the Cot? | 1 | |
| 65-06-2000 | Rear Facing Electrical Cabinet And Door Vent Accordingly | 1 | |
| 65-06-9500 | Right Front Upper ALS Cabinet With Solid Doors | 1 | |
| 65-07-2500 | Right Front Lower ALS Cabinet With Solid Doors | 1 | |
| 65-07-9500 | CS Squad Bench w/Contoured Ergo Backrests w/2 Piece Lid & Divider Includes 3 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors. | 1 | |

| PART NO | DESCRIPTION | QTY | |
|------------|---|-----|---|
| 65-08-3500 | Squad Bench Head End Retaining Board And Cushion | 1 |  |
| 65-08-8500 | Squad Bench Headrest Cushion | 1 | |
| 65-09-8500 | 100" Long Formed Streetside Ceiling Grab Rail | 1 | |
| 65-09-9500 | 100" Long Formed Curbside Ceiling Grab Rail | 1 | |
| 65-10-0500 | Formed "L" Door Assist Rails Mounted On The Hinge Side | 1 | |
| 65-10-2000 | Formed Assist Rail At The Head End Of The Squad Bench 12" Rail | 1 | |
| 65-10-2500 | Formed Assist Rail On The Left Rear Wall 12" Assist Rail Is Std. Size. | 1 | |
| 65-10-5000 | Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position. | 1 | |
| 65-10-9000 | Southco M1 Stainless Cabinet Latches | 1 |  |
| 65-CS-3000 | Total Available Seating Positions In this Unit Including Cab, Module And Cot | 1 | |
| | ***PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS*** | 1 | |
| 70-01-0000 | Static Module Fresh Air Intake Vent | 1 | |
| 70-01-1000 | 12 Volt Powered Exhaust Fan | 1 | |
| 70-01-1500 | Cabinet Mounted Free Blow 12 Volt Pro Air Rear Heat/AC Unit Includes Digital Temperature on ELITE Display. Includes Climate Indicators For Heat/AC/Fan Speed. Includes High-Medium-Low Fan Speeds. Evaporator Model #935 Vent Panel #P07185 | 1 | |
| 70-01-2500 | -- Standard R.F.S. Overhead Cabinet Heat/AC Unit Location Standard A/C is Pro-Air | 1 | |
| 70-01-2400 | Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System. | 1 | |
| 70-01-6000 | Yellow Certifoam High Density Insulation Body/Floor/Doors (R-6) GAS CHASSIS' INCLUDE HEAT BARRIER THIS GOES ON THE HEAT SHIELD THAT GOES OVER THE AXLE. THIS ALSO GETS THE THERMO HEAT INSULATION BLANKET ON THE BOTTOM OF THE FLOOR AND GOES FROM THE FRONT OF THE MODULE TO THE FUEL TANK. | 1 | |
| 70-01-6600 | Automotive Grade Undercoating Under Module Body | 1 | |
| | ***OXYGEN SYSTEM*** | 1 | |

| PART NO | DESCRIPTION | QTY | |
|------------|---|--------|--|
| 75-01-0000 | Ohio Style Action Area Oxygen Outlet | 1 |  |
| 75-01-2000 | Ohio Style Ceiling Mounted Oxygen Outlet | 1 |  |
| 75-01-4000 | Ohio Style Right Wall Mounted Oxygen Outlet | 1 |  |
| 75-01-8000 | Interior Oxygen Access/Viewing Door ACCESS DOOR WILL BE POLYCARBONATE FRAMED DOOR UNLESS OTHERWISE SPECIFIED. | 1 |  |
| 75-01-8600 | "M" Oxygen Tank Bracket In Streetside Front Compartment ***SUCTION SYSTEM*** | 1 1 | |
| 80-01-0000 | 12 Volt Gast Suction Pump Controlled By Switch on Switch Panel | 1 | |
| 80-01-1500 | 1 Ohio Style Action Area Suction Outlet Includes Disconnect For Outlet Hose Barb Must Fit The Suction Hose | 1 | |
| 80-01-7500 | SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set. | 1 | |
| | ***PAINT*** | 1 | |
| 85-00-0100 | Standard AkzoNobel Paint Process Includes 6 Year Pro-Rated LL Paint Warranty. | 1 | |
| 85-00-0500 | O.E.M. White Chassis Color Ship Loose Tube Of O.E.M. White Touch-Up Paint With The Unit. | 1 | |
| 85-01-1000 | O.E.M. White Module Body Color Touch-Up Paint Is Included For Colored Module Body Stripes. | 1 | |
| 85-02-9500 | Do Not Paint The Nader Pins/Install After Paint Process | 1 | |
| 85-03-0000 | Standard 1/4" Black Reflective Edge Pinstripe ***EMBLEMS AND DECALS*** | 1 1 | |
| 90-01-0000 | Federal Star Of Life/Ambulance Decal Package Install Roof Star Of Life Decal. | 1 | |

| PART NO | DESCRIPTION | QTY |
|------------|---|-----|
| | Ship Remainder Of Decals Loose. | |
| | (2) 4" Star Of Life Decals. | |
| | (2) 12" Star Of Life Decals. | |
| | (2) 18" Star Of Life Decals. | |
| | (3) 6" AMBULANCE Decals. | |
| | (1) 4" Reverse AMBULANCE Decal. | |
| 90-01-1100 | "NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module. | 1 |
| 90-01-1200 | No Other Decals or Lettering Included Unless Specified Below | 1 |
| 95-DL-0100 | 6% Customer Discount Specify Custom Option: | 1 |
| 95-DL-0200 | 6% Discount on Optional Items Specify Custom Option: | 1 |
| | ***END OF QUOTE/PRODUCTION ORDER*** | 1 |
| 95-SP-0100 | 1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge. | 1 |
| 95-SP-0200 | 1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge. | 1 |
| 95-SP-0600 | Change After Sign-Off (Published Price + 50%) | 1 |
| 95-SP-0700 | Change After Production Start (Published Price + 75%) | 1 |
| 95-SP-0800 | Change After Production Completion (Published Price + 100%) | 1 |
| 95-SP-0850 | Life Line Indemnification Statement The purchaser agrees to defend, indemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for. | 1 |
| | ***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles. THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS. Date Of Order: SPECIFY Franchised Distributor: SPECIFY Quote Number: SPECIFY Ordered By:_____ | 1 |

