STOP SCHOOL SPEED LIMIT WHEN FLASHING

> ROAD WORK AHEAD

Speed Limit Sign Alert Model Number: R2-1-2430-HI-8-DC20 ** Standard model is continuous flash. See options to upgrade.

Solar Sign Alert Systems

Solar-Powered LED Inserts for Highway Signs

Brighter signs mean safer roads.

K&K Systems' Solar Sign Alert Systems are powered by a solar panel and designed to enhance the visibility of highway signs in any weather conditions to increase road safety. With Sign Alert's ultra-bright LEDs, drivers are cautioned in advanced of dangerous intersections or curves, hazardous road conditions, or entering work zones or school zones and much more. K&K's smart controller allows our sign alert systems to preserve energy and battery life with its auto-dimming feature while maintaining brightness. K&K Sign Alert Systems paired with K&K SMART Add-Ons can be activated using our moisture sensor, radar sensor, high water sensor, push button, key fob remote, or by using any one of our timing systems such as the CrossTalk. Any sign can be a Sign Alert!

Download our Sign Alert app for Apple or Android to build your own Sign Alert and get an instant quote.



K&K Systems, Inc. has been serving the traffic industry since 1997. Since that time we have become a leader in the traffic safety industry. K&K Systems offers a complete line of traffic safety products that include solar beacons, variable message boards, arrow boards, radar speed monitors, solar school zone flashers, solar 24-hour stop beacons, solar 24-hour warning flashers, and many other quality products that serve our industry today.

Should K&K not have a system that meets your needs, we will custom design a system to meet your specifications.



Regulatory Signs

Solar Stop Sign Alert, Solar Yield Sign Alert, Solar Wrong Way Sign Alert, and many more! K&K Systems can make any sign a Sign Alert Sign. If you don't see a sign you need, contact our sales department for a product quote.

	ROAD CLOSED * MILES AHEAD LOCAL TRAFFIC ONLY	ROAD CLOSED TO THRU TRAFFIC	BRIDGE OUT * MILES AHEAD LOCAL TRAFFIC ONLY	BRIDGE	ROAD CLOSED	MUST M	IT LANE UST N RIGHT	END ONE WAY BEGIN ONE WAY SPÉED ZONE AHEAD
24" x 24" x 24" R1-2 18" x 18" R1-1 18" x 18" R5-1 30" x 30" x 30" R1-2 24" x 24" R1-1 24" x 24" R5-1 36" x 36" x 36" R1-2 30" x 30" R1-1 30" x 30" R5-1 36" x 36" x 36" R1-2	60" x 30" R11-3 *Specify miles	60" x 30" R11-4	60" x 30" R11-3B *Specify miles	48″ x 30″ R11-2B	48" x 30" R11-2		"x 30" 18" x 24" R12-1 3-7R 24" x 30" R12-1	24" x 30" 24" x 30" 24" x 30" R6-7 R6-6 R2-5C
12" x 12" R8-35 30" x 30" R8-35 30" x 30" R8-35	WRONG WAY 30"x 18" R5-9 36"x 24" R5-9	36″ 30″ x 36″		WEIGHT LIMIT 33T 40T 24" x 36" 24" x 36" 24" x 36"	ON CON RED 18"x24" 18 18"x24" 18 R10-11 R 6" 24"x30" 24	B"x24" 12" x 18" R2-1 10-12 18" x 24" R2-1 4"x30" 24" x 30" R2-1	NIM Image: Constraint of the second sec	REDUCED SPEED AHEAD STOP HERE CON RED 24"x 30" 24"x 30" 24"x 30" 24"x 30" 10-6A R10-6A
24" x 24" R3-45 24" x 24" R5-25 24" x 24" R3-18 18	R3- x6" 12"x6" 12"x6" x6" 12"x6" 12"x6" R1-3B R1-3A ENFOR 1"x6" 24"x18" 11-4 36"x30"		UCKS TURN	R12-5 R10-6 KEEP RIGHT NO RIGH TURN 24"x 18" R4-7P 24"x 18" R3-1P			ONE WAY 36″ x 12″ R6-1R 24	DD NOT BLOCK 2-5E D0 NOT BLOCK R10-7 D0 NOT PASS 24"x 30" R10-7 24"x 30" R4-1
ENGINE BRAKING PCROBINMER (CTORDINATE) DO NOT ENTER LOCAL TRAFFIC ONLY NO TRUCI ONLY 24" x 24" R5-58 24" x 24" R5-58 24" x 24" R5-1A 24" x 24" R11-5 24" x 24" R5-24	4" 24" x 24" 18" x 24	RIGHT LEFT TURN TURN	D0 NOT ENTER TURN ONLY TU ON 18" x 24" 18" x 24" 18" x	JRN TRUCK TH NLY TRAFFIC TRA	RU FFIC RIGHT L x 24″ 18″ x 24″ 18	← WAY EFT 18"x24" 13	TRUCKS 300 24"x24" 24"x24" 260x20"x30" R2-2	NO TRUCKS Deer NO UUT TURN 8"x 24" R15-2 8"x 24" R3-4A

SMART Sign Alerts Systems Add-On Activators



HIGH

WATER

Remote Activator Designed for areas that need hazard beacons to be activated only in emergency situations such as fire stations, ambulance bases and other emergency vehicle facilities. Using the system's wireless remote control, emergency personnel can activate the beacons to alert traffic to use extreme caution when approaching area.

Moisture Sensor The moisture sensor activates the sign alerts when it detects moisture. The system deactivates when wet conditions subside. This system is ideal

for locations known for moist conditions that could cause traffic accidents due to slippery roads.

High Water Sensor K&K Systems'

Sign Alerts can be equipped with a high water

sensor for locations known for flooding. When

level lowers below the sensor.

Radar Activated Sensor

Exercise paths that intersect with roads,

roadways that wildlife frequently cross, golf

Alerts with radar-activated senors. When

within close proximity of the road, the

the radar sensor detects movement

warning LEDs will activate. The system deactivates when no movement is detected.

cart crossings and more utilize the K&K Sign

water levels rise above the sensor, the Sign Alerts LEDs are activated. The system is deactivated once the water



Sandard Sandard Data Sandard Data Sandard Data

CrossTalk K&K Systems' CrossTalk device is a compact, all-in-one solar controller, flasher, auto-dimmer and scheduler that is programmed using

CrossLink or cellular service. The CrossTalk is located inside the control cabinet. CrossTalk can be used from a central office to control a single sign or multiple signs at multiple locations by programming through the web interface.



Counciliada Transita unideada ao Transita unideada ao

GrossLink CrossLink is a USB-connected device that works in combination with K&K Systems' CrossTalk to control and program alert signs directly from your computer using K&K Systems' software. Program sign alerts flashing schedule for an entire year for school zones and other facilities that have set hours easily and quickly.



CrossTalk CrossWalk

Designed for pedestrian street crossings where people need to cross safely. Pedestrians simply press the button to activate the CrossTalk device located inside the control cabinet. The CrossTalk tells the sign alert to activate and



communicates wirelessly to the unit on the opposite side of the street to activate that sign alert. The sign will flash/activate for the programmed amount of time.



Traffic Safety Products Manufacturer www.k-ksystems.com • sales@k-ksystems.com



apple



androic