



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	CV515 SFA	
AXLE CONFIGURATION Navistar 4x2 REQS: Code 03ADA, 03AGN or 03AJR(std) SUSPENSION, FRONT, SPRING REQS: Code 06DGA(std) DRIVELINE SYSTEM N/A: Code 01AMM SKID PLATE : Code 02EWA AXLE, FRONT DRIVING : Code 13TLP TRANSFER CASE NOTE: Pricing may change if axle configuration is changed. 4x4 REQS: Code 03AJN SUSPENSION, FRONT, SPRING REQS: Code 06DHD DRIVELINE SYSTEM N/A: Code 02AJK, 02AJL and 02AJZ(std) AXLE, FRONT NON-DRIVING : Code 14TBL, 14TBM and 14TDG SUSPENSION, REAR, AIR, SINGLE NOTE: Pricing may change if axle configuration is changed.	01ANA 01ANB	STD N/C 0 / 0	
FRAME RAILS NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book High Strength Low Alloy Steel (50,000 PSI Yield), Straight Top Flange with Contoured Bottom, Height Transitions from 7.375" (187.325mm) to 9.125" (231.775mm) to 7.625" (193.675mm); Width: 3.079" (78.21mm); Thickness: 0.3125" (7.94mm); 383.3" (9735.8mm) Max OAL	01CGH	STD	
BUMPER EXTENSION, FRONT 4.0" N/A: RADIATOR STONE GUARD	01WAC	\$50 +5 / -1	
BUMPER, FRONT Contoured, Steel, Painted Black Contoured, Steel, Painted Gray Omit Item N/A: Code 08XJG FOG LIGHTS Contoured, Steel, Chrome Plated, for CV and RE Bus	01LRZ 01LSA 01LLK 01LNZ	STD \$55 0 / 0 \$30CR -53 / +8 \$207 0 / 0	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
SKID PLATE Steel, Frame Mounted, Protects the Transfer Case from the Ground REQS: Code 01ANB AXLE CONFIGURATION	01AMM	\$300 +43/+21	
TOW HOOK, FRONT (02) Frame Mounted	01570	\$84 +14/-2	
WHEELBASE RANGE 128" (325cm) Through and Including 183" (465cm) 185" (470cm) Through and Including 236" (600cm) 238" (605cm) Through and Including 311" (790cm)	01WEB 01WEC 01WED	STD \$579 +10/+30 \$773 +10/+30	
AF RANGE 50" (128cm) Through and Including 75" (190cm) 76" (193cm) Through and Including 91" (230cm)	01WND 01WNE	\$100 0/0 \$150 0/0	
LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper	01LEG	\$29 +2/0	
AXLE, FRONT NON-DRIVING Dana Spicer - D-800N - I-Beam Type, 6,250-lb Capacity REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 03AJR(std) SUSPENSION, FRONT, SPRING N/A: Code 10WJG and 10XAG SPECIAL RATING, GWR : Code 02WLC AXLE, FRONT DRIVING, LUBE : Code 02EWA AXLE, FRONT DRIVING I-Beam Type, 7,000-lb Capacity REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 03AGN SUSPENSION, FRONT, SPRING N/A: Code 02WLC AXLE, FRONT DRIVING, LUBE : Code 02EWA AXLE, FRONT DRIVING I-Beam Type, 8,000-lb Capacity REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 03ADA SUSPENSION, FRONT, SPRING N/A: Code 02WLC AXLE, FRONT DRIVING, LUBE : Code 02EWA AXLE, FRONT DRIVING	02AJZ 02AJK 02AJL	STD N/C 0/0 \$39 0/0	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-2

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
AXLE, FRONT DRIVING Dana Spicer - 60-256 - Single Reduction, 7,500-lb Capacity, with Hub Piloted Wheel Mounting REQS: Code 01ANB AXLE CONFIGURATION REQS: Code 02WLC AXLE, FRONT DRIVING, LUBE REQS: Code 03AJN SUSPENSION, FRONT, SPRING N/A: Code 02AJK, 02AJL and 02AJZ(std) AXLE, FRONT NON-DRIVING : Code 29WLK WHEEL BEARING, FRONT, LUBE	02EWA	\$1,400 +155/0	
AXLE, FRONT DRIVING, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 29.99 Pints N/A: Code 02AJK, 02AJL and 02AJZ(std) AXLE, FRONT NON-DRIVING : Code 29WLK WHEEL BEARING, FRONT, LUBE	02WLC	\$147 0/0	
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 6,250-lb Capacity, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AJZ(std) AXLE, FRONT NON-DRIVING N/A: Code 02EWA AXLE, FRONT DRIVING Parabolic Taper Leaf, Shackle Type, 7,000-lb Capacity, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AJK AXLE, FRONT NON-DRIVING N/A: Code 02EWA AXLE, FRONT DRIVING Parabolic Taper Leaf, Shackle Type, 7,500-lb Capacity, with Shock Absorbers REQS: Code 01ANB AXLE CONFIGURATION REQS: Code 14SAC, 14SAE or 14SCG(std) SUSPENSION, REAR, SINGLE N/A: Code 02AJK, 02AJL and 02AJZ(std) AXLE, FRONT NON-DRIVING Parabolic Taper Leaf, Shackle Type, 8,000-lb Capacity, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AJL AXLE, FRONT NON-DRIVING N/A: Code 02EWA AXLE, FRONT DRIVING	03AJR	STD	
	03AGN	\$9 +24/0	
	03AJN	\$9 +31/0	
	03ADA	\$73 +24/0	
STABILIZER BAR, FRONT	03WAP	\$360 +50/0	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-3

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
BRAKE SYSTEM, HYDRAULIC <i>Bosch</i> Split System, with Four Channel ABS, Traction Control, Electronic Stability Control, Hydromax Brake Booster with High Speed Master Cylinder and Trailer Sway Control	04240	STD	
BRAKE, PARKING <i>Bosch</i> DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Foot Operated in Cab; Differential Mounted	04GBJ	STD	
BRAKES, FRONT <i>Meritor</i> - Quadraulic - Hydraulic Disc Type, with Four 64mm Diameter Pistons, 8,000-lb Capacity	04XCU	STD	
DUST SHIELDS, FRONT BRAKE for Hydraulic Brakes	04EVD	STD	
BRAKES, REAR <i>Meritor</i> - Quadraulic - Hydraulic Disc Type, with Four 64mm Diameter Pistons, 15,500-lb Capacity per Axle	04XCV	STD	
DUST SHIELDS, REAR BRAKE for Hydraulic Brakes	04EVE	STD	
AIR COMPRESSOR 7.1 CFM, with Clutch N/A: Code 16136 AIR CONDITIONER, PROVISION FOR	04SBX	\$350 +83/-4	
AIR DRYER <i>Wabco</i> - System Saver 1200 - with Heater REQS: Code 04VGA AIR DRYER LOCATION REQS: Code 04SBX AIR COMPRESSOR, when in combination with Code 04VGA AIR DRYER LOCATION	04EBD	\$497 +17/-2	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-4

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>CV515 SFA</i>	
AIR DRYER LOCATION Mounted Outside Right Rail, Forward of Front Wheel	04VGA	\$50	0/0
AIR TANK LOCATION (1) Mounted Outside Left Rail, Perpendicular to Rail, Behind Battery Box	04VKM	\$232	+11/+9
STEERING GEAR <i>Bosch</i> - S2 8014 Plus - Power	05PSS	STD	
STEERING COLUMN Tilting	05708	STD	
STEERING WHEEL 4-Spoke; 15" Dia., Black REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM 4-Spoke; 15" Dia., Black, Leather Wrapped REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM	05CBG	STD	
	05CBH	\$236	0/0
DRIVELINE SYSTEM <i>Dana Spicer</i> SPL100, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION SPL100 Main Driveline, Direct Mount Transfer Case to Transmission, SPL70 Driveline to Front Axle, for 4x4 REQS: Code 01ANB AXLE CONFIGURATION	06DGA	STD	
	06DHD	N/C	+1/+1
PROPSHAFT GUARD	06901	\$80	+5/+7
EXHAUST SYSTEM Horizontal, Frame Mounted Right Side, Under Rail, for Single Exhaust	07BLL	STD	
ENGINE EXHAUST BRAKE for International 6.6 Engine	07SDS	STD	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-5

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
MANUAL REGEN Capability	07XAA	STD	
TAIL PIPE (1) Horizontal, Exits Left Side Ahead of Rear Wheel (1) Horizontal, Exits Right Side Ahead of Rear Wheel	07WDV 07WDU	N/C +3/+32 N/C +3/+24	
ELECTRICAL SYSTEM 12-Volt for CV Model INCLS: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Integral with Turn Signal Lever : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : TURN SIGNALS, FRONT Includes Reflectors and Solid State Flashers; Flush Mounted : PARKING LIGHT PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover	08002	STD	
ALTERNATOR <i>Denso</i> - SC2 - Brush Type, 12 Volt, 150 Amp Capacity - SC2/SC6 - Dual, Brush Type, 12 Volt, 150 and 220 Amp Capacity - SC6 - Brush Type, 12 Volt, 220 Amp Capacity	08GJA 08GJC 08GJB	STD \$380 +19/-1 \$150 +4/0	
AUXILIARY HARNESS "Y" Harness for Auxiliary Front Head Lights (High/Low Beam), Marker Lights, and Turn Signals for Front Plow Applications	08TUM	\$160 +1/0	
BACK-UP ALARM Electric, 102 dBA	08THB	\$120 +2/+4	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-6

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
<p>BATTERY BOX</p> <p>Steel, with Plastic Cover, 2 Battery Capacity, Parallel to Rail, 28" Wide, Mounted Left Side Under Cab REQS: Code 08MVZ(std) or 08MWA BATTERY SYSTEM</p> <p>Omit, Batteries to be Mounted Temporarily, Body Builder to Supply Battery Box REQS: Code 08MSD BATTERY SYSTEM N/A: Code 08WBW JUMP START STUD</p>	08VVB	STD	
	08VUV	N/C -38/+7	
<p>BATTERY SYSTEM</p> <p>VARTA</p> <p>Maintenance-Free, (2) 12-Volt 1100CCA Total, Top Threaded Stud REQS: Code 08VVB(std) BATTERY BOX</p> <p>Maintenance-Free, (2) 12-Volt 1300CCA Total, Top Threaded Stud REQS: Code 08VVB(std) BATTERY BOX</p> <p>Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud REQS: Code 08VUV BATTERY BOX</p>	08MVZ	STD	
	08MWA	N/C 0/0	
	08MSD	\$229 0/+65	
<p>BODY BUILDER WIRING</p> <p>Rear of Frame; Includes One Sealed Connector for Separate Ground/Backup/ Left and Right Hand Turn, Left and Right Hand Tail/Stop/ Accessory Power and Combined for Left and Right Hand Stop/Turn</p> <p>Back of Day Cab at Left Frame or Under Crew Cab at Left Frame; Includes One Sealed Connector for Separate Ground/Backup/Left and Right Hand Turn, Left and Right Hand Tail/Stop/Accessory Power and Combined for Left and Right Hand Stop/Turn</p>	08HXU	\$230 0/+3	
	08HXV	\$100 +2/+2	
<p>CAMERA SYSTEM, REAR VIEW</p> <p>Includes Camera, Mounting, Wiring and Interface to the Monitor, for the Back-up Camera System</p>	08RNY	\$415 0/+2	
<p>CLEARANCE/MARKER LIGHTS</p> <p>(05) Amber LED Lights, Flush Mounted on Cab</p>	08XJV	STD	
<p>COMPACT DISC PLAYER</p> <p>with MP3</p>	08RNS	\$106 +2/0	
<p>DEFROSTER, REAR WINDOW</p> <p>Electric</p>	08AAB	\$175 0/0	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-7

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>CV515 SFA</i>	
FOG LIGHTS (02) Clear Lens, Halogen, Rectangular, with White Light Source REQS: Code 01LNZ, 01LRZ(std) or 01LSA BUMPER, FRONT	08XJG	\$185	+13/-2
HEADLIGHTS Halogen, Composite Aero Design, Black Trim Bezel, with Daytime Running Lights Halogen, Composite Aero Design, Chrome Trim Bezel, with Daytime Running Lights	08XJN	STD	
	08XJM	\$78	0/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY	STD	
	08541	\$29	+2/0
JUMP START STUD Remote Mounted REQS: Code 08VVB(std) BATTERY BOX	08WBW	\$168	+2/+1
POWER INVERTER 12 Volt DC to 110 Volt AC	08XJX	\$125	+2/0
RADIO AM/FM/USB Input/Auxiliary Input/SD Card Slot, with 4.2" Color Touch Panel Display REQS: Code 16KVR or 16KVS(std) SEAT, DRIVER REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Color Touch Panel Display REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM N/A: Code 16KVV SEAT, DRIVER AM/FM/Clock/Bluetooth, Seek/Scan, with 7" Color Touch Panel Display, Satellite Radio Compatible REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM N/A: Code 16KVV SEAT, DRIVER AM/FM/Bluetooth/USB Input/Auxiliary Input/SD Card Slot, with 8" Color Touch Panel Display, Voice Activated Technology, Satellite Radio Compatible REQS: Code 16KVU, 16KVV or 16KZL SEAT, DRIVER REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM AM/FM/Bluetooth/USB Input/Auxiliary Input/SD Card Slot, with 8" Color Touch Panel Display, Voice Activated Technology REQS: Code 16KVU, 16KVV or 16KZL SEAT, DRIVER REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM	08RNN	STD	
	08RNM	\$353	+1/0
	08RNV	\$373	+1/0
	08RNR	\$415	0/0
	08RNW	\$395	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-8

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
SPEAKERS (04) REQS: Code 16030(std) CAB (06)	08RNT	STD	
	08RNU	\$37 + 2/0	
SPECIAL WIRING HARNESS, BODY to Connect to Instrument Panel Electrical Center (ICEM) Connector X7, Provides Blunt Cuts for Standard Terminals 8, 11, 7, 17, 10, 19 Signals, Optional Terminals 1, 4, 14, 20 Signals	08TVV	\$60	
SPOT LIGHT Accommodation Package, for Left Side Mount to be Installed at TSC	08XNH	\$297	
STARTING MOTOR 12 Volt	08XJW	STD	
STOP, TURN, TAIL & B/U LIGHTS Multi-Function, Sealed, Incandescent Stop, Turn and Tail Lights, Backup Lights with Rear Reflex Reflector, Includes License Plate Light Omit Item, Does Not Omit Cable to End of Frame, DOES NOT INCLUDE LICENSE PLATE LIGHT Multi-Function, Sealed, LED Lights for Stop, Turn and Tail Lights, Incandescent Backup Lights, with Rear Reflex Reflector, Includes LED License Plate Light	08TUL	STD	
	08TKD	N/C 0/-3	
	08TUK	\$240 0/+1	
SWITCH, AUXILIARY 1 to 4 Latching Switches with 30-Amp Fuses	08XJP	STD	
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light	08WTT	\$66 0/0	
SWITCH, TOGGLE, ROOF WORKLIGHT Lighted; in Overhead Console and Wiring Effects for Customer Furnished Roof Mounted Light	08XKS	\$30 0/0	
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights	08NAA	\$74 0/+2	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-9

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>CV515 SFA</i>	
TOGGLE SWITCH, AUXILIARY (06) with 20-Amp Fuses, Maximum of 200 Amp. Load, Accessory Controlled, with Switches in Headliner	08XLS	\$826 0/+1	
TRAILER BRAKE CONTROL Integrated	08HBW	\$275 +11/+8	
TRAILER CONNECTION SOCKET Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps	08TRA	\$94 -4/+10	
FRONT END Tilting, Fiberglass, with Three Piece Construction	09WAY	STD	
BUG SCREEN Mounted Behind Grille	09WAC	STD	
FENDER EXTENSIONS Painted	09WBN	STD	
GRILLE Molded in Dark Gray REQS: Code 09WAC(std) BUG SCREEN Chrome, with Chrome Headlight Bezels REQS: Code 09WAC(std) BUG SCREEN	09HBZ	STD	
	09HCG	\$195 0/0	
LOGOS EXTERIOR Model Badges	09AAB	STD	
Model Badges, Shipped Loose, Located in Cab	09AAC	N/C 0/0	
Omit Model Badges	09AAD	N/C 0/0	
RADIATOR STONE GUARD Mounted to Front Bumper	09HCU	\$50 +5/-1	
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C 0/0	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-10

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>CV515 SFA</i>	
MUD FLAPS, FRONT WHEELS (02) Rubber, Mounted on Fender Extension	10WUE	\$76	+12/0
PAINT CLASS Premium Color	10769	\$395	0/0
Single Custom Color	10771	\$450	0/0
PAINT IDENTITY, PT-2 Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks	10636	\$600	0/0
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568	0/0
PAINT SCHEMATIC, PT-1 Single Color, Design 100 N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB	10060	STD	
Two Tone, Design 208. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB	10208	\$900	0/0
Two Tone, Design 209. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB	10209	\$1,050	0/0
Two Tone, Design 212. N/A: Code 35100, 35200, 35216 and 35248 PAINT, CAB	10212	\$900	0/0
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	
Base Coat/Clear Coat, 3-4 Tone	10762	N/C	0/0
SNOW PLOW PREP PACKAGE Includes Wiring for Roof Mounted Light	10WWS	\$50	+1/0
GVWR WEIGHT CLASSIFICATION Class 4 (14,001-16,000 lbs)	10XAV	N/C	0/0
Class 5 (16,001-19,500 lbs)	10XAW	\$1,134	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-11

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
GVWR WEIGHT CLASSIFICATION (CONTINUED)			
Class 6 (19,501-26,000 lbs)	10XAX	\$2,394	0/0
SPECIAL RATING, GVWR			
Limited to 15,000-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE	10WGH	N/C	0/0
Limited to 15,999-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10NLC	N/C	0/0
Limited to 16,000-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10WGY	N/C	0/0
Limited to 16,500-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10XAC	N/C	0/0
Limited to 17,000-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10WGV	N/C	0/0
Limited to 18,000-lb GVWR REQS: Code 02AJK or 02AJL AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10WJG	N/C	0/0
Limited to 19,500-lb GVWR REQS: Code 14TBL or 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10WGE	N/C	0/0
Limited to 21,000-lb GVWR REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10XAE	N/C	0/0
Limited to 21,500-lb GVWR REQS: Code 02AJK or 02AJL AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 14TDG SUSPENSION, REAR, AIR, SINGLE (SEE NEXT PAGE)	10XAG	N/C	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-12

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
SPECIAL RATING, GVWR <i>(SEE PREV PAGE)</i> -OR- SUSPENSION, REAR, SINGLE REQS: Code 14ACV, 14ACW, 14AJE, 14AWG or 14AWH(std) AXLE, REAR, SINGLE	10XAG		
TOOL KIT Rim Wrench and Handle Only	10506	\$69	+8/+5
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book <i>International</i> - 6.6 - EPA 2021, 350HP @ 2700 RPM, 700 lb-ft Torque @ 1600 RPM, 2900 RPM Governed Speed, 350 Peak HP (Max) INCLS: GLOW PLUG Automatic with Indicator Light : OIL FILTER, ENGINE Spin-On Type	12GAG	STD	
CARB EMISSION WARR COMPLIANCE for International 6.6 Engines Federal, Does Not Comply with CARB Emission Warranty N/A: Code 12WZD CARB IDLE COMPLIANCE NOTE: Pricing may change if axle configuration is changed.	12XCU	N/C	0/0
	12XCS	N/C	
CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood NOTE: Pricing may change if axle configuration is changed.	12WZB	\$97	0/0
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: Pricing may change if axle configuration is changed.	12WZJ	\$97	0/0
Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations AVAIL: Code 12XCU CARB EMISSION WARR COMPLIANCE NOTE: Pricing may change if axle configuration is changed.	12WZD	N/C	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-13

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
CARB IDLE COMPLIANCE (CONTINUED) Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZE	N/C	0/0
EMISSION, CALENDAR YEAR <i>International</i> - 6.6 - EPA, OBD and GHG Certified for Calendar Year 2022	12VJD	N/C	
RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 730 SqIn Louvered, with 578 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler	12XZD	STD	
FAN DRIVE Viscous Type, Screw On, Rear Tether, Electronically Controlled	12TTM	STD	
AIR CLEANER Single Element, with Water Separator	12VGC	STD	
BLOCK HEATER, ENGINE 120V/800W	12XBL	\$100	0/0
GOVERNOR Electronic Road Speed Type; with 50 MPH Default Electronic Road Speed Type; with 55 MPH Default Electronic Road Speed Type; with 60 MPH Default Electronic Road Speed Type; with 65 MPH Default Electronic Road Speed Type; with 70 MPH Default Electronic Road Speed Type; with 75 MPH Default Electronic Road Speed Type; with 79 MPH Default	12WUV 12WUP 12WUR 12WUS 12WUT 12WUU 12WUX	N/C N/C N/C N/C N/C N/C N/C	0/0 0/0 0/0 0/0 0/0 0/0 0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-14

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
REMOTE START Key Fob for Engine, Includes Theft Deterrent System REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM	12VEG	\$250	0/0
THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic Controlled, On/Off Switch Mounted on Dash, with Steering Wheel Button Control Engine Speed Control Less PTO; Electronic Controlled, with Steering Wheel Button Control	12WGG	\$250	0/0
	12WGJ	\$250	0/0
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 1700 HS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max AVAIL: Code 13XAN PTO LOCATION - 1700 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max N/A: Code 13WGB TRANSMISSION FEATURE EFFECTS - 1700 MH - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 22,000-lb GVW and 26,001-lb GCW Max - 1700 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 26,000-lb GCW Max, On/Off Highway - 1750 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 37,500-lb GCW Max N/A: Code 13WGB TRANSMISSION FEATURE EFFECTS	13AWX	STD	
	13AWZ	\$731	0/0
	13AWK	\$822	0/0
	13AWY	\$349	0/0
	13AXD	\$1,265	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-15

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Allison</i>			
- 1750 HS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 37,500-lb GCW Max AVAIL: Code 13XAN PTO LOCATION	13AXB	\$533	0/0
- 1750 MH - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 22,000-lb GVW and 37,500-lb GCW Max	13AWL	\$1,356	0/0
- 1750 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 19,500-lb GVW and 37,500-lb GCW Max, On/Off Highway	13AXC	\$882	0/0
- 2700 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway N/A: Code 13WGB TRANSMISSION FEATURE EFFECTS	13AXJ	\$2,305	0/0
- 2700 HS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway AVAIL: Code 13XAN PTO LOCATION	13AXG	\$1,573	0/0
- 2700 MH - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway	13AWM	\$3,592	0/0
- 2700 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 26,000 GCW Max, On/Off Highway	13AXH	\$1,922	0/0
- 2750 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway N/A: Code 13WGB TRANSMISSION FEATURE EFFECTS	13AXT	\$2,838	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-16

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison			
- 2750 HS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway AVAIL: Code 13XAN PTO LOCATION	13AXR	\$2,107	0/0
- 2750 MH - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway	13AXP	\$4,125	0/0
- 2750 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 23,500-lb GVW and 37,500-lb GCW Max, On/Off Highway	13AXS	\$2,455	0/0
NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	13WVV	STD	
PTO ACCOMMODATION PKG Includes Flex Section on Transmission Oil Cooler Lines to Enable PTO Lube Plumbing	13TLS	\$30	
PTO LOCATION Customer Does Not Intend to Install PTO	13XAN	N/C	0/0
Customer Intends to Install PTO at Left Side of Transmission REQS: Code 13AWK, 13AWL, 13AWM, 13AWY, 13AWZ, 13AXC, 13AXD, 13AXH, 13AXJ, 13AXP, 13AXS or 13AXT TRANSMISSION, AUTOMATIC	13XAL	N/C	0/0
Customer Intends to Install PTO at Right Side of Transmission REQS: Code 13AWK, 13AWL, 13AWM, 13AWY, 13AWZ, 13AXC, 13AXD, 13AXH, 13AXJ, 13AXP, 13AXS or 13AXT TRANSMISSION, AUTOMATIC	13XAK	N/C	0/0
Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission REQS: Code 13AWK, 13AWL, 13AWM, 13AWY, 13AWZ, 13AXC, 13AXD, 13AXH, 13AXJ, 13AXP, 13AXS or 13AXT TRANSMISSION, AUTOMATIC	13XAM	N/C	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-17

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
SHIFT CONTROL PARAMETERS <i>Allison</i> 1000 or 2000 Series Transmissions, Performance Programming	13WYY	N/C 0/0	
TRANSFER CASE <i>Meritor</i> - MTC-3203 - 2-Speed, Gear Drive, 3,000 lb-ft Torque Rating, Less PTO Provision, Electric Shift Control REQS: Code 01ANB AXLE CONFIGURATION NOTE: Transfer Case Includes 40W Synthetic Lube	13TLP	\$1,298 +147/+41	
TRANSMISSION FEATURE EFFECTS for Allison, Disable Engine Shutdown When in PTO Mode, for Utility Bucket Lift Applications REQS: Code 13AWK, 13AWL, 13AWM, 13AWX(std), 13AWY, 13AXB, 13AXC, 13AXG, 13AXH, 13AXP, 13AXR or 13AXS TRANSMISSION, AUTOMATIC	13WGB	N/C	
AXLE, REAR, SINGLE <i>Dana Spicer</i> - S14-110 - Single Reduction, 10,000-lb Capacity, 190 Wheel Ends RATIO: 4.10,4.30,4.56 or 4.88 REQS: Code 14SCG(std) SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14877 and 14897 DIFFERENTIAL, LOCKING Single Reduction, 11,000-lb Capacity, 190 Wheel Ends RATIO: 4.10,4.30,4.56 or 4.88 REQS: Code 14SCG(std) SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14877 and 14897 DIFFERENTIAL, LOCKING Single Reduction, 13,500-lb Capacity, 190 Wheel Ends RATIO: 4.10,4.30,4.56 or 4.88 AVAIL: Code 14897 DIFFERENTIAL, LOCKING - S140 - Single Reduction, 15,500-lb Capacity, 190 Wheel Ends RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 AVAIL: Code 10WGH SPECIAL RATING, GVWR : Code 14877 DIFFERENTIAL, LOCKING	14AWH	STD	
	14ACV	N/C 0/0	
	14ACW	\$126 0/0	
	14AWR	\$375 0/+133	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-18

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
SUSPENSION, REAR, SINGLE (CONTINUED) 15,500-lb Capacity, Vari-Rate Springs REQS: Code 14ACW, 14AJE, 14AWG or 14AWR AXLE, REAR, SINGLE N/A: Code 14TBL, 14TBM and 14TDG SUSPENSION, REAR, AIR, SINGLE : Code 14899 SUSPENSION AIR CONTROL VALVE	14SAE	\$16	0/+41
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 29.99 Pints	14WMN	\$92	0/0
DIFFERENTIAL, LOCKING Dana Spicer - Trac-Lok - Torque Proportioning Limited Slip REQS: Code 14ACW, 14AJE or 14AWG AXLE, REAR, SINGLE Detroit - Locker - No-Spin; for Dana Spicer (previously Eaton) Rear Axles REQS: Code 14AWR AXLE, REAR, SINGLE	14897	\$1,124	0/0
SHOCK ABSORBERS, REAR (02) N/A: Code 14TBL, 14TBM and 14TDG SUSPENSION, REAR, AIR, SINGLE	14WAP	\$171	0/+50
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab N/A: Code 14SAC, 14SAE and 14SCG(std) SUSPENSION, REAR, SINGLE	14899	\$163	
FUEL TANK Top Draw, Plastic, Rectangular, 17" Tank Depth, 40 US Gal (151L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Behind Rear Axle (02) Top Draw, Plastic, Rectangular, 40 US Gal (151L) Mounted Between Frame Rails and Behind Rear Axle; 25 US Gal (95L), Mounted Left Side Between Frame Rails and Forward of Rear Axle; Total Capacity 65 US Gal (246L) Includes Fuel Filler Assemblies and Auxiliary Draw Ports	15SZN	STD	
	15DSZ	\$859	+55/+29

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-20

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	CODE	CV515 SFA	
FUEL TANK (CONTINUED) Top Draw, Plastic, Rectangular, 17" Tank Depth, 25 US Gal (95L), Includes Auxiliary Draw Port and Fuel Filler Assembly, Mounted Between Frame Rails and Forward of Rear Axle	15SZP	N/C +38/-75	
DEF TANK 6.75 US Gal (26L) Capacity, Frame Mounted Outside Right Rail, Under Cab	15WDZ	STD	
CAB Conventional, Day Cab INCLS: STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door : CAB DOOR LOCKS Power Door Locks All Doors : STEP (2) One Per Door : READING LIGHT, CAB Located in Overhead Console : DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM N/A: Code 16XJR SEAT HEATER, FRONT : Code 16KZB, 16KZC and 16615 SEAT, REAR AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WAK WINDOW, POWER : Code 16XUC ACCESS, CAB Conventional 6-Man Crew Cab INCLS: STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door : CAB DOOR LOCKS Power Door Locks All Doors : STEP (4) One Step Per Door : READING LIGHT, CAB Located in Overhead Console : DOME LIGHT, CAB with OFF/DOOR/ON Settings; Located in Overhead Console REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 08RNU SPEAKERS REQS: Code 16LVU, 16LVV or 16REX SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER AVAIL: Code 16XCT WINDOW, POWER : Code 16XUD ACCESS, CAB	16030 16196	STD \$1,809 +240/+326	
ACCESS, CAB Bright Aluminum, Driver & Passenger Sides, One Step per Door, for use with Crew Cab REQS: Code 16196 CAB Bright Aluminum, Driver & Passenger Sides, One Step per Door, for use with Day Cab REQS: Code 16030(std) CAB	16XUD 16XUC	\$300 +69/+55 \$200 +31/+13	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
AIR BAG, FRONT, DRIVER SIDE	16XCP	STD	
AIR BAG, FRONT, PASSENGER SIDE	16XCR	N/C 0/0	
AIR BAG, SIDE, DRIVER Seat Mounted, Outboard Side-Impact Airbag	16XDE	STD	
AIR BAG, SIDE, PASSENGER Seat Mounted, Outboard Side-Impact Airbag	16XDG	N/C	
AIR BAG, SIDE CURTAIN Roof Mounted, for Front and Rear Outboard Seating Positions for Driver and Passenger Sides Omit, Driver and Passenger Sides	16XDH 16XDM	STD N/C 0/0	
AIR CONDITIONER with Heater, Single Zone	16XZA	STD	
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes Auxiliary Compressor in Secondary Position and Compressor Drive Effects for Vehicle with Primary Compressor Mounting N/A: Code 04SBX AIR COMPRESSOR	16136	\$836	
CAB INTERIOR TRIM Classic, for Day Cab INCLS: SUN VISOR (2) Vinyl REQS: Code 16030(std) CAB REQS: Code 16HCT(std) or 16HCU GAUGE CLUSTER REQS: Code 05CBG(std) STEERING WHEEL REQS: Code 16LVU, 16LVV or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16ACC MIRROR, INSIDE REAR VIEW : Code 12VEG REMOTE START : Code 16KVV SEAT, DRIVER : Code 08RNR and 08RNW RADIO AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WAK WINDOW, POWER Classic, for Crew Cab INCLS: SUN VISOR (2) Vinyl REQS: Code 16196 CAB REQS: Code 16HCT(std) or 16HCU GAUGE CLUSTER REQS: Code 05CBG(std) STEERING WHEEL REQS: Code 16LVU, 16LVV or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16ACC MIRROR, INSIDE REAR VIEW (SEE NEXT PAGE)	16VKB 16VKD	STD N/C	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-22

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
CAB INTERIOR TRIM <i>(SEE PREV PAGE)</i> N/A: Code 12VEG REMOTE START : Code 16KVV SEAT, DRIVER : Code 08RNR and 08RNW RADIO AVAIL: Code 16XCT WINDOW, POWER Diamond, for Crew Cab REQS: Code 16SPS, 16SPT or 16STB MIRRORS REQS: Code 16KVU, 16KVV or 16KZL SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16HLY or 16HLZ GAUGE CLUSTER REQS: Code 05CBH STEERING WHEEL REQS: Code 08RNR or 08RNW RADIO REQS: Code 16LVP SEAT, TWO-MAN PASSENGER -OR- Code 16LVV, 16REX or 16400 SEAT, PASSENGER N/A: Code 16ACB MIRROR, INSIDE REAR VIEW AVAIL: Code 16XCT WINDOW, POWER Diamond, for Day Cab REQS: Code 16SPS, 16SPT or 16STB MIRRORS REQS: Code 16KVU or 16KZL SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 16HLY or 16HLZ GAUGE CLUSTER REQS: Code 05CBH STEERING WHEEL REQS: Code 08RNR or 08RNW RADIO REQS: Code 16LVP SEAT, TWO-MAN PASSENGER -OR- Code 16LVV or 16400 SEAT, PASSENGER N/A: Code 16ACB MIRROR, INSIDE REAR VIEW AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WAK WINDOW, POWER	16VKD 16VKM 16VKK	\$749 \$548	
COLOR, INTERIOR Dark Ash Jet Black REQS: Code 16KVR, 16KVU or 16KVV SEAT, DRIVER	16CEM 16CEN	STD N/C 0/0	
CONSOLE, BETWEEN SEATS Floor Mounted, Reconfigurable with Movable Cup Holders, Cell Phone Storage, (1) 12 Volt, Cigar Type Receptacle, (2) USB Ports, and Hanging File Holder Capability REQS: Code 16KVV or 16KZL SEAT, DRIVER REQS: Code 16REX SEAT, PASSENGER N/A: Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER	16XCN	\$355	
DOOR HANDLE, EXTERIOR Bright Finish	16BAN	\$50 0/0	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
GAUGE CLUSTER			
English Speedometer, Includes English Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM NOTE: STANDARD IN USA : Pricing may change if axle configuration is changed.	16HCT	STD	
English Speedometer, Includes English Odometer; Includes 4.2" Color Display with Personalization, Warning Messages and Vehicle Information REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM	16HLY	\$488	0/0
Metric Speedometer, Includes Metric Odometer; Includes 4.2" Color Display with Personalization, Warning Messages and Vehicle Information REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM NOTE: 010003	16HLZ	\$488	0/0
Metric Speedometer, Includes Metric Odometer; Includes 3.5" Monochromatic Display with Personalization, Warning Messages and Vehicle Information REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM NOTE: 010003	16HCU	N/C	0/0
GLASS, ALL WINDOWS			
Solar Absorbing, Tint	16BBA	STD	
Deep Tinted, Rear Glass Only on Day Cab, Rear Doors and Rear Glass on Crew Cab	16BBB	\$100	0/0
HEATER HOSES			
Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78	0/0
HOSE CLAMPS, HEATER HOSE			
Breeze Belleville Washer Type	16WHJ	\$25	0/0
KEYLESS ENTRY SYSTEM REMOTE			
with Panic Alarm and Horn Beep Lock Confirmation, Includes Two Key Fob Transmitters	16XAL	\$175	
MIRROR, INSIDE REAR VIEW			
Omit	16ACA	STD	
with Automatic Dimming REQS: Code 16VKK or 16VKM CAB INTERIOR TRIM	16ACC	\$56	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-24

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	CV515 SFA	
MIRROR, INSIDE REAR VIEW (CONTINUED) with Manual Tilt REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM	16ACB	\$25	
MIRRORS (02) Manual Folding and Extending, Black Heads and Arms, for 96" Load Width REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM (02) Manual Folding, Black Heads and Arms, for 102" Load Width REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM N/A: Code 16WAK and 16XCT WINDOW, POWER (02) Manual Folding, Power Adjust, Heated, Black Heads and Arms, for 102" Load Width (02) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Black Heads and Arms, for 96" Load Width (02) Manual Folding and Extending, Power Adjust, Heated, Turn Signal Indicator Located in Mirror, Bright Heads and Arms, for 96" Load Width	16SPR 16SSX 16STB 16SPS 16SPT	STD \$189 +17/+4 \$389 +17/+5 \$380 +4/+1 \$458 +4/+1	
SEAT BELT All Orange; 1 to 3 AVAIL: Code 16615 SEAT, REAR All Orange; 4 to 6 REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16615 SEAT, REAR All Red; 1 to 3 AVAIL: Code 16615 SEAT, REAR All Red; 4 to 6 REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16615 SEAT, REAR	16VCC 16VCB 16VBZ 16VCA	\$26 \$50 \$26 0/0 \$50	
SEAT, DRIVER High Back with Integral Headrest, with Recline, Vinyl, Fixed Lumbar REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM REQS: Code 16CEM(std) COLOR, INTERIOR REQS: Code 16LVR(std) SEAT, TWO-MAN PASSENGER -OR- Code 16LVU or 16400 SEAT, PASSENGER N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16XJR SEAT HEATER, FRONT : Code 16KZB SEAT, REAR : Code 08RNR and 08RNW RADIO	16KVS	STD	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-25

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
<p>SEAT, DRIVER (CONTINUED)</p> <p>High Back with Integral Headrest, 10-Way Power Adjustable, Cloth, Manual Adjust Lumbar REQS: Code 08RNM, 08RNR, 08RNV or 08RNW RADIO REQS: Code 16LVP SEAT, TWO-MAN PASSENGER -OR- Code 16LVV or 16400 SEAT, PASSENGER N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16XJR SEAT HEATER, FRONT : Code 16KZC SEAT, REAR</p> <p>Non-Suspension, High Back with Adjustable Headrest, 10-Way Power Adjustable, Cloth, Power Lumbar REQS: Code 16VKM CAB INTERIOR TRIM REQS: Code 08RNR or 08RNW RADIO REQS: Code 16REX SEAT, PASSENGER N/A: Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER : Code 16XJR SEAT HEATER, FRONT</p> <p>High Back with Integral Headrest, with Recline, Cloth, Manual Adjust Lumbar REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM REQS: Code 16LVP SEAT, TWO-MAN PASSENGER -OR- Code 16LVV or 16400 SEAT, PASSENGER N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16XJR SEAT HEATER, FRONT : Code 16KZC SEAT, REAR : Code 08RNR and 08RNW RADIO</p> <p>High Back with Integral Headrest, 10-Way Power Adjustable, Vinyl, Manual Adjust Lumbar REQS: Code 08RNM, 08RNR, 08RNV or 08RNW RADIO REQS: Code 16CEM(std) COLOR, INTERIOR REQS: Code 16LVR(std) SEAT, TWO-MAN PASSENGER -OR- Code 16LVU or 16400 SEAT, PASSENGER N/A: Code 16XJR SEAT HEATER, FRONT</p>	<p>16KVU</p> <p>16KVV</p> <p>16KVR</p> <p>16KZL</p>	<p>\$234</p> <p>\$542</p> <p>\$22</p> <p>\$452</p>	
<p>SEAT HEATER, FRONT</p> <p>for Driver and Passenger Seats N/A: Code 16KVR, 16KVS(std), 16KVU, 16KVV and 16KZL SEAT, DRIVER</p>	<p>16XJR</p>	<p>\$168</p>	
<p>SEAT, TWO-MAN PASSENGER</p> <p>High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Vinyl, with Recline REQS: Code 16KVS(std) or 16KZL SEAT, DRIVER REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16LVU, 16LVV, 16REX and 16400 SEAT, PASSENGER</p>	<p>16LVR</p>	<p>STD</p>	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	CV515 SFA	
SEAT, TWO-MAN PASSENGER (CONTINUED) High Back with Integral Headrest in Outboard Position, Center Fold-Down Armrest with Storage, Cloth, with Recline REQS: Code 16KVR or 16KVU SEAT, DRIVER N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16LVU, 16LVV, 16REX and 16400 SEAT, PASSENGER	16LVP	\$100	
SEAT, PASSENGER Omit Item REQS: Code 16030(std) CAB N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER : Code 16KVV SEAT, DRIVER NOTE: Center Area of the Floor is Untrimmed High Back with Integral Headrest, Cloth, with Recline, without Center Section. Center Area of Floor Between Seats will be Untrimmed REQS: Code 16KVR or 16KVU SEAT, DRIVER N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER Non-Suspension, High Back with Adjustable Headrest, 6-Way Power Adjustable, Cloth, Power Lumbar REQS: Code 16KVV SEAT, DRIVER REQS: Code 16VKM CAB INTERIOR TRIM N/A: Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER High Back with Integral Headrest, Vinyl, with Recline, without Center Section. Center Area of Floor Between Seats will be Untrimmed REQS: Code 16KVS(std) or 16KZL SEAT, DRIVER REQS: Code 16VKB(std) or 16VKD CAB INTERIOR TRIM N/A: Code 16XCN CONSOLE, BETWEEN SEATS : Code 16LVP and 16LVR(std) SEAT, TWO-MAN PASSENGER	16400	N/C	
	16LVV	\$407	
	16REX	\$589	
	16LVU	\$307	
SEAT, REAR BENCH; Omit Item REQS: Code 16196 CAB AVAIL: Code 16VBZ and 16VCC SEAT BELT BENCH, Cloth REQS: Code 16KVR, 16KVU, 16KVV or 16KZL SEAT, DRIVER REQS: Code 16196 CAB AVAIL: Code 16VCA and 16VCB SEAT BELT BENCH, Vinyl REQS: Code 16196 CAB N/A: Code 16KVR and 16KVU SEAT, DRIVER AVAIL: Code 16VCA and 16VCB SEAT BELT	16615	N/C	
	16KZB	\$908	
	16KZC	\$795	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
SUN VISOR, INTERIOR with Illuminated Mirror for Driver and Passenger Sides	16XCS	\$25	
WINDOW, POWER (02) in Left and Right Doors REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16SSX MIRRORS (04) in Left and Right Doors, Front and Rear REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16SSX MIRRORS	16WAK 16XCT	\$247 \$496	
WHEELS, FRONT Accuride - 50180 - DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DTX or 26DUT WHEEL, SPARE, DISC N/A: Code 29PBZ COATING IDENTITY, FRONT WHEELS Alcoa - 76543 - DISC; 19.5x6.75 Rims, Mirror Polish Aluminum, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS	27DTX 27DVT	STD \$628 - 62/0	
WHEELS, REAR Accuride - 50180 - DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DTX or 26DVT WHEEL, SPARE, DISC N/A: Code 29PBY COATING IDENTITY, REAR WHEELS	28DTX	STD	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-28

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	CV515 SFA	
WHEELS, REAR (CONTINUED) Alcoa - 76543 - DUAL DISC; 19.5" Mirror Polish Aluminum Outer Wheel and Steel Inner Wheel, 8-Stud (275MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.75 Rims; with Steel Hubs N/A: Code 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS DUAL DISC; 19.5" Mirror Polish Aluminum Outer and Inner Wheel, 8-Stud (275MM BC) Hub Piloted, Flanged Nut, Metric Mount, 6.75 Rims; with Steel Hubs N/A: Code 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS			
	28DVT	\$628 0/-125	
	28DWW	\$1,255	
WHEEL, SPARE, DISC Accuride - 50180 - 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted REQS: Code 27DTX(std) or 27DVT WHEELS, FRONT or Code 28DTX or 28DVT WHEELS, REAR Alcoa - 76543 - 19.5x6.75 Rims, Mirror Polish Aluminum, 8-Stud, 275mm BC, Hub-Piloted, for Rear Application Only REQS: Code 28DVT or 28DWW WHEELS, REAR 19.5x6.75 Rims, Mirror Polish Aluminum, 8-Stud, 275mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DVT WHEELS, FRONT			
	26DTX	\$182 0/+59	
	26DUT	\$448 0/+28	
	26DVT	\$448 0/+28	
COATING IDENTITY, FRONT WHEELS Alcoa - Dura-Bright XBR/EVO - Disc Front Wheels, Aluminum, with Vendor Applied Treatment, Not for Wide Base REQS: Code 27DVT WHEELS, FRONT			
	29PBZ	N/C 0/0	
COATING IDENTITY, REAR WHEELS Alcoa - Dura-Bright XBR/EVO - Disc Rear Wheels, Aluminum, with Vendor Applied Treatment, Not for Super Single/Wide Base REQS: Code 28DVT or 28DWW WHEELS, REAR			
	29PBY	N/C 0/0	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
PAINT IDENTITY, FRONT WHEELS			
Disc Front Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 27DTX(std) WHEELS, FRONT	29PAW	\$24	0/0
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DTX(std) WHEELS, FRONT	29PBA	\$24	0/0
PAINT IDENTITY, REAR WHEELS			
Disc Rear Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 28DTX(std) WHEELS, REAR	29PAX	\$48	0/0
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DTX(std) WHEELS, REAR	29PBB	\$48	0/0
TIRE, SPARE			
Equal to Model Standard	29007	\$526	0/+62
TIRE VALVE CAP			
Flo-Thru Design	29ACD	\$24	0/0
Alligaro			
- V2B - Flo-Thru Design	29AAU	\$28	0/0
WHEEL BEARING, FRONT, LUBE			
EmGard			
- FE-75W-90 - Synthetic Oil REQS: Code 29SAE WHEEL SEALS, FRONT N/A: Code 02WLC AXLE, FRONT DRIVING, LUBE : Code 02EWA AXLE, FRONT DRIVING	29WLK	\$59	0/0
WHEEL SEALS, FRONT			
Chicago Rawhide			
- Nitrile - for Oil Lubricated Wheel Bearings	29SAE	\$31	0/0
PAINT, CAB			
Single Color for 2,3 or 4-Tone Special Schematics N/A: Code 10060(std), 10208, 10209 and 10212 PAINT SCHEMATIC, PT-1	35100	\$400	0/0

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-30

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
PAINT, CAB (CONTINUED)			
Two-Tone, with 1-2 Breaks on Cab. N/A: Code 10060(std), 10208, 10209 and 10212 PAINT SCHEMATIC, PT-1	35200	\$900	0/0
Two-Tone, with 3-4 Breaks on Cab N/A: Code 10060(std), 10208, 10209 and 10212 PAINT SCHEMATIC, PT-1	35216	\$1,000	0/0
Two-Tone, with 5 & Up Breaks on Cab N/A: Code 10060(std), 10208, 10209 and 10212 PAINT SCHEMATIC, PT-1	35248	\$1,050	0/0
PAINT HOOD, CONVENTIONAL CAB			
Two-Tone, with 1-2 Breaks on Hood.	35207	\$900	0/0
Two-Tone, with 3-4 Breaks on Hood.	35223	\$1,000	0/0
Two-Tone, with 5 & Up Breaks on Hood	35255	\$1,050	0/0
Solid Color for 2, 3, or 4-Tone Special Schematics	35107	\$400	0/0
WARRANTY			
Standard for CV515, Effective with Vehicles Built December 3, 2018 or Later, CTS-3000A	40131	STD	
SERVICES, TOWING			
Navistar			
Service Call to 12-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAN	\$600	
Service Call to 24-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAP	\$1,000	
Service Call to 36-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAR	\$1,400	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-31

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 48-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAS	\$1,900	
Service Call to 60-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAT	\$2,600	
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAU	\$300	
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40RAZ	\$140	
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBE	\$200	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAV	\$500	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40RBA	\$280	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBG	\$400	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-32

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
<p>SERVICES, TOWING (CONTINUED)</p> <p><i>Navistar</i></p> <p>Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p>	<p>40RAW</p> <p>40RBB</p> <p>40RBH</p> <p>40RAX</p> <p>40RBC</p> <p>40RBJ</p> <p>40RAY</p> <p>40RBD</p>	<p>\$700</p> <p>\$390</p> <p>\$550</p> <p>\$950</p> <p>\$460</p> <p>\$650</p> <p>\$1,300</p> <p>\$560</p>	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	CV515 SFA	
SERVICES, TOWING (CONTINUED) <i>Navistar</i> Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBK	\$800	
SRV CONTRACT, EXT ENGINE <i>Navistar</i> To 60-Month/100,000 Miles (160,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNG	\$3,974	
To 60-Month/125,000 Miles (200,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNH	\$4,468	
To 60-Month/150,000 Miles (240,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNJ	\$4,946	
To 72-Month/100,000 Miles (160,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNL	\$4,036	
To 72-Month/125,000 Miles (200,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNM	\$4,534	
To 72-Month/150,000 Miles (240,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNN	\$5,024	
To 72-Month/75,000 Miles (120,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNK	\$2,434	
To 84-Month/100,000 Miles (160,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNR	\$4,208	
To 84-Month/125,000 Miles (200,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNS	\$4,732	
To 84-Month/150,000 Miles (240,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNT	\$5,232	
To 84-Month/75,000 Miles (120,000 km), Engine and Chassis Coverage for International 6.6 Powered Unit	40PNP	\$2,538	

CV515 SFA

SECTION 073

PRICES EFFECTIVE 04/01/2022

PLM-282 REVISION NO. 204A

PAGE 073-34

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
SRV CONTRACT, EXT ENGINE (CONTINUED) Navistar To 60-Month/100,000 Miles (160,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 60-Month/125,000 Miles (200,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 60-Month/150,000 Miles (240,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 72-Month/100,000 Miles (160,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 72-Month/125,000 Miles (200,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 72-Month/150,000 Miles (240,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 72-Month/75,000 Miles (120,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 84-Month/100,000 Miles (160,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 84-Month/125,000 Miles (200,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 84-Month/150,000 Miles (240,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit To 84-Month/75,000 Miles (120,000 km), Engine and Powertrain Coverage for International 6.6 Powered Unit	40SYA 40SYB 40SYC 40SYE 40SYG 40SYH 40SYD 40SYK 40SYL 40SYM 40SYJ	\$1,966 \$2,210 \$2,518 \$2,190 \$2,460 \$2,792 \$1,326 \$2,294 \$2,574 \$2,912 \$1,384	
TIRES Continental Tire 225/70R19.5 LR-G HYBRID HS3 649 rev/mile 87 MPH All-Position	7779445433	STD	



CV515 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	CV515 SFA	
TIRES (CONTINUED)			
<i>Continental Tire</i>			
225/70R19.5 LR-G HYBRID HD3 647 rev/mile 87 MPH Drive-Position	7779445428	\$12	+4
225/70R19.5 LR-H HSR+ 645 rev/mile 87 MPH All-Position	7789445449	\$69	+3
225/70R19.5 LR-H HDR+ 643 rev/mile 87 MPH Drive-Position	7789445450	\$85	+3
<i>Goodyear</i>			
225/70R19.5 LR-G G647 RSS 640 rev/mile 87 MPH All-Position	7779440101	\$214	+2
225/70R19.5 LR-G FUEL MAX RTD 643 rev/mile 87 MPH Drive-Position	7779448137	\$178	+2
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			