



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>International</i></p> <p>N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, POSITION : Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 55" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXX FUEL TANK</p> <p>N/A: Code 04XDB BRAKES, REAR : Code 04AZE AIR BRAKE ABS : Code 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14WAT REBOUND CONTROL STOPS : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14WCL, 14WCP and 14WCW TORQUE RODS : Code 14WLM, 14WNH, 14WNI, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, POSITION : Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY or 14GWZ AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	14UNS		
	14UNT	\$2,533 0/+340	
	14UNU	\$2,384 0/+340	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>International</i></p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXN FUEL TANK</p> <p>N/A: Code 04XDB BRAKES, REAR : Code 04AZE AIR BRAKE ABS : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, POSITION : Code 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14WAT REBOUND CONTROL STOPS : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14WCL, 14WCP and 14WCW TORQUE RODS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p>	14UNU		
<p>SUSPENSION, REAR, AIR, TRIDEM</p> <p><i>Hendrickson</i></p> <p>- PAX-690-55 - 69,000-lb Capacity, 55" Axle Spacing, 12.5" Ride Height, with Shock Absorbers Mounted in Standard Location</p> <p>REQS: Code 01ANF AXLE CONFIGURATION REQS: Code 01CAW, 01CBU or 01CGE FRAME RAILS REQS: Code 08TST, 08TTR, 08VUJ, 08VUK, 08WEJ, 08WJN or 08XGJ BATTERY BOX</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXN FUEL TANK</p> <p>REQS: Code 14HRG AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: QUARTER FENDERS, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14UPP	\$26,020 0/+1884	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TRIDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PAX-690-55 - AVAIL: Code 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p>	14UPC		
<p>SUSPENSION, REAR, SINGLE</p> <p>23,500-lb Capacity, Vari-Rate Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14WAT REBOUND CONTROL STOPS : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 10JAD FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 04ERC BRAKE CHAMBERS, POSITION : Code 14WAP SHOCK ABSORBERS, REAR</p> <p>23,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBV AIR COMPRESSOR REQS: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXN FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14SAN	STD	
<p>23,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBV AIR COMPRESSOR REQS: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXN FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14SCE	\$1,713 0/+76	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-225

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM			
<i>Chalmers</i>			
- 854-40L -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZS	\$7,122 0/+550	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKN, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04XDG BRAKES, REAR			
: Code 04AZS and 04AZY AIR BRAKE ABS			
: Code 01CGE FRAME RAILS			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14WAT REBOUND CONTROL STOPS			
: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL, 14WCP and 14WCW TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 32WAA WHEELS, REAR			
: Code 10JAD FIFTH WHEEL, AIR SLIDE			
AVAIL: Code 04WDW BRAKE CHAMBERS, POSITION			
: Code 01WBC CROSSMEMBER, SUSPENSION			
: Code 14WBU SHOCK ABSORBERS, REAR			
- 854-40L-HS -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZR	\$7,122 0/+550	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04XDG BRAKES, REAR			
(SEE NEXT PAGE)			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-231

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, TANDEM <i>(SEE PREV PAGE)</i></p> <p><i>Link</i></p> <p>- AL-460 Airlink -</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15S XK or 15SXN FUEL TANK</p> <p>N/A: Code 16196 CAB or Code 04092 BRAKE SYSTEM, AIR or Code 01SAM CROSSMEMBER, REAR, AF or Code 01GTA REINFORCEMENT, PINTLE HOOK or Code 08THM, 08TKJ and 08TPR STOP, TURN, TAIL & B/U LIGHTS</p> <p>: Code 16AAH GAUGE, AIR PRESSURE</p> <p>: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE</p> <p>: Code 04XCP, 04XDB, 04XDG and 04XDJ BRAKES, REAR</p> <p>: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS</p> <p>: Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, POSITION</p> <p>: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p>: Code 14WAT REBOUND CONTROL STOPS</p> <p>: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS</p> <p>: Code 14803 BUSHINGS, EQUALIZER BEAM</p> <p>: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR</p> <p>: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p>: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM</p> <p>: Code 16HKE GAUGE, LOAD INDICATING REAR</p> <p>: Code 14WAS SUSPENSION LEVELING VALVE</p> <p>: SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WCL, 14WCP and 14WCW TORQUE RODS</p> <p>: Code 28DWD, 28DWE and 32WAA WHEELS, REAR</p> <p>: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>: Code 13607 TRANSMISSION, AUXILIARY</p> <p>: Code 10JAD FIFTH WHEEL, AIR SLIDE</p> <p>: Code 10WDA FIFTH WHEEL MOUNTING ANGLES</p> <p>: Code 01580 TOW LOOP, REAR</p> <p>AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION</p> <p>: Code 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	14VKL		

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-237

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (CONTINUED)			
<i>Hendrickson</i>			
- HMX EX 400 -			
Walking Beam, 40,000-lb Capacity, 52" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14UMW	\$4,320	0/+540
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 14WCR TRANSVERSE TORQUE RODS			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04XDB and 04XDG BRAKES, REAR			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL, 14WCP and 14WCW TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 28DWD, 28DWE and 32WAA WHEELS, REAR			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
: Code 10JAD FIFTH WHEEL, AIR SLIDE			
: Code 10WDA FIFTH WHEEL MOUNTING ANGLES			
AVAIL: Code 04WDW BRAKE CHAMBERS, POSITION			
: Code 14WBV SHOCK ABSORBERS, REAR			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14UMV	\$4,838	0/+555
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 14WCR TRANSVERSE TORQUE RODS			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04XDG BRAKES, REAR			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
(SEE NEXT PAGE)			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-238

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- RT-403 -</p> <p>AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS</p> <p>Walking Beam, 40,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings</p> <p>REQS: Code 01AND AXLE CONFIGURATION</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SXJ, 15SXX or 15SXN FUEL TANK</p> <p>N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04XDB and 04XDG BRAKES, REAR : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WAT REBOUND CONTROL STOPS : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL, 14WCP and 14WCW TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 28DWD, 28DWE and 32WAA WHEELS, REAR : Code 13607 TRANSMISSION, AUXILIARY : Code 10JAD FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 04WDW BRAKE CHAMBERS, POSITION : Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WNJ AXLE, PUSHER, LIFT TYPE</p>	<p>14UHD</p> <p>14UHE</p>	<p>\$4,343</p> <p>0/+1122</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-244

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (CONTINUED)			
<i>Hendrickson</i>			
- RT-463 -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings	14UHK	\$4,000 0/+1006	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW			
AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04XDG and 04XDJ BRAKES, REAR			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ			
SUSPENSION, REAR, SINGLE			
: Code 14WAT REBOUND CONTROL STOPS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WAP, 14WBU and 14WBV			
SHOCK ABSORBERS, REAR			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL			
SUSPENSION, REAR, AIR, SINGLE			
: Code 14UPC and 14UPP			
SUSPENSION, REAR, AIR, TRIDEM			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS			
SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL, 14WCP and 14WCW			
TORQUE RODS			
: Code 14899			
SUSPENSION AIR CONTROL VALVE			
: Code 32WAA			
WHEELS, REAR			
: Code 10JAD			
FIFTH WHEEL, AIR SLIDE			
AVAIL: Code 04WDW			
BRAKE CHAMBERS, POSITION			
: Code 01WBC			
CROSSMEMBER, SUSPENSION			
: Code 14WBS			
TRANSVERSE TORQUE RODS			
Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings	14UHL	\$4,897 0/+1201	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVU, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRW			
AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>International</i></p> <p>N/A: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL, 14WCP and 14WCW TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WLM, 14WNL, 14WVJ, 14WVW and 14WVM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WVK AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKG and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK and 10JPK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT : Code 10WDA FIFTH WHEEL MOUNTING ANGLES</p>	14UNA		
<p>AXLE, PUSHER, LIFT TYPE</p> <p>NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Watson & Chalin</i></p> <p>- AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04EVP, 04EVR or 04EXR BRAKE CHAMBERS, REAR AXLE or Code 04XCK(std), 04XDM, 04XDN, 04XDR or 04XDS BRAKES, REAR REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKG, 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM or 08XGJ BATTERY BOX REQS: Code 08XGJ BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER and Code 15DYJ or 15DYK FUEL TANK REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHK, 14UMV, 14UMX or 14UZB SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 34ABU, 34ACB, 34ACD, 34ACG, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WLM	\$11,378 +616/+711	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-248

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL-2065 Tru-Track - REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 08XGJ BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER and Code 15DYJ or 15DYK FUEL TANK REQS: Code 14UMX SUSPENSION, REAR, TANDEM, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL REQS: Code 14698 SUSPENSION, REAR, TANDEM or Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 34ABU, 34ACB, 34ACD or 34ACG WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAR or 14RBC AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08XGJ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHD, 14UHK, 14UHL, 14UMV, 14UMX, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPL or 14XAL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DWY, 15DYK, 15DYM, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK REQS: CT-124, Special Equipment Quotation Request Form</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WNM</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-250

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 15LLP LOCATION FUEL/WATER SEPARATOR REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAR, 14RAV or 14RBC AXLE, LIFT, CONTROLS REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE or 15SWG FUEL TANK REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK, 08WJN or 08XDZ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHD, 14UHK, 14UHL, 14UMV, 14UMX, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPL or 14XAL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK REQS: CT-124, Special Equipment Quotation Request Form N/A: Code 09505 and 10WTR QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 04VCL AIR TANK LOCATION or BATTERY BOX, when in combination with Code 16CAB or 16196 CAB : Code 04VCL AIR TANK LOCATION, when in combination with Code 01ANA or 01ANF AXLE CONFIGURATION : Code 01CAG FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : AXLE SPACING, FIRST PUSHER : Code 14UAA and 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 14UHC or 14UMW SUSPENSION, REAR, TANDEM : Code 14UAJ, 14UAK, 14UAL and 14UBL AXLE SPACING, SECOND PUSHER : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BMB EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 14WNK AXLE, TAG, LIFT TYPE</p>	14WNH		

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-254

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
AXLE, PUSHER, LIFT TYPE, ID Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant REQS: Code 14RBC or 14RBD AXLE, LIFT, CONTROLS N/A: Code 01CAG FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14WLT	N/C	0/0
AXLE SPACING, FIRST PUSHER 100" Ahead of Drive Axle AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE 43" Ahead of Drive Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE 45" Ahead of Drive Axle N/A: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE 49" Ahead of Drive Axle N/A: Code 14WNL AXLE, PUSHER, LIFT TYPE 54" Ahead of Drive Axle N/A: Code 14WNL AXLE, PUSHER, LIFT TYPE 55" Ahead of Drive Axle N/A: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAH	N/C	0/0
	14UAE	N/C	0/0
	14UAA	N/C	0/0
	14UAB	N/C	0/0
	14UAC	N/C	0/0
	14UAD	N/C	0/0
AXLE SPACING, SECOND PUSHER 42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE 46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 55" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAJ	N/C	0/0
	14UAK	N/C	0/0
	14UAL	N/C	0/0
	14UBL	N/C	0/0
AXLE SPACING, THIRD PUSHER 42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, TAG, LIFT TYPE (SEE PREV PAGE)</p> <p>NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite -</p> <p>REQS: Code 04JBW BRAKES, AIR CAM, TAG AXLE</p> <p>REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14UMX SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 14XAE, 14XAG or 14XAH TAG LIFT AXLE TIRE SLR</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAR, 14RAV or 14RBD AXLE, LIFT, CONTROLS</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14UMV, 14UMX, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: CT-124, Special Equipment Quotation Request Form</p> <p>N/A: Code 04JNJ, 04JNL and 04JNM SLACK ADJUSTER, PUSHER AXLE</p> <p style="padding-left: 20px;">: Code 01CAG and 01CGE FRAME RAILS</p> <p style="padding-left: 20px;">: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p style="padding-left: 20px;">: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p style="padding-left: 20px;">: WHEELS, LIFT AXLE PUSHER</p> <p style="padding-left: 20px;">: Code 14UAZ, 14UBA and 14UBB AXLE SPACING, TAG</p> <p style="padding-left: 20px;">: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	14WNK		
<p>AXLE SPACING, TAG</p> <p>55" Behind Rear Drive Axle</p> <p>AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>61" Behind Rear Drive Axle</p> <p>67" Behind Rear Drive Axle</p>	14UAZ 14UBA 14UBB	N/C N/C N/C	0/0 0/0 0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE, LIFT, CONTROLS			
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16CAB CAB : Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 60AAP BDY INTG, REMOTE POWER MODULE	14RAA	\$1,088 +5/0	
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator Switch, Lift/Lower Switch, Inside Cab on Dash REQS: Code 16030(std) CAB N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE	14RBC	\$1,088 0/0	
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, TAG, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAD	\$1,365 +10/0	
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator Switch, Lift/Lower Switch, Inside Cab on Dash REQS: Code 16030(std) CAB N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, TAG, LIFT TYPE	14RBD	\$1,365 0/0	
for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 16196 CAB : Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAR	\$1,088 0/0	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 04/01/2022

PLH-284 REVISION NO. 204A

PAGE 415-258

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE, LIFT, CONTROLS (CONTINUED)			
<p>for Three Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB REQS: Code 13GHL, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p>	14RAW	\$1,673 +3/+4	
<p>for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 13GHL, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16196 CAB : Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p>	14RAV	\$1,365 +2/+3	
<p>for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16ACE VIRTUAL GAUGE, LIFT AXLE PRESS : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE</p>	14RAB	\$1,088 +1/+5	
<p>for Three Lift Axles; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB</p>	14RAM	\$1,673 +3/+15	
<i>(SEE NEXT PAGE)</i>			

