

VACTOR[®]

Subsidiary of Federal Signal Corporation



TRAILER SERIES JETTERS



VACTOR® RAMJET® TRAILER AND SKID MOUNTED SERIES


The Vactor Ramjet jetter series are the perfect machines for fast, safe response to sewer blockages as well as regular preventative line maintenance. The line of reliable, high-pressure water jetters are specially designed for cleaning municipal sewer, drain and pipe lines and culverts. Vactor offers a full line of trailer and skid-mounted jetters available with a variety of engine and pump configurations, water tanks up to 1000 gallons, and a wide range of optional equipment. The Ramjet units are designed to provide high pressure at low water volume and are ideal for cost effective maintenance and emergency response in tight, confined environments.

Each unit is backed with application expertise, service, parts and training from Vactor's expansive North American dealership.


KEY FEATURES

Available Water Systems

18 GPM	at 4,000 PSI
30 GPM	at 3,000 PSI
40 GPM	at 2,000 PSI
40 GPM	at 3,000 PSI



- Safety Beacon
- Control Panel (Jetter Management System with Wireless Remote – Optional)
- Water Valve
- Hydraulic Control Pay In/Out
- Hydraulic Speed Control (Optional)
- Hydraulic Pull Out Reel (Optional)
- Pivoting Hose Reel



- Self-Contained Anti-Freeze System
- Engine Compartment
 - HATZ
 - KUBOTA
- Paint Before Assembly
- Safety Chain
- Electric or Hydraulic Brakes
- 6000 lb Torsional Axle (Each)
- Aluminum Wheels

18 GPM at 4,000 PSI Model #4018


300 Gallon single axle trailer
600 gallon tandem axle trailer
Hatz 49 HP 3 Cylinder engine
Optional Hatz 74 HP 4 cylinder Tier 4 engine
3 Cylinder run-dry belt driven water pump*
Water recirculation, anti-freeze, and pulsation system
800' x 1/2" cap rotating hose reel

Model #3030

30 GPM @ 3,000 PSI Basic Features

375 Gallon single axle trailer
750 gallon tandem axle trailer
Hatz 74 HP 4 cylinder Tier 4 engine
3 Cylinder ceramic plunger run-dry belt driven water pump
Water recirculation, anti-freeze, and pulsation system
600' x 3/4" cap rotating hose reel

WATER SYSTEMS



Model #2040


40 GPM @ 2,000 PSI Basic Features

375 Gallon single axle trailer
750 gallon tandem axle trailer
Hatz 74 HP 4 cylinder Tier 4 engine
3 Cylinder ceramic plunger run-dry belt driven water pump
Water recirculation, anti-freeze, and pulsation system.
600' x 3/4" cap rotating hose reel

40 GPM @ 3,000 PSI Basic Features

Model #3040

375 Gallon single axle trailer
750 gallon tandem axle trailer
Kubota 99 HP 4 cylinder engine
3 Cylinder direct gear box driven water pump
Water recirculation, anti-freeze, and pulsation system
600' x 3/4" cap rotating hose reel



Optional Equipment

- Engine shroud silent pak
- Electronic throttle control
- JMS remote control system
- Power telescoping hose reel
- Dual hose reel
- Washdown system
- Tool storage

* Run-dry plunger pumps provide the ability of running dry of water without sustaining pump damage. It is not intended to run for long periods of time and/or at high RPM levels without water.

YOUR PARTNER
IN THE
PLANNING

YOUR PARTNER
IN THE
STREETS

YOUR PARTNER
INTO THE
FUTURE

Instead of one-size-fits-all solutions, we'll work with you to configure your Vactor to meet your specific needs.



We're here to help you maintain your Vactor and train your operators to ensure the job is done right.



Our dealers don't just sell you a Vactor; they're here to answer your questions and get you back on the job as quickly as possible.



Warranty

Vactor Ramjet series is warranted against defect in material or workmanship for a period of 12 months. Optional extended warranty packages are available. Consult your Vactor dealer for complete warranty information.

Vactor Manufacturing, Inc. • 1621 South Illinois Street • Streator, IL 61364 U.S.A.

(815) 672-3171 Phone • (815) 672-2779 Fax

