
**Model Number - V VJ750 Gal. Trailer, 40 gpm @ 2000 psi Giant pump, 74 HP Kubota Diesel
Tier 4**

Standard Equipment Includes:

750 Gal. water tank on single axle
Heavy duty 2" x 4" tubular steel welded trailer
Rotating hose reel w/500' sewer hose & Leader hose 10'
Reel - Hydraulic feed & retract w/manual rotate , HD sewer hose guide
Free reel spin for manual sewer hose retrieval
Weather proof electric control panel, Engine emergency stop
Manually operated clutch for water pump engagement
Heavy duty pressure unloader & Adjustable water flow rate valve
In-line filter before water pump
Cold weather re-circulation & air purge system for winterization
Water tank fill level sight gauge
Fill pipe, hose rack and 25' fire hydrant hose
16 Gal. Fuel tank, 2-5/16" Ball hitch, 7,000# GVWR axle x 2
7 pin connector, LED trailer lights
Electric brakes with safety break away switch
(1) Strobe, (1) LED work light, Auxiliary 12 volt plug in
Tiger tail hose protector w/cleat tie off
(1) cleaning nozzle & (1) penetrator nozzle
(1) Finned nozzle extension
Giant water Pump
Kubota Diesel Engine



VAC·CON

FAMILY OF JETTER TRAILERS AND TRUCKS



www.vac-con.com

Vac•Con - a name you have trusted for decades for your sewer and storm cleaning equipment - brings you a comprehensive line of Jetter trailers and trucks to expand your fleet. The all-new VJ Series of Jetters offers operators a simple-to-use setup in a low-profile, powerful, and portable configuration, whether you go for the trailer-mounted units, truck units, or the enclosed jetter truck.

VJ SERIES

VAC•CON JETTERS

TRAILER-MOUNTED



VJ375

The VJ375 is the smallest configuration available on a single-axle trailer. A 375-gallon water capacity allows this unit to be effective yet portable.

TRAILER-MOUNTED



VJ750

The VJ750 is configured on a tandem-axle trailer. A 750-gallon water capacity makes this unit ideal for contractor or municipal jetting jobs.

TRUCK-MOUNTED



VJT1500

The VJT1500 is an enclosed truck-mounted unit that boasts a 1,500-gallon water capacity. Cold or hot, rain or shine, the VJT1500 is an operator's go-to for pipeline cleaning.

Standard Features

- VJ375 - Single 375-gallon water tank on single axle
- VJ750 - Dual 375-gallon water tanks on tandem axle
- Tier 4 diesel engine
- Heavy-duty 2" x 4" tubular steel frame
- Rotating hose reel with 800-ft. capacity (500-ft. included as standard) (1/2" or 3/4")
- Hydraulically-driven hose reel
- Reel-mounted, weather-proof electronic control panel
- Cold weather recirculation and air purge system
- Triplex plunger water pump
- Variable flow water control valve
- Multiple water pump pressure and flow configurations available

GPM & PSI

- 18 GPM @ 4,000 PSI
- 25 GPM @ 4,000 PSI
- 30 GPM @ 3,000 PSI
- 40 GPM @ 2,000 PSI

Optional Features

- Gas engine options available
- Dual hose reels available on truck-mounted configured VJT750
- Wireless remote
- Anti-freeze tank system for cold weather use
- Multiple lighting options available



Standard Features

- 1,500-gallon water capacity - black polypropylene material that is UV stabilized, baffled, and repairable
- Hose reel rotates 190-degrees (95-degrees to curb and 95-degrees to driver's side)
- Eco-friendly operating system
- Operator station at hose reel and another at midship
- Control panel is adjustable for height improving ease of use and operator safety
- Winter recirculation at idle or highway speeds

GPM & PSI

- 30 to 80 GPM @ 2,000 to 3,000 PSI

Optional Features

- Fully-enclosed, heated and insulated housing
- Retractable canopy
- Boiler



Customer Support & Service

Vac-Con is dedicated to providing the best in customer experience and machine maintenance. Our network of factory-trained dealers are available to provide you with local support, maintenance and parts needs.

For basic machine training, visit our online training portal at www.training.vac-con.com and contact your dealer for registration information.

Onsite training and parts ordering are available and can be coordinated with your dealership. For questions regarding customer support, service, and parts, contact us at:

904.284.4200 or vns@vac-con.com

**Find Your Local Dealer at
www.vac-con.com/dealer-search/**

