

GranTurk

equipment co., inc.

home office:
one schuylkill parkway
building b
bridgeport, pa 19405-1069
phone (610) 239-9800
fax (610) 239-9806

branch office:
1415 bush street
baltimore, md 21230
phone (410) 837-5570
fax (410) 837-1024

July 8, 2022

All Products are 6% off MSRP Per VSA Heavy Equipment Bid 23-04-0713

DESCRIPTION #382

LABRIE MINIMAX MANUAL 14 YD (10+4)FACTORY MOUNT

Body Capacity

Hardox 450 body floor

Onboard diagnostic tool with LCD display

Full eject body

Nitrided packer cylinder with shaver

Multi-cycle for packing ram (2 to 3 strokes)

Circuit breakers with manual reset

Zinc-plated hydraulic tubing

ANSI Z245.1-2012 compliant

Body blasted with steel grit

Marine rust inhibitor treatment on body

Warranty on Body & Hydraulics: 1 Year

RH-side outside controls

Body control valve: electric-over-hydraulic

Hot-Shift PTO with pump mounted on crossmember

Prep, Delivery

Delivery After Receipt of Chassis


FREIGHT: To Be Determined at Time of Order

STEEL (Material) SURCHARGE: May Change at Time of Order

OPTIONS: Available at 6% off MSRP

CONTACT: Marc Browning to discuss options that may be required for your local government
Agency. Cell # 434-390-1899

ANNE C. RITCHIE - PRESIDENT



SALES

SERVICE

Standard Limited Product Warranty

Subject to the other provisions hereof, LABRIE ENVIRONMENTAL GROUP, hereinafter called "Labrie" warrants that all new Labrie products (the "Product") shall be free of defects in material and workmanship under normal use and service for a period of **ONE (1) YEAR** after delivery to the first registered customer/end-user.

WITHOUT LIMITATION TO THE OTHER PROVISIONS HEREOF, THIS PRODUCT WARRANTY DOES NOT COVER:

- Any and all components or parts of the Product, including without limitation the vehicle chassis, which are not manufactured and installed by Labrie, whether or not they are covered by an original manufacturer's or supplier's warranty.
- Paint damage due to paint chips, scratches, rust, deterioration of paint due to elements.
- Damages resulting from abuse, misuse of the Product or from negligence or accidents.
- Damages resulting from use of the Product other than for its intended purpose or in a manner other than its intended normal use and service.
- Damages caused by improper maintenance of the Product including, without limitation, failure to comply with the maintenance requirements set forth in the Product's Parts and Maintenance Manual.
- Damages caused by the operation of the Product with parts or components known by the customer/end-user to be defective or in need of maintenance.
- Parts, components, or systems which have been modified without the express authorization of Labrie or of an authorized Labrie distributor.
- Repairs which are not completed or otherwise expressly authorized by Labrie or an authorized Labrie distributor.
- Repairs or modifications which have been authorized by Labrie or an authorized Labrie distributor that are performed by personnel which is not qualified to perform such repairs or modifications.
- Normal wear item parts including, without limitation, oils, fluids, filters, tracks, rollers, wear shoes, tailgate seals, chains, divider panels, rubber bumpers, incandescent bulbs, grabber fingers & straps, hyd. strainer, gauges, hoses due to abrasion, packer scraper, spill shields, wind deflectors, plastic dividers, deflectors, common hardware, limit switches & actuators, arm or control linkages and heim joints, pneumatic actuators, tipper cart attachment, driveshaft u-joints, remote grease lines, and normal wear of the steel structure.

627 Bay Shore Drive, Suite 500, Oshkosh, WI 54901 | Tel.: 1-800-231-2771 | Fax: (706) 591-8766 | www.labriegrup.com

Standard Limited Product Warranty

- All adjustments and maintenance resulting from normal use and service of the products, products including, but not limited to, cleaners/lubricants, Diesel/CNG fuel, tightening of fasteners & hydraulic fittings, additional labor due to rust/corrosion from lack of maintenance, environmental cleanup, container handling equipment.
- Repair items including but not limited to, travel time, mileage or other expenses, labor for field inspection, towing, down time, rental equipment, steam cleaning, sealants, paint for replacement parts, duplicate or temporary repairs, shop supplies, road testing, loss of profits, lease or loan, diagnostic time exceeding one hour, flushing of hydraulic system, any other consequential losses, damages or delays encountered.

For the purposes of this warranty, normal use and service means the operation of the new Product for fifty (50) hours per week for its intended purpose and in compliance with the operation and maintenance instructions which are provided by Labrie in the Product's operation and maintenance manuals. It is the customer/end-user's responsibility to make sure that all operators are familiar and comply with the operation manual and the warning decals on the Product.

In the event a part or component of the Product fails or becomes defective during the warranty period and, in the opinion of Labrie, such failure or defect results from Labrie's material or workmanship, the part or component shall be repaired or replaced by Labrie or an authorized distributor at no cost provided that the unit is brought to an authorized distributor's service facility. However, the aforementioned repair or replacement of parts or components may be performed by the customer/end-user as provided herein if specifically authorized by Labrie or an authorized Labrie distributor.

Because the Product is engineered to work only with genuine Labrie parts and components, this warranty shall be void and of no effect if i) the Product is modified other than by Labrie or by an authorized Labrie distributor or other than in accordance with a specific authorization and instructions from Labrie or from an authorized Labrie distributor or ii) if parts and components of any other manufacturer are used as substitutes for genuine Labrie parts and components.

LABRIE MAKES NO WARRANTY AS TO MERCHANTABILITY, FITNESS FOR USE, LEGALITY OF OPERATION IN ANY JURISDICTION OR ANY IMPLIED WARRANTY OF ANY KIND OR NATURE. LABRIE SHALL NOT BE LIABLE FOR ANY SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND OR NATURE. NO OTHER PERSON, FIRM, CORPORATION, INCLUDING THE LABRIE DISTRIBUTOR, CAN BIND LABRIE TO ANY WARRANTY OTHER THAN THIS WARRANTY OR OTHERWISE MODIFY SAID WARRANTY.

Labrie reserves the right to redesign and/or discontinue the manufacture of parts, components, and Products.

Certificate

Certificate No.: 30102-1-03

First delivery date: April 30, 1999
Expiry date: April 23, 2012

The Bureau de normalisation du Québec (BNQ) certifies that the quality management system implemented by:

GROUPES ENVIRONNEMENTAL LABRIE INC.

covering the following activities:

Design, manufacture and distribution of solid waste equipments including parts sale

carried out at the address:


175, route Du Pont, Lévis (Québec) G7A 2T3


has been assessed and found to comply with: the requirements of:

ISO 9001:2000

This certificate is issued in accordance with BNQ procedures.
Its validity may be verified at the address www.bnq.qc.ca/certificates.

In testimony whereof, have signed in Québec, on April 27, 2009,



Assistant Director
Bureau de normalisation du Québec


Program Manager
Bureau de normalisation du Québec

The BNQ program related to this management system certification is accredited by the Standards Council of Canada. Further clarifications regarding the scope of this certificate and the applicability of ISO 9001:2000 requirements may be obtained by consulting the organization.
This certificate remains the property of the BNQ and could be withdrawn from the company in accordance with BNQ procedures.



BNQ is a member of the
International Standards Organization



DRIVE EXCELLENCE

LABRIE GROUP TRUCKS

Pushing the boundaries of innovation. Providing greener, safer, smarter and more efficient ways of waste management and collection.



LABRIE SIDE LOADERS



AUTOMIZER RIGHT-HAND

- 15 yd³ to 37yd³ body sizes available
- 50/50, 40/60 or 60/40 split body dual collection
- Up to 850 lbs/yd³ compaction
- Arm with 12' reach and 1000 lb lifting capacity



**PRODUCTIVITY REQUIRES
A STRONG ARM WITH
A LONG REACH**



AUTOMIZER HELPING-HAND™

- 20 yd³ to 37yd³ body sizes available
- Up to 850 lbs/yd³ compaction
- Helping Hand™ Arm with 10' reach and 400 lb lifting capacity



**PRODUCTIVITY &
RELIABILITY
IN A SINGLE PACKAGE**



EXPERT HELPING-HAND™

- 15 yd³ to 37yd³ body sizes available
- 50/50, 40/60 or 60/40 split body dual collection
- Manual, semi-automated and fully automated configurations available



**FLEXIBILITY,
BECAUSE EVERY ROUTE
IS DIFFERENT**



MINIMAX HELPING-HAND™

- 10 yd³ to 14 yd³ body sizes available
- Up to 900 lbs/yd³ compaction
- Manual, semi-automated and fully automated configurations available



**IT PAYS TO HAVE A SMALL
TRUCK WORKING AS HARD
AS A FULL SIZE TRUCK**



ALLEYGATOR

- 20 yd³ to 30 yd³ body sizes available
- Leak free hopper. Body ideal for wet organics
- Pendulum packing system without rails, blade and clean-out doors



**THE IDEAL CHOICE FOR
ORGANICS COLLECTION**



TOP SELECT™

- 30 yd³ to 48 yd³ body sizes available
- 1000 lb bucket lift capacity
- Up to 7 quick and easy adjustable compartments for pick up of different streams



**VERSATILE CURBSIDE
RECYCLING PIONEERED
BY LABRIE**

WITTKE™ FRONT LOADERS



STARLIGHT, SUPERDUTY

- 32 yd³ to 44 yd³ body sizes available
- 10,000 lb load rated arms
- 14 sec. complete lift cycle @ 1500 RPM
- Multiplex system with Onboard diagnostics



**ANYTHING IS POSSIBLE
WITH A WITTKE™**

LEACH REAR LOADERS



2R-II

- 25 yd³ to 31 yd³ body sizes available
- Up to 1000 lbs/yd³ compaction
- Largest hopper sweep in the industry with 5.5" packer/carrier cylinders



**BUILT TO HANDLE THE
TOUGHEST COMMERCIAL
& DEMOLITION ROUTES**



2R-III

- 20 yd³ to 32 yd³ body sizes available
- Up to 1000 lbs/yd³ compaction.
- Single piece body walls for increased strength packer/carrier cylinders



**THE STRONG.
THE PROUD.**



ALPHA-III

- 14 yd³ to 32 yd³ body sizes available
- Up to 900 lbs/yd³ compaction.
- Largest hopper sweep in the industry
- 22 second packing cycle



**IT WILL NEVER
LET YOU DOWN**



SPLIT REAR LOADER

- 25 yd³ to 32 yd³ body sizes available
- 50/50, 40/60 or 60/40 split body configurations
- Flat floor design. Single piece body walls
- Fully independent tailgates and ejector panels



**LEACH ENGINEERED
DUAL-STREAM
COLLECTION**



MINI REAR LOADER

- 8 yd³ to 17 yd³ body sizes available
- 8 yd³ and 10 yd³ bodies can be mounted on non-CDL chassis
- Up to 800 lbs/yd³ compaction



**COMPACT,
LIGHTWEIGHT,
HIGHLY MANEUVERABLE**

CONTACT US



Corporate Offices
175-B, route Marie-Victorin,
Levis, Quebec, Canada, G7A 2T3

Toll Free: 800 463-6638 • Phone: 418 831-8250
Fax: 418 831-5255
info@labriegrup.com • www.labriegrup.com



Parts & Service USA
1198 Shattuck Industrial Boulevard
LaFayette, GA 30728

Phone: 1-706-628-2467
www.labrieparts.com