

<b>PACKAGE ARRANGEMENT (1)</b>		
<b>Product</b>	<b>Approx. Weight</b>	<b>List Price</b>
DL250-7-US10	13,732.00 KG	181,700.42 USD
DL250-7-US10 Base Machine With Standard Front Differentials - Limited Slip Differential Front / Rear Without Bucket Steel Cab with Integrated ROPS/FOPS Tires: 20.5R25,L3, Triangle Air Suspension Seat Thumb Wheel Joystick Transmission: 4F / 3R Torque Converter Rear View Camera Additional Counterweigh Radio		

<b>OPTIONAL EQUIPMENT - Factory Installed (18)</b>			
<b>Option</b>	<b>CODE</b>	<b>Description</b>	<b>List Price</b>
ADDITIONAL COUNTERWEIGHT	300	661 LBS (0.3 TON) ADDITIONAL COUNTERWEIGHT (RECOMMENDED WITH QUICK COU	2,575.36 USD
Water Separator	WIH	WATER SEPARATOR WITH HEATER	204.80 USD
ENGINE COOLANT HEATER	110	110V PLUG HEATER	601.60 USD
EMERGENCY STEER	ESS	EMERGENCY STEER	2,117.12 USD
LOAD ISOLATION SYSTEM	LIH	LOAD ISOLATION SYSTEM	2,862.08 USD
Additional Brake Pedal	ABP	ADDITIONAL BRAKE PEDAL	102.40 USD
AIR COMPRESSOR	ACO	AIR COMPRESSOR	2,713.60 USD
MIRROR	ADE	ADJUSTABLE MIRROR, ELECTRIC	1,459.20 USD
NOISE KIT	NOF	NOISE KIT WITH FRONT	1,152.00 USD
Weighing System	WEI	DOOSAN INTEGRATED WEIGHING SYSTEM	1,344.00 USD
TIRE	BRG	20.5R25 BRIGESTONE VJT L3	5,004.80 USD
HEAD LAMP	4L4	LED HEAD LAMP; 4+4	925.00 USD
HEAD LAMP	6L6	LED HEAD LAMP; 6+6	1,497.50 USD
ROOF COVER	RFC	ROOF COVER	1,024.00 USD
ROTATING BEACON	ROB	ROTATING BEACON	230.40 USD

CAMERA	AVC	AROUND VIEW CAMERA W/BACKUP SENSOR	2,565.00 USD
TRANSPARENT VIEW	TPB	TRANSPARENT BUCKET	3,005.44 USD
FENDER	FUL	REAR FULL FNDR W/FNT FNDR, FNT FNDR HAS MUD GUARD AND RUBBER PROTECTOR	2,391.04 USD

## Attachments - Dealer Installed (31)

Attachment	Description	Approx. Weight	List Price
109640-10-DL-A	L3180 LOADRITE SCALE	10.00	10,968.32 USD
109640-11-DL-A	L3180 LOADRITE SCALE AND LP950 PRINTER	12.00	12,730.72 USD
118031-10-DL-A	LP950 LOADRITE PRINTER	2.00	2,262.55 USD
7243007	12' SNOW PUSHER; BKT MOUNT	2,200.00	5,304.00 USD
7243008	14' SNOW PUSHER; BKT MOUNT	2,400.00	5,610.00 USD
7252313	PALLET FORKS - JRB QC; 60 IN. CARRIAGE WIDTH; 48 IN. TINE LENGTH	1,322.00	7,765.03 USD
7252314	PALLET FORKS - JRB QC; 60 IN. CARRIAGE WIDTH; 60 IN. TINE LENGTH	1,424.00	8,575.82 USD
7252319	PALLET FORKS - JRB QC; 96 IN. CARRIAGE WIDTH; 60 IN. TINE LENGTH	1,648.00	9,301.10 USD
7252320	PALLET FORKS - JRB QC; 96 IN. CARRIAGE WIDTH; 72 IN. TINE LENGTH	1,750.00	11,457.03 USD
7252321	PALLET FORKS - JRB QC; 96 IN. CARRIAGE WIDTH; 84 IN. TINE LENGTH	1,852.00	12,405.40 USD
7252351	PALLET FORKS - ISO QC; 60 IN. WIDE CARRIAGE; 48 IN. TINE LENGTH	1,338.00	7,395.26 USD
7252352	PALLET FORKS - ISO QC; 60 IN. WIDE CARRIAGE; 60 IN. TINE LENGTH	1,440.00	8,167.45 USD
7252357	PALLET FORKS - ISO QC; 96 IN. WIDE CARRIAGE; 60 IN. TINE LENGTH	1,664.00	8,455.55 USD
7252358	PALLET FORKS - ISO QC; 96 IN. WIDE HD CARRIAGE; 72 IN. TINE LENGTH	1,766.00	10,415.48 USD
7252359	PALLET FORKS - ISO QC; 96 IN. WIDE HD CARRIAGE; 84 IN. TINE LENGTH	1,868.00	11,277.63 USD
7269176	GPBKT; 108IN 3.5YD; PIN ON; BOT	2,869.00	13,763.74 USD
7269180	GPBKT; 108IN 3.5YD; PIN ON; BOCE	2,693.00	11,636.10 USD
7269336	GPBKT; 108IN 3.5YD; JRB QC; BOT	2,720.00	15,348.43 USD
7269340	GPBKT; 108IN 3.5YD; JRB QC; BOCE	2,544.00	11,636.10 USD
7269358	LMBKT; 120IN 5.0YD; PIN ON; BOCE	3,752.00	14,151.12 USD

7269362	LMBKT; 120IN 5.0YD; JRB QC; BOCE	3,513.00	17,797.36 USD
7269386	GPBKT; 108IN 3.5YD; ISO QC; BOT	2,720.00	13,763.74 USD
7269390	GPBKT; 108IN 3.5YD; ISO QC; BOCE	2,543.00	12,851.13 USD
7269394	LMBKT; 120IN 5.0YD; ISO QC; BOCE	3,523.00	17,797.36 USD
7389861	GRAPPLE BKT; 108IN 3.00YD; JRB QC; BOCE	3,965.00	17,042.99 USD
7389862	GRAPPLE BKT; 108IN 3.00YD; ISO QC; BOCE	4,103.00	17,042.99 USD
7389863	GRAPPLE BKT; 108IN 3.25YD; PIN ON; BOCE	4,389.00	19,684.20 USD
7389890	MPBKT; 3.75YD; JRB QC	1.00	22,736.50 USD
7389891	HYD FORKS; JRB QC; 60W X 96L	1.00	11,518.62 USD
QC-DL0003	QUICK COUPLER, JRB STYLE (Standard Lift)	1.00	9,265.56 USD
QC-DL0004	QUICK COUPLER, ISO STYLE (Standard Lift)	1.00	9,821.50 USD

## STANDARD EQUIPMENT FOR BASE MACHINE (10)

Item	Description
ENGINE	"Doosan DL06: Turbo Charged, Air to Air Intercooled T4 Electronically Controlled Common Rail Direct Injected 172 SAE Gross Flywheel Horsepower @ 1,800 RPM 360 cu.in., 6 Cylinder Air Cleaner: Dry Type (Double Stage) Engine Self Diagnostic System Reversible Fan Driven by Hydraulic Fan Motor Auto Idle Auto Shut Down"
HYDRAULIC	"Variable Displacement Axial Piston Pump Closed-Center (LS) Hydraulic Systems with Variable Pumps, Pilot Control with Float Spool, 2 Spools 3rd Valve with Lines & Control (lines terminate at boom base) Automatic Boom / Lift - Kick-Out (Set and Adjust from inside the cab) Return-to-Dig Position (Adjustable Electro-Magnetic Switch outside cab) Accumulator for Emergency Pilot System Thumbwheel Joystick for third function hydraulic"
BRAKE SYSTEM	"Dual Pedal Braking system 4 Wheel Outboard Wet Disc Brakes with Separate Front & Rear Circuits Accumulator for Emergency Stopping Parking Brake: Spring Apply Hydraulic Release, sliding caliper disc brake on the face of the transmission"
STEERING	"Load Sensing Type with a Flow Amplifier and a Priority Valve 40 Degree Articulation, Full Hydraulic Power Steering Steering Cylinder Cushion Valve Tilt and Telescopic Steering Wheel"
	"Air Conditioner Air Ride Seat (US10, US11, US20, US21) Air Ride Seat w/ Heat (US15) Heater & Defroster Double Filtered Air Cab"

<p>CAB ROPS/FOPS</p>	<p>Rear View Camera                  Combination Lever                  Accelerator Pedal                  Transmission Lever                  Rear Hinged &amp; Locking Doors (Both sides) / Right side is emergency access door                  Radio, AM-FM Stereo, MP3, Bluetooth audio and phone                  Switches:                      Transmission Shift Switch (Manual, Auto 1-4 and Auto 2-4) US10, US11, US20, US21                      Transmission Shift Switch (Manual, Auto 1-5 and Auto 2-5) US15                      Economy Mode Switch (Power, Normal &amp; Economy Modes)                      Headlight Switch                      Front Work Light Switch                      Rear Work Light Switch                      Rear Wiper Switch                      Pilot Cutoff Switch                      Parking Brake Switch                      Transmission Cutoff Switch                      Mirror Heater Switch                      Reverse Fan Switch                      Display Screen Control Switch                      Display Screen Selector Switch                      Hazard Warning Light Switch                      Boom Kick Out Switch                  Rear View Mirrors with Heat                  Safety Glass, Tinted                   Seat Belt (2 in. Wide)                  Sliding Door Windows (Left Side)                  Sound Suppression                  Sun Visor, retractable (front and rear)                  Windshield Wipers &amp; Washers - Front and Rear                  Digital Clock                  Arm Rest                  12 Volt Power Supply                  Cup Holders"</p>
<p>TRANSMISSION / AXLES</p>	<p>"Full Automatic Power Shift                  4 Forward / 3 Reverse with Torque Converter (US10, US11, US20, US21)                  5 Forward / 3 Reverse with Lock Up Torque Converter (US15)                  Limited Slip Differential Front / Rear (US10, US20, US15)                  Differentials Hydraulic Locking Front / Open Rear (US11, US21)                  Self Adjusting Brake Disc Clearance                  Electrical T/M Clutch Disconnect with Service Brake                  T/M Down Shift on Shift Control and Joy Stick Control                  Transmission Oil Level Gauge"</p>
	<p>"Alternator, 80 Amp., 28 Volt                  Batteries, (2) 12 Volt, 100 AH, 900 CCA                  Starter, 24 Volt 6 kw                  Horn                  Hour Meter                  Lights:                      (2) Front Headlights with High / Low Beams                      (2) Stop Lights, Tail Lights &amp; Directional Indicators                      (2) Front &amp; Rear Floodlights (Front Floods LED)                  Alarm Buzzer for:                      Transmission Overheat                      Engine Oil Pressure                      Coolant Temperature                  Electronic Monitoring &amp; Display for:                      Fuel Level Gauge                      DEF Level Gauge                      Engine Coolant Temperature Gauge                      Transmission Oil Temperature Gauge                      Speedometer                      Tachometer                      ECO Bar                      Transmission Actual Gear"</p>

<p>ELECTRICAL</p>	<p>Transmission Gear Select          Preheat Indicator Light          Air Cleaner Clogging Warning Light          Multi Function Gauge (can display one of the following at a time)              Trip Meter              Battery Voltage              Total Time of Operation          Left Turn and Hazard Warning Light          Right Turn and Hazard Warning Light          High Beam Indicator Light          Work Light Indicator Light          Reverse Fan Indicator Light          Mirror Heater Indicator Light          Parking Brake Indicator Light          F/R (Forward/Reverse) Selector Indicator Light          Brake Fluid Pressure Warning Light          Charge Warning Symbol          Engine Oil Pressure Warning Symbol          Transmission Warning Symbol          Engine Warning Symbol          Water in Fuel Warnings Symbol          Back-Up Alarm          DEF Low Level Warning Symbol          SCR Failure Warning Symbol          3.0 Telematics"</p>
<p>TIRES</p>	<p>Triangle 20.5R25 radial</p>
<p>OTHER STANDARD EQUIPMENT</p>	<p>"Single Lever Control with FNR          Air Cleaner with Pre-cleaner          Steel Engine Side Covers          Boom / Float          Drawbar and Pin          Neutral Safety Start System          Muffler          Steel Fenders, Front &amp; Rear          Ladders &amp; Service Platforms          GPS with 1 Year Subscription          Remote Drain Ports"</p>
<p>LOADRITE SCALE SYSTEM (NOT STANDARD EQUIPMENT)</p>	<p>Loadrite Scales:          Order is placed through Doosan          PO cut to Loadrite.          Loadrite will coordinate with your dealership for installation.          Install will be done at your dealership or at customer location.          Price is inclusive of Install, Calibration and Customer training.          Warranty is covered by Loadrite"</p>