


TopLifter


Tailgates By THIEMAN

Raising Performance to New Levels

Model TT-12



Platform in Loading/Unloading Position



Platform in Travel Position


FEATURING:

- **Meets TMC Electrical Guidelines**
- **Direct Cylinder Lift, No Chains or Cables**
- **Heavy-Duty Steel Diamond Plate Platform & Threshold**
- **Fully Enclosed Power Unit and Cylinders**
- **Fast and Easy Installation**
- **5000 lb. Tow Rated Bumper**


The THIEMAN TT-12 Series is completely assembled into one compact unit - ready to run. Simply bolt or weld it to the truck bed and connect the battery cable. Installation is fast and easy. And years from now, it will be just as simple to remount the TT model on a new truck. The lifting mechanism is completely enclosed for a neat appearance and protection from the elements. The towing rated swing-away bumper is also standard on the TT-12. The THIEMAN TT's overall design makes it the toughest liftgate available in its class.



Features, Benefits and Specifications



Shown with Optional Two Piece Aluminum Platform



Shown with Optional Two Piece Aluminum Platform

STANDARD FEATURES AND BENEFITS:

- Automatic Swing-Away Bumper (5000 lb. Tow Rating) for Towing Capacity.
- Meets All TMC Electrical Guidelines for Reduced Service Requirements.
- Enclosed Cylinders and Power Units for Better Reliability.
- Skid Resistant Steel Diamond Plate Platform and Threshold for Added Safety.
- Adjustable Cylinder Clevis for Easy Platform and Bed Alignment.
- 150 Amp Circuit Breaker for Electrical Protection.

AVAILABLE OPTIONS FOR TT-12:

- A Variety of Platforms Including: Expanded Metal, 2-Piece Folding, Aluminum, Bar Grate, Galvanized
- Remote Pendant Control
- No Bumper
- Molded Toggle Switch (Environmentally Sealed)
- In Cab Shut Off Switch

Model #	Platform	Rated Load Capacity Lbs.	Approx. Inst. Wt.	Bed Height Range
TT12E-5326	53" x 26" + 5"	1250	477	27" - 36"
TT12E-5626	56" x 26" + 5"	1250	491	27" - 36"
TT12EPB-5326	53" x 26" + 5"	1250	479	27" - 36"
TT12EPB-5626	56" x 26" + 5"	1250	493	27" - 36"


E-Electric w/Manual Control EPB-Electric w/Push Button Control

Applications:

TT12-53" x 26"Utility and Service Bodies

TT12-56" x 26"1988 and Later GMC/Chevrolet Pickup, 1994 and Later Dodge Pickup, call factory for applications on 1997 and Later Ford Pickup

Distributed By:



THIEMAN Reserves the right to Change Products Specifications at any time Without Prior Notice.
Printed in U.S.A. Rev. 5/10 • 2M • MP 70075

THIEMAN
TAILGATES INC.

Raising Performance to New Levels

600 East Wayne Street
Celina, Ohio 45822
Phone: 419-586-7727 or
800-524-5210
Fax: 419-586-9724
www.thiemantailgates.com
info@thiemantailgates.com

TopLifter

Tailgates By THIEMAN

Raising Performance to New Levels

Model TT-15



FEATURING:

- NEW optional OEM camera/sensor relocation kits available
- Two Piece Bumper (for use with many OEM receivers)
- Reduced Maintenance
- Streamline Design
- Meets TMC Electrical Guidelines
- Direct Dual Cylinder Lift, No Chains or Cables, Wide Opening to Truck Bed
- Heavy-Duty Steel Diamond Plate Platform
- Fully Enclosed Power Unit & Cylinders
- Fast & Easy Installation

The THIEMAN TT Series is completely assembled into one compact unit - ready to run. Simply bolt and/or weld it to the truck and connect the battery cable. Installation is fast and easy. And years from now, it will be just as simple to remount the TT-15 model on a new truck. The lifting mechanism is completely enclosed for a neat appearance and protection from the elements. A two piece bumper, for use with frame attached receivers, is standard on the TT15. The THIEMAN TT's overall design makes it a tough and reliable liftgate.

Features, Benefits and Specifications



Standard One-Piece Steel Platform with
Optional Light Kit



Shown with Optional Two-Piece Alum. Platform

STANDARD FEATURES AND BENEFITS:

- Dual Cylinder Design for Maximum Lifting Stability.
- Enclosed Cylinders and Power Units for Better Reliability and Easy Accessibility.
- Molded Toggle Switch (Environmentally Sealed).
- Torsion Assist on all 42" Deep Steel and 44" Deep Aluminum Platforms for Easier Opening & Closing of Platform.
- Skid Resistant Steel Diamond Plate Platform for Added Safety.
- Adjustable Cylinder Clevis for Easy Platform and Bed Alignment.
- 150 Amp Circuit Breaker for Electrical Protection.
- Two-Piece Bumper for use with Receivers.

AVAILABLE OPTIONS FOR TT-15:

- Platform Options Including:
Expanded Metal, 2-Piece Folding, Extruded Aluminum, Bar Grate.
- Remote Pendant Control.
- In-Cab Shut Off Switch.
- Light Kit.
- Tire Rack.
- Special Platform Widths and Depths.
- Galvanized Finish.
- OEM Camera/Sensor Relocation Kits.

Model #	Platform	Platform Material	Rated Load Capacity (Lbs.)	Approx. Inst. Wt. (Lbs.)	Bed Height Range
TT15-4926 1PC	49" x 26" + 5"	Steel	1500	500	30" to 45"
TT15-5326 1PC	53" x 26" + 5"	Steel	1500	512	30" to 45"
* TT15-5626 1PC	56" x 26" + 5"	Steel	1500	522	30" to 45"
TT15-4942 2PC	**49" x 42" + 5"	Steel	1500	650	30" to 45"
TT15-5342 2PC	**53" x 42" + 5"	Steel	1500	640	30" to 45"
* TT15-5642 2PC	**56" x 42" + 5"	Steel	1500	670	30" to 45"
TT15-AL-4926 1PC	49" x 26" + 6"	Aluminum	1500	460	30" to 45"
TT15-AL-5326 1PC	53" x 26" + 6"	Aluminum	1500	472	30" to 45"
* TT15-AL-5626 1PC	56" x 26" + 6"	Aluminum	1500	480	30" to 45"
TT15-AL-4932 2PC	**49" x 32" + 6"	Aluminum	1500	480	30" to 45"
TT15-AL-5332 2PC	**53" x 32" + 6"	Aluminum	1500	495	30" to 45"
* TT15-AL-5632 2PC	**56" x 32" + 6"	Aluminum	1500	505	30" to 45"
TT15-AL-4944 2PC	**49" x 44" + 6"	Aluminum	1500	525	30" to 45"
TT15-AL-5344 2PC	**53" x 44" + 6"	Aluminum	1500	535	30" to 45"
* TT15-AL-5644 2PC	**56" x 44" + 6"	Aluminum	1500	550	30" to 45"

*Installation Kit NOT Included (Installation Kit Must Be Ordered Separately for Models with 56" Wide Platforms).

**Two-Piece Platform (2PC)

TT15-49" x 26"/49" x 32"/49" x 42"/49" x 44"..... Utility and Service Bodies (Liftgate Frame Dimensions: Post OD=55.00, Post ID=48.62)

TT15-53" x 26"/53" x 32"/53" x 42"/53" x 44"..... Utility and Service Bodies (Liftgate Frame Dimensions: Post OD=59.00, Post ID=52.62)

TT15-56" x 26"/56" x 32"/56" x 42"/56" x 44"..... 1988 and Later GMC/Chevrolet Pickup, 1994 and Later Dodge Pickup, 1997 and Later Ford Pickup

Distributed By:

THIEMAN
TAILGATES INC.

Raising Performance to New Levels

THIEMAN Reserves the right to Change Products
Specifications at any time Without Prior Notice.
Printed in U.S.A. Rev. 2/20 • 2M • MP102426

600 East Wayne Street
Celina, Ohio 45822
Phone: 419-586-7727 or
800-524-5210
Fax: 419-586-9724
www.thiemantailgates.com
info@thiemantailgates.com

FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.