


FLATBED, STAKE, & VAN BODY



RAILGATE
SERIES

RAILGATE SERIES - HIGH-CYCLE MODELS WITH FIXED PLATFORMS

⬆ 2500 & 3000 LBS CAPACITY

HIGH-CYCLE RAILGATE MODELS

High-cycle models apply a steel roller and leaf-chain pulley system to maximize smoothness of motion, endurance, and strength. This medium-duty railgate is ideal for high-cycle applications in any environment. These lifts are built with the highest quality components and place a priority on function and safety.

89-30 EA55



High-cycle railgates come standard with safety trip bar, auto open and close, and recessed lights. Taper-integrated cart stops are optional on extruded-aluminum platform models.



ROLLERS

Steel rollers guide the platform vertically within the rail track and are designed to withstand intensive cycling. Dual-sealed, maintenance-free ball bearings ensure the rollers are long-lasting and perform consistently in all climate conditions.



HIGH-CYCLE MODELS FOR 96" WIDE BODIES¹

TWO-YEAR STANDARD WARRANTY

	Model Number	Body	Load Area	Taper	Bed Heights	Gate Weight
2500 lb. Capacity	Treadplate Platforms					
	89-25 TP36	96	89 x 36	12	32 - 54	1040
	89-25 TP42	96	89 x 42	12	32 - 54	1094
	89-25 TP48	96	89 x 48	12	32 - 54	1147
	Aluminum Platforms ¹					
	89-25 EA55	96	89 x 55	12	32 - 54	968
	Gas Bottle Rack Platforms					
	89-25 GBR	96	82 x 30	12	38 - 54	1050
3000 lb. Capacity	Treadplate Platforms					
	89-30 TP36	96	89 x 36	12	32 - 54	1040
	89-30 TP42	96	89 x 42	12	32 - 54	1094
	89-30 TP48	96	89 x 48	12	32 - 54	1147
	Aluminum Platforms ¹					
	89-30 EA55	96	89 x 55	12	32 - 54	968
	Gas Bottle Rack Platforms					
	89-30 GBR	96	82 x 30	12	38 - 54	1050

ADDITIONAL BODY SIZES


Body Size	Model	Load Width
90"	85	85
102"	95	95

IMPORTANT







High-cycle railgate models are intended for use on medium-duty trucks only.

1. See additional aluminum platform depths on page 31.
2. For detailed dimensions, visit www.tommygate.com

HIGH-CYCLE RAILGATE DIMENSIONS²







STANDARD FEATURES
**BI-FOLD
MODELS** **FIXED
PLATFORM
MODELS**

	Steel Rollers	●	●
	Safety Trip Bar	●	●
	Self-close System	●	●
	Recessed Lights	●	●
	Low-profile Control	●	●
	13" Retention Ramp	●	-

- Standard
- Optional
- Not Available

AVAILABLE OPTIONS
**BI-FOLD
MODELS** **FIXED
PLATFORM
MODELS**


	Above Bed Travel	●	●
	Recessed LED Lights	●	●
	Dual Controls (w/ pendant)	●	●
	Split Cart Stops	-	●
NO IMAGE	In-cab Shut Off	●	●
	Auxiliary Battery Box	●	●

GAS-BOTTLE RACK PLATFORM

High-Cycle Gas Bottle Rack models incorporate the "High-Cycle" drive system and feature folding, gas bottle rack platforms. Ideal for gas cylinder transporters, these liftgates support higher lifting capacities and feature a platform drop-down function allowing work vehicles to load and unload in any manner at any location.



PLATFORM MATERIALS

		BI-FOLD MODELS	FIXED PLATFORM MODELS
	Steel Treadplate	●	●
	Extruded Aluminum	-	●


ALUMINUM PLATFORM DEPTHS

Extruded aluminum platforms (on fixed platform models) are available in any depth, 35" - 70", in 5" increments. Platforms are comprised of interlocking extrusions of 6061-T6 aircraft-quality aluminum.



RETENTION RAMP


Bi-Fold, High-Cycle models come standard with a 13" tapered, retention ramp.



1 ramp closes for storage



2 ramp locks at 90-degrees for cart retention



3 extended ramp hangs beyond platform level for smooth ground every time

SPLIT CART STOPS

All railgate models with Extruded Aluminum platforms are available with taper-integrated, foot-activated, dual cart stops.



FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.