MDL/HP & RAIL GATE



MEDIUM DUTY

1,600 lb.-3,000 lb. Capacities

HINGED PLATFORM OFFERS THE FLEXIBILITY OF CARGO LOADING BY FORKLIFT WITHOUT OPENING THE PLATFORM.



STANDARD MDL/HP SERIES ADVANTAGES INCLUDE:

- Applications straight trucks, cube, cutaway, or step vans, flat beds and dual wheel service bodies.
- Convenient, large folding platform stores at bed height for uninibited rear door access and dock loading.
- Level ride lift maximum load stability, with straight vertical platform movement.
- Standard steel mainframe with extruded aluminum hinged platform hinges at 30" or 36" only.
- Aluminum anti-skid platform and ramp for better grip available up to 54".
- · Compact design increases payload and fuel efficiency.
- Bolt-on platform sidebars for easy replacement of extrusion boards.
- Built-in toe deflector.
- Reduced Maintenance[™] with integrated 12 VDC motor, tank and pump enclosed in the weather protected housing.
- UHMW Slide pads on runners.

OTHER STANDARD FEATURES:

- · Power unit installed, tested and enclosed in weather protected housing.
- · Charge line circuit protection.
- Torsion bar assisted platform makes it easier to open and close.
- Meets TMC specifications.
- Powder coat finish on key liftgate components produces a high-quality finish that is exceptionally resistant to corrosion and abrasion.
- 12" Fixed aluminum ramp for ease of loading and off-loading cargo.

Easier handling of wheeled carts, bins, and racks with this level-ride liftgate.



Above-floor, bed height view



Gate shown in stowed position



MDL/HP MEDIUM DUTY GATE



Large folding platform stores at bed height to provide rear door access and convenient dock loading



Gravity open, power close



Split foot/pressure-activated cart stops

SPECIFICATIONS Bed Ht: 36"-56"

Model	Capacity	Platform	Ramp	Weight
MDL/HP - 16	1,600 lbs.	42" x 89"	12"	672 lbs.
MDL/HP - 20	2,000 lbs.	42" x 89"	12"	672 lbs.
MDL-HP - 30	3,000 lbs.	42" x 89"	12"	731 lbs.

SPECIFICATIONS Bed Ht: 40"-56"

Model	Capacity	Platform	Ramp	Weight
MDL/HP - 16	1,600 lbs.	48" x 89"	12"	700 lbs.
MDL/HP - 16	1,600 lbs.	54" x 89"	12"	724 lbs.
MDL/HP - 20	2,000 lbs.	48" x 89"	12"	700 lbs.
MDL/HP - 20	2,000 lbs.	54" x 89"	12"	724 lbs.
MDL/HP - 30	3,000 lbs.	48" x 89"	12"	758 lbs.
MDL/HP - 30	3,000 lbs.	54" x 89"	12"	782 lbs.

OPTIONAL EQUIPMENT:

- Above-floor travel.
- Dual cart stops.
- Lights built into the housing on above floor model only.
- Lights below crossbox on non-above floor models.
- Remote hand held toggle switch control with 15 ft. cord.
- Gravity open, power close.
- Galvanized option.
- 102" Wide Platform.

Waltco Lift Corp. **Corporate Office United States** 1777 Miller Parkway. Streetsboro, OH 44241 P: 330.633.9191

Waltco Sales. T: 800.211.3074 F: 800.211.307'5

Email: sales@waltco.com



F: 330.633.1418

FREIGHT NOT INCLUDED IN PRICE OF UNIT. FREIGHT WILL BE BILLED UPON PURCHASE.