

SB^{SERIES} RAIL GATE



WALTCO

MEDIUM DUTY

1,250 lb. and 1,600 lb. Capacities

TRANSFORMS YOUR SERVICE BODY INTO A MULTI-PURPOSE VEHICLE.

*Products shown may feature optional equipment.
Content subject to change without notice.*



Optional aluminum platform shown

STANDARD SB SERIES ADVANTAGES INCLUDE:

- Applications - service bodies and side mount on flat beds.
- Rail-type design offers maximum stability.
- Safer: — level-ride, greater load stability
 - fewer pinch points
 - anti-skid steel treadplate platform
- Exclusive above floor lift option lifts with a maximum above floor travel of 7".
- Chain and sprocket drive ensures smooth operation and eliminates costly cable replacement.
- UHMW - Slide pads on runners.
- "Level ride" lift provides straight vertical platform movement for cargo stability unlike arcing motion of cable lift.
- No arcing from bed level to the ground.
- Power unit installed, tested, and enclosed in weather protected housing.
- Torsion bar assisted platform makes it easier to open and close.
- Pressure compensated flow control valve controls platform descent regardless of load weight.
- Built-in toe deflector.
- Weather sealed electric controls.
- License plate recess.
- Charge line circuit protection.
- Meets TMC specifications.
- Powder coat finish on key liftgate components produces a high-quality finish that is exceptionally resistant to corrosion and abrasion.



Designed Simplicity - Maximum Performance

www.waltco.com

SB^{SERIES} MEDIUM DUTY GATE



SPECIFICATIONS:

Bed Ht: 25"-46"

Model	Capacity	Platform	Ramp	Weight
SB - 12	1,250 lbs.	30" x 57" or 61"	6"	403 lbs.
SB - 16	1,600 lbs.	30" x 57" or 61"	6"	428 lbs.
SB - 16	1,600 lbs.	36" x 57" or 61"	6"	401 lbs.
SB - 16	1,600 lbs.	42" x 57" or 61"	6"	429 lbs.

Notes: Above floor models are available for 25" - 39" bed heights with a maximum above floor travel of 7".

OPTIONAL EQUIPMENT:

- Platform Material:
 - Aluminum
 - Expanded Metal
 - Bar Grating
- Above floor lift raises platform with a maximum above floor travel of 7".
- Oversized Ramp in aluminum or steel:
 - Fixed
 - Hinged
 - with Cart Stop
- Non-standard liftgates, deeper, narrower, or wider platforms.
- Remote hand held toggle switch control with 15 ft. coil cord.
- Hydraulic platform closing.
- Customized Options - contact factory.

Waltco Lift Corp.
Corporate Office United States
1777 Miller Parkway
Streetsboro, OH 44241:
330.633.9191
F: 330.633.1418

Waltco.com

Waltco Sales
T: 800.211.3074
F: 800.211.3075
Email: sales@waltco.com



FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.