

## 6" Oval Stop/Turn/Tail Light with 20 LEDs




5626050  
Plug and grommet included



5626521  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626520	6"	20	Red	PL-3 Connection	Grommet (Included)	0.162	1	0.83	562 (N)
5626521	6"	20	Red	PL-3 Connection	Grommet	.162	10	0.31	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)


## 6" Oval Incandescent Stop/Turn/Tail



5656100  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)




Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
NEW 5656100	6"	Red	PL-3 Connection	Grommet	2.1/0.59	10	0.29	562 (N)	
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

## 5.33" Rectangular Stop/Turn/Tail Kit with 15 LEDs



5625115  
Plug and grommet included



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5625115	5.33"	15	Red	PL-3 Connection	Grommet (Included)	.188	1	0.65	562 (N)

## 5.75" Box Style Stop/Turn/Tail and Back-Up with Reflex



- 5626738 Includes License Plate Light
- Includes Ground Wire




5626734



5626738  
Includes built-in license plate light



5626700



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626734	5.75"	34	Red	Hard Wired with Stripped Leads, PS	Stud	.091	1	1.24	562 (N)
5626738	5.75"	38	Red	Hard Wired with Stripped Leads, DS	Stud	.091	1	1.24	562 (N)
5626700	5.75"	License Plate Bracket						0.12	562 (N)

For plugs refer to **pg. 63**



Products are Retail Packaged



# 5" Box-Style Stop, Turn, Tail Lights

## 5" Box-Style LED Stop/Turn/Tail Light (For Trailers Under 80" Wide)



- Grounds through mounting stud
- Red polycarbonate colored lens and built-in reflector lens
- 5625117 includes license light



5625111



5625117



5625111  
Back and side shown



5625117  
Shown with built-in license plate light

Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5625111	5"	11	Red	Push-in Connections	Stud	.1	1	0.66	562 (N)
5625117	5"	17	Red	Push-in Connections	Stud	.1	1	0.70	562 (N)

## 5" Box-Style Stop/Turn/Tail with License Light (For Trailers Under 80" Wide) (Incandescent)




- Grounds through mounting stud
- Includes Reflector
- 5655001 includes license light



5655001  
Shown with built-in license plate light



5655000



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5655000	5"	Red	Push-in Connections	Stud	2.1	10	0.52	562 (N)
5655001	5"	Red	Push-in Connections	Stud	2.1	10	0.47	562 (N)

## 5" Box-Style Stop/Turn/Tail with License Light (For Trailers Over 80" Wide) (Incandescent)




- Grounds through mounting stud
- Includes Reflector
- 5655101 includes license light



5655101  
Shown with built-in license plate light



5655100



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5655100	5"	Red	Push-in Connections	Stud	2.1	10	0.50	562 (N)
5655101	5"	Red	Push-in Connections	Stud	2.1	10	0.52	562 (N)

For plugs refer to **pg. 63**

## 4" Round Turn and Park Light with 1 LED


LIMITED LIFETIME WARRANTY 12 VOLTS



5624201  
(sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624201	4"	1	Amber	PL-3 Connection	Grommet	.15	10	0.70	562 (N)
5624050	4"	Black Grommet for use with 5624201					10	0.15	562 (N)

## 4" Round Turn and Park Light with 7 LEDs


LIMITED LIFETIME WARRANTY 12 VOLTS



5624156  
(sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624207	4"	7	Amber	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)

## 4" Round Turn Signal Light with 10 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS




5624210  
Plug and grommet included



5624251  
Light only (sold in qty of 10)




5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624210	4"	10	Amber	PL-3 Connection	Grommet (Included)	.221	1	0.70	562 (N)
5624251	4"	10	Amber	AMP-Style Connection	Grommet	.221	10	0.70	562 (N)
5624050	4"	Black Grommet for use with 5624251					10	0.15	562 (N)

## 6" Oval Turn and Park Signal Light with 1 LED


LIMITED LIFETIME WARRANTY 12 VOLTS



5626201  
(sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5626201	6"	1	Amber	PL-3 Connection	Grommet	.15	10	0.71	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

## 6" Oval Turn and Park Signal Light with 6 LEDs


LIMITED LIFETIME WARRANTY 12 VOLTS



5626156  
(sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5626206	6"	6	Amber	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

For plugs refer to **pg. 63**



Products are Retail Packaged



# DOT LED Turn Signal and Backup Lights

## 6" Oval Turn Signal Light with 10 LEDs




5626210  
Plug and grommet included



5626211  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626210	6"	10	Amber	PL-3 Connection	Grommet (Included)	.224	1	0.71	562 (N)
5626211	6"	10	Clear	PL-3 Connection	Grommet	.224	10	0.31	562 (N)
5626050	6"	Open Back, Flush Mount Grommet						0.18	562 (N)

## 6" Midship Turn Signal and Side Marker with Reflex and 9 LEDs




5626209  
Plug and grommet included



5626208  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626209	6"	9	Amber	PL-3 Connection	Grommet (Included)	.114	1	0.30	562 (N)
5626208	6"	9	Amber	PL-3 Connection	Grommet	.114	10	0.30	562 (N)
5626050	6"	Open Back, Flush Mount Grommet						0.18	562 (N)

## 5.33" Rectangular Turn Signal Light Kit with 15 LEDs



5625215  
Plug and grommet included



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5625215	5.33"	15	Amber	PL-3 Connection	Grommet	.245	1	0.71	562 (N)


## 4" Round Back-Up Light with 1 LED



5624301  
(sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624301	4"	1	Clear	PL-2 Connection	Grommet	.150	10	0.23	562 (N)
5624050	4"	Flush Mount Grommet					10	0.15	562 (N)

## 4" Round Back-Up Light with 7 LEDs




5624357  
Plug and grommet included



5624356  
(sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624357*	4"	7	Clear	STD PL-2 Connection	Grommet (Included)	.150	10	0.23	562 (N)
5624356	4"	7	Clear	STD PL-2 Connection	Grommet	.150	10	0.23	562 (N)
5624050	4"	Flush Mount Grommet					10	0.15	562 (N)

\*Available June 2019

For plugs refer to **pg. 63**

## 4" Round Backup Light Kit with 10 LEDs




**5624310**  
Plug and grommet included



**5624350**  
Light only (sold in qty of 10)



**5624050**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5624310</b>	4"	10	Clear	STD PL-2 Connection	Grommet (Included)	.213	1	0.70	562 (N)
<b>5624350</b>	4"	10	Clear	STD PL-2 Connection	Grommet	.213	10	0.36	562 (N)
<b>5624050</b>	4"	Flush Mount Grommet						0.15	562 (N)

## 4" Round Backup Light Kit with 24 LEDs




**5624324**  
Plug and grommet included



**5624325**  
Light only (sold in qty of 10)



**5624050**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5624324</b>	4"	24	Clear	STD PL-2 Connection	Grommet (Included)	.141	1	0.80	562 (N)
<b>5624325</b>	4"	24	Clear	STD PL-2 Connection	Grommet	.141	10	0.42	562 (N)
<b>5624050</b>	4"	Flush Mount Grommet					10	0.15	562 (N)


## 4" Round Incandescent Backup Light



**5654300**  
(sold in qty of 10)



**5624050**  
(sold in qty of 10)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5654300</b>	4"	Clear	STD PL-2 Connection	Grommet	2.1	10	0.23	562 (N)
<b>5624050</b>	4"	Flush Mount Grommet					0.15	562 (N)


## 6" Oval Backup Light with 1 LED



**5626301**  
(sold in qty of 10)



**5626050**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5626301</b>	6"	1	Clear	PL-2 Connection	Grommet	.15	10	0.23	562 (N)
<b>5626050</b>	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

For plugs refer to **pg. 63**



Products are Retail Packaged



# DOT LED Backup Lights

LIGHTS - DOT

## 6" Oval Backup Light with 6 LEDs




5626357  
Plug and grommet included



5626356  
(sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626357*	6"	6	Clear	STD PL-2 Connection	Grommet (Included)	.150	1	0.23	562 (N)
5626356	6"	6	Clear	STD PL-2 Connection	Grommet	.150	10	0.23	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

\*Available June 2019

## 6" Oval Backup Light with 10 LEDs




5626310  
Plug and grommet included



5626311  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626310	6"	10	Clear	STD PL-2 Connection	Grommet (Included)	.218	1	0.70	562 (N)
5626311	6"	10	Clear	STD PL-2 Connection	Grommet	.138	10	0.38	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

## 6" Oval Backup Light with 24 LEDs




5626324  
Plug and grommet included



5626325  
Light only (sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626324	6"	24	Clear	STD PL-2 Connection	Grommet (Included)	.138	1	0.86	562 (N)
5626325	6"	24	Clear	STD PL-2 Connection	Grommet	.218	10	0.43	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)


## 6" Oval Incandescent Back-Up Light



5656300  
(sold in qty of 10)



5626050  
(sold in qty of 10)




Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5656300	6"	Clear	STD PL-2 Connection	Grommet	2.1	10	0.29	562 (N)
5626050	6"	Flush Mount Grommet					0.18	562 (N)

## 5.3" Rectangular Backup Light Kit with 32 LEDs




5625332  
Plug and grommet included



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5625332	5.33"	32	Clear	STD PL-2 Connection	Grommet	.301	1	0.55	562 (N)

For plugs refer to pg. 63

## 1.5" Round License/Utility with 4 LEDs




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5621534	1.5"	4	Clear	Hard Wired with Stripped Leads	Snap In	.030	1	0.10	562 (N)

Two lights needed to meet DOT requirements

## 1.5" Round Incandescent License/Utility Light




- Self grounding



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5651530	1.5"	Clear	Hard Wired with Stripped Leads	Snap-in	0.59	10	0.07	889 (N)


## 2" License/Utility Light with 2 LEDs Series



Part No.	Size	LED's	Housing Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622032*	2"	2	Chrome	Hard Wired with Stripped Leads	Surface	.047	1	0.07	562 (N)
5622132	2"	2	Chrome	Hard Wired with Stripped Leads	Surface	.047	10	0.07	562 (N)
5622130	2"	2	Black	Hard Wired with Stripped Leads	Surface	.047	10	0.07	562 (N)
5622133	2"	2	Chrome	Hard Wired with .180 Male Bullets	Surface	.047	10	0.08	562 (N)

Two lights needed to meet DOT requirements

## 2" Surface Mount License Plate Light Kit




Part No.	Size	LED's	Housing Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622134	2"	2	Clear	Hard Wired with .180 Male Bullets	Surface	.047	10	0.13	562 (N)

One light needed to meet DOT requirements

For plugs refer to **pg. 63**

# License / Utility Plate Lights

## 2" Rectangular Incandescent License/Utility Light




Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652030	2"	Clear	Hard Wired with Stripped Leads	Surface	0.33	10	0.07	889 (N)

## 2-5/8" Incandescent License/Utility Light



- Self Grounding



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652630	2.625"	Clear	Hard Wired with Stripped Lead	Surface	0.33	10	0.16	889 (N)


## 2-3/8" Incandescent License/Utility Light



5653375




5653376  
Optional bracket



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
5653375	2.375"	Clear	PL-10 Connection	Bracket	0.33	10	0.04	889 (N)	
5653376	Bracket for 2.375" License Light, for use with 5653375						10	0.11	889 (N)

## 2.75" License Plate Light with 2 LEDs



Part No.	Size	LED's	Housing Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622754	2.75"	2	Clear	Hard Wired with Stripped Leads	Surface	.086	10	0.17	562 (N)

Two lights needed to meet DOT requirements

For plugs refer to **pg. 63**

## DOT Turn Signal Equalizer Plugs

- 25 Watt rating



5621010



5621012

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
 5621010	LED Turn Signal Equalizer with Right Angle Male PL-3 Plug and Stripped Leads	1	0.12	562 (N)
 5621012	LED Turn Signal Equalizer with Right Angle Male PL-3 Plug and Straight Female PL-3 Plug	1	0.15	562 (N)

## DOT Light Plugs



5620250



5620251



5620350



5620351



5620352



5620354



5620355

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
5620250	2-Pin In-Line Male PL-10 Plug with Stripped Power Wire and #10 Ring on Ground	1	0.03	562 (N)
<b>NEW</b> 5620251	2-Pin Right Angle Male Plug with Stripped Power Wire and #10 Ring on Ground		0.03	562 (N)
5620350	3-Pin Right Angle Male PL-3 Plug with Stripped Leads and #10 Ring on Ground	1	0.03	562 (N)
5620351	3-Wire AMP-Style Plug, 3-Pin Straight Female PL-3 Plug	1	0.07	562 (N)
5620352	3-Wire AMP-Style Plug, with Stripped Leads and #10 Ring on Ground	1	0.03	562 (N)
5620354	3-Wire AMP-Style Plug, with 3-Pin Right Angle Male PL-3 Plug	1	0.06	562 (N)
5620355	3-Wire, 3-Pin Straight Male PL-3 Plug with Stripped Leads and #10 Ring on Ground	1	0.05	562 (N)

## DOT Reflectors



5623316



5623317



5623000



5623001



5623520





5623521

Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
5623316	3-3/16" Round, Bolt-on, Red	10	0.50	889 (N)
5623317	3-3/16" Round, Bolt-on, Amber	10	0.50	889 (N)
5623000	3" Round, Stick-on, Red 100 per Role	1 Roll	0.55	889 (N)
5623001	3" Round, Stick-on, Amber 100 per Role	1 Roll	0.55	889 (N)
5623520	3-1/2" Rectangular, Stick-on, Red 500 per Role	1 Roll	2.20	889 (N)
5623521	3-1/2" Rectangular, Stick-on, Amber 500 per Role	1 Roll	2.20	889 (N)

## DOT Conspicuity Tape

- DOT approved
- ASTM D4956 - 93B Type V
- LS300C
- FP92
- NHTSA 49 CFT, Part 571, DOT-C2
- 5-Year Rating



Part No.	Description	Std. Qty.	Wt. (lbs.)	Cat.
CT150RW	DOT Conspicuity Tape, 150' Roll, 11" Red, 7" White	1	1.5	889 (N)
CT150W12	150' Roll, White, 12" Lengths	1	1.5	889 (N)



Products are Retail Packaged



# Spreader Light Bar Kits

LIGHTS - DOT

## 44" Light Bar Kits



- Fixed & hinged mounting options included



8891144



8891145

Part No.	Description	Cat.
8891144 (Round)	(1) 304 Stainless Steel Light Box, Dimension: 44" L x 8" H x 3" D (2) 4" Round STT Lights, 10 Red LEDs (2) 4" Round Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)
8891145 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 44" L x 8" H x 3" D (2) 6" Oval STT Lights, 10 Red LEDs (2) 6" Oval Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)

## 66" Light Bar Kits



- Fixed & hinged mounting options included



8891150



8891168



8891166



8891169



8891167

Part No.	Description	Cat.
8891150 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 66" L x 4" H x 3" D (2) 6.5" Oval STT Lights, 10 Red LEDs (2) 6.5" Oval Strobe Lights, 24 Amber LEDs (3) .75" Round Marker Lights, 3 Red LEDs (1) Wire Harness (2) LED Load Equalizers/Turn Signals	889 (N)
8891166 (Round)	(1) 304 Stainless Steel Light Box, Dimension: 66" L x 8" H x 3" D (2) 4" Round STT Lights, 10 Red LEDs (2) 4" Round Back-Up Lights, 10 Clear LEDs (2) 4" Round Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)
8891167 (Round)	(1) 304 Stainless Steel Light Box, Dimension: 66" L x 8" H x 3" D (4) 4" Round STT Lights, 10 Red LEDs (2) 4" Round Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)
8891168 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 66" L x 8" H x 3" D (2) 6" Oval STT Lights, 10 Red LEDs (2) 6" Oval Back-Up Lights, 10 Clear LEDs (2) 6" Oval Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)
8891169 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 66" L x 8" H x 3" D (4) 6" Oval STT Lights, 10 Red LEDs (2) 6" Oval Strobe Lights, 24 Amber LEDs (3) 2.5" Round Marker Lights, 4 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)

## 77" Light Bar Kits



- Fixed & hinged mounting options included



8891177



8891178

Part No.	Description	Cat.
8891177 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 77" L x 4" H x 3" D (2) 6.5" Oval Strobe Lights, 24 Amber LEDs (2) 6.5" Oval Back-Up Lights, 10 Clear LEDs (2) 6.5" Oval STT, 10 Red LEDs (3) .75" Round Marker Lights, 3 Red LEDs (1) Wire Harness (2) LED Load Equalizers	889 (N)
8891178 (Oval)	(1) 304 Stainless Steel Light Box, Dimension: 77" L x 4" H x 3" D (4) 6" Oval STT Lights, 10 Red LEDs (2) 6" Oval Strobe Lights, 24 Amber LEDs (3) .75" Round Marker Lights, 3 Red LEDs (1) Wire Harness (2) LED Load Equalizers/Turn Signal	889 (N)

# 0.75" Round Marker/Clearance Lights

## 1 LED Kits



- Kits includes mount and grommet




Part No.	Size	LED's	Lens Color	Connection	Lead	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5623413	.75"	1	Red	Hard Wired	.180 Male Bullets	0.021	10	0.03	562 (N)
5623414	.75"	1	Red	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5623423	.75"	1	Amber	Hard Wired	.180 Male Bullets	0.021	10	0.03	562 (N)
5623424	.75"	1	Amber	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5627511	.75"	1	Red	Hard Wired	.180 Male Bullets	0.021	10	0.05	562 (N)
5627512	.75"	1	Red	Hard Wired	Stripped Leads	0.021	10	0.05	562 (N)
5627521	.75"	1	Amber	Hard Wired	.180 Male Bullets	0.021	10	0.05	562 (N)
5627522	.75"	1	Amber	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5627532	.75"	1	Clear	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)

## 3 LEDs Kits



- Kits includes mount and grommet



Part No.	Size	LED's	Lens Color	Connection	Lead	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5627513	.75"	3	Red	Hard Wired	.180 Male Bullets	.038	10	0.05	562 (N)
5627514	.75"	3	Red	Hard Wired	Stripped Leads	.038	10	0.05	562 (N)
5627517	.75"	3	Red	Hard Wired	Stripped Leads	.038	1	0.05	562 (N)
5627523	.75"	3	Amber	Hard Wired	.180 Male Bullets	.038	10	0.05	562 (N)
5627524	.75"	3	Amber	Hard Wired	Stripped Leads	.038	10	0.05	562 (N)
5627527	.75"	3	Amber	Hard Wired	Stripped Leads	.038	1	0.05	562 (N)

## Replacement Black Grommets for 0.75" Marker/Clearance Lights



Part No.	Size	Description	Std. Qty.	Wt. (lbs.)	Cat.
5627501	.75"	Black Grommet for .75" Round Marker Lights, for 1-LED Marker/Clearance Lights	25	0.05	562 (N)
5627503	.75"	Black Grommet for .75" Round Marker Lights, for 3-LED Marker/Clearance Lights	25	0.05	562 (N)

For plugs refer to **pg. 63**

# 2" and 2.5" Round Marker/Clearance Lights

## 2" Round Marker/Clearance Light Kit with 1 LED



**5622101**  
Plug and grommet included



**5622201**  
Plug and grommet included




**5622150**  
Light only (sold in qty of 10)



**5622250**  
Light only (sold in qty of 10)



**5622050**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
<b>5622101</b>	2"	1	Red	PL-10 Connection	Grommet (Included)	.050	1	0.18	562 (N)	
<b>5622201</b>	2"	1	Amber	PL-10 Connection	Grommet (Included)	.050	1	0.18	562 (N)	
<b>5622150</b>	2"	1	Red	PL-10 Connection	Grommet	.050	10	0.07	562 (N)	
<b>5622250</b>	2"	1	Amber	PL-10 Connection	Grommet	.050	10	0.07	562 (N)	
<b>5622050</b>	2"	Round, Open Back, Flush Mount Grommet for use with 5622150, 5622250, 5622154, 5622254						10	0.07	562 (N)

## 2" Round Marker/Clearance Light with 4 LEDs



**5622102**  
Plug and grommet included



**5622202**  
Plug and grommet included




**5622154**  
(sold in qty of 10)



**5622254**  
(sold in qty of 10)



**5622050**  
(sold in qty of 10)




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
<b>5622102</b>	2"	4	Red	PL-10 Connection	Grommet (Included)	.039	1	0.18	562 (N)	
<b>5622202</b>	2"	4	Amber	PL-10 Connection	Grommet (Included)	.039	1	0.18	562 (N)	
<b>5622154</b>	2"	4	Red	PL-10 Connection	Grommet	.039	10	0.07	562 (N)	
<b>5622254</b>	2"	4	Amber	PL-10 Connection	Grommet	.039	10	0.07	562 (N)	
<b>5622050</b>	2"	Round, Open Back, Flush Mount Grommet for use with 5622150, 5622250, 5622154, 5622254						10	0.07	562 (N)

## 2" Round Incandescent Marker Light




**5652001**  
(sold in qty of 10)



**5652002**  
(sold in qty of 10)



**5622050**  
(sold in qty of 10)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
<b>5652001</b>	2"	Red	PL-10 Connection	Grommet	0.33	10	0.04	562 (N)	
<b>5652002</b>	2"	Amber	PL-10 Connection	Grommet	0.33	10	0.04	562 (N)	
<b>5622050</b>	2"	Round, Open Back, Flush Mount Grommet for use with 5652001, 5652002					10	0.07	562(N)

## 2.5" Round Marker/Clearance Light with 2 LEDs



**5622512**  
(sold in qty of 10)




**5622522**  
(sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
<b>5622512</b>	2.5"	2	Red	PL-10 Connection	Grommet	.044	10	0.11	562 (N)	
<b>5622522</b>	2.5"	2	Amber	PL-10 Connection	Grommet	.044	10	0.11	562 (N)	
<b>5622505</b>	2.5"	Round, Flush Mount, Semi-Open Back						10	0.11	562 (N)
<b>5622506</b>	2.5"	Round, Flush Mount, Open Back						10	0.11	562 (N)

For plugs refer to **pg. 63**



Products are Retail Packaged



# 2.5" Round Marker/Clearance Lights

LIGHTS - DOT

## 2.5" Round Marker/Clearance Light with 4 LEDs



**5622514**  
Plug and grommet included



**5622524**  
Plug and grommet included



**5622550**  
Light only (sold in qty of 10)




**5622525**  
Light only (sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5622514</b>	2.5"	4	Red	PL-10 Connection	Grommet (Included)	.032	1	0.11	562 (N)
<b>5622524</b>	2.5"	4	Amber	PL-10 Connection	Grommet (Included)	.032	1	0.11	562 (N)
<b>5622550</b>	2.5"	4	Red	PL-10 Connection	Grommet	.032	10	0.11	562 (N)
<b>5622525</b>	2.5"	4	Amber	PL-10 Connection	Grommet	.032	10	0.11	562 (N)
<b>5622505</b>	2.5"	Round, Flush Mount, Semi-Open Back					10	0.11	562 (N)
<b>5622506</b>	2.5"	Round, Flush Mount, Open Back					10	0.11	562 (N)

## 2.5" Round Marker/Clearance Light with 7 LEDs



**5622517**  
(sold in qty of 10)




**5622527**  
(sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5622517</b>	2.5"	7	Red	PL-10 Connection	Grommet	.19	10	0.11	562 (N)
<b>5622527</b>	2.5"	7	Amber	PL-10 Connection	Grommet	.19	10	0.11	562 (N)
<b>5622505</b>	2.5"	Round, Flush Mount, Semi-Open Back					10	0.11	562 (N)
<b>5622506</b>	2.5"	Round, Flush Mount, Open Back					10	0.11	562 (N)

## 2.5" Round Marker/Clearance Light with Reflex and 4 LEDs



**5622551**  
(sold in qty of 10)




**5622526**  
(sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>5622551</b>	2.5"	4	Red	PL-10 Connection	Grommet	.030	10	0.11	562 (N)
<b>5622526</b>	2.5"	4	Amber	PL-10 Connection	Grommet	.033	10	0.11	562 (N)
<b>5622505</b>	2.5"	Round, Flush Mount, Semi-Open Back					10	0.11	562 (N)
<b>5622506</b>	2.5"	Round, Flush Mount, Open Back					10	0.11	562 (N)

## 2.5" Round Incandescent Marker/Clearance Light



**5652501**  
(sold in qty of 10)




**5652502**  
(sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
<b>5652501</b>	2.5"	Red	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)	
<b>5652502</b>	2.5"	Amber	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)	
<b>5652501</b>	2.5"	Round, Flush Mount, Semi-Open Back					10	0.11	562 (N)
<b>5652502</b>	2.5"	Round, Flush Mount, Open Back					10	0.11	562 (N)

For plugs refer to **pg. 63**

# 2.5" Round and 2.875" Rectangular Marker/Clearance Lights

## 2.5" Round Incandescent Marker/Clearance Light with Reflex



**5652511**  
(sold in qty of 10)




**5622512**  
(sold in qty of 10)



**5622505**  
(sold in qty of 10)



**5622506**  
(sold in qty of 10)




Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652511	2.5"	Red	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5652512	2.5"	Amber	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5622505	2.5"	Round, Flush Mount, Semi-Open Back				10	0.11	562 (N)
5622506	2.5"	Round, Flush Mount, Open Back				10	0.11	562 (N)


## 2.5" Surface Mount Marker Light with 3 LEDs



**5622103**  
Plug and mounting bracket included



**5622203**  
Plug and mounting bracket included



**5622104**  
Light only (sold in qty of 10)




**5622204**  
Light only (sold in qty of 10)



**5622304**  
Light only (sold in qty of 10)




**5622205**  
(sold in qty of 10)




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622103	2.5"	3	Red	PL-10 Connection	Surface Mount	.042	1	0.05	562 (N)
5622203	2.5"	3	Amber	PL-10 Connection	Surface Mount	.042	1	0.05	562 (N)
5622104	2.5"	3	Red	PL-10 Connection	Surface Mount	.042	10	0.05	562 (N)
5622204	2.5"	3	Amber	PL-10 Connection	Surface Mount	.042	10	0.05	562 (N)
5622304	2.5"	3	Clear	PL-10 Connection	Surface Mount	.042	10	0.05	562 (N)
5622205	2.5"	Flush Mount, Open Back Grommet for use with 5622104, 5622204, 5622304					10	0.11	562 (N)


## 2.875" Rectangular Marker/Clearance Light Kit with Reflex and 6 LEDs



**5622716**  
Includes ground wire  
(sold in qty of 10)



**5622726**  
Includes ground wire  
(sold in qty of 10)




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622716	2.875"	6	Red	Hard Wired with Stripped Lead and Ring Terminal	Stud	.033	10	0.14	562 (N)
5622726	2.875"	6	Amber	Hard Wired with Stripped Lead and Ring Terminal	Stud	.033	10	0.14	562 (N)

## 2.875" Rectangular Incandescent Marker Light with Reflex



**5652720**  
(sold in qty of 10)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652720	2.875"	Amber	Hard Wired with Stripped Leads	Stud	0.33	10	0.10	562 (N)

For plugs refer to **pg. 63**

- Ground through stud

# DOT LED Marker Lights

## 3.125" Rectangular Marker/Clearance Light Kit with Reflex and 2 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5623112	3.125"	2	Red	PL-10 Connection	Grommet (Included)	.044	1	0.05	562 (N)
5623122	3.125"	2	Amber	PL-10 Connection	Grommet (Included)	.044	1	0.05	562 (N)
5623113	3.125"	2	Red	PL-10 Connection	Grommet	.044	10	0.08	562 (N)
5623123	3.125"	2	Amber	PL-10 Connection	Grommet	.044	10	0.08	562 (N)
5623050	3.125"	Recessed Mount Black Grommet for use with 5623113, 5623123					10	0.05	562 (N)

## 3.75" Rectangular Marker/Clearance Light with 2 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5623711	3.75"	2	Amber/Red	Male Barrel Terminals	Surface Mount	.085	10	0.05	562 (N)
5623712	3.75"	2	Amber/Red	Male Barrel Terminals	Surface Mount	.085	10	0.05	562 (N)
5623812	3.875"	2	Red	Male Barrel Terminals	Surface Mount	.060	10	0.04	562 (N)
5623822	3.875"	2	Amber	Male Barrel Terminals	Surface Mount	.060	10	0.04	562 (N)
5623750	3.75"	Black Mounting Bracket Includes Stripped Lead						0.05	562 (N)

## 3.75" Rectangular Incandescent Marker/Clearance Light

LIMITED LIFETIME WARRANTY 12 VOLTS PC RATED



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5653701	3.75"		Red	Male Barrel Terminals	Surface	0.33	10	0.06	562 (N)
5653702	3.75"		Amber	Male Barrel Terminals	Surface	0.33	10	0.06	562 (N)
5623750	3.75"	Black Mounting Bracket Includes Stripped Lead						0.06	562 (N)

For plugs refer to pg. 63


## 0.75" ID Light Kit with 9 LEDs



5627533


Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5627533	.75"	9	Red	Hard Wired with .180 Male Bullets	Grommet	.113	1	0.50	562 (N)

## Stainless Steel ID Bar Light with 9 LEDs




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5621720	14"	9	Red	Hard Wired with Stripped Lead and Ring Terminal	Surface	.147	1	0.55	562 (N)

## 17" Polycarbonate ID Bar Light with 9 LEDs




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5621719	17"	9	Red	Hard Wired with Stripped Lead and Ring Terminal	Surface	.119	1	0.65	562 (N)

## 17" Incandescent Polycarbonate ID Bar



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5651700	17"	Red	Hard Wired with Stripped Lead and Ring Terminal	Surface	0.33	10	0.34	562 (N)

## 17" Slimline Stop/Turn/Tail Light with 11 LEDs




Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5621711	17"	11	Red	Hard Wired with Stripped Leads & Ring Terminal	Surface	.162	10	0.41	562 (N)

For plugs refer to pg. 63


# 4" Round Stop, Turn & Tail Lights

## 4" Round Stop/Turn/Tail Light with 1 LED



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624101	4"	1	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)


## 4" Round Stop/Turn/Tail Light with 7 LEDs



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624157*	4"	7	Red	PL-3 Connection	Grommet (Included)	.150	1	0.23	562 (N)
5624156	4"	7	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)


\*Available June 2019

## 4" Round Stop/Turn/Tail Light with 10 LEDs



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624110	4"	10	Red	PL-3 Connection	Grommet (Included)	.113	1	0.70	562 (N)
5624150	4"	10	Red	PL-3 Connection	Grommet	.113	10	0.36	562 (N)
5624151	4"	10	Red	AMP-Style Connection	Grommet	.105	10	0.34	562 (N)
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)

## 4" Round Stop/Turn/Tail/Backup with 12 LEDs



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<b>NEW</b> 5624131	4"	12	Red/Clear	PL-3 & PL-2 Connection	Grommet (Included)	.8	1	0.23	562 (N)
5624130	4"	12	Red/Clear	PL-3 & PL-2 Connection	Grommet	.8	10	0.23	562 (N)
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)

For plugs refer to **pg. 63**

# 4" Round & 6" Oval Stop, Turn & Tail Lights

## 4" Round Stop/Turn/Tail Light with 18 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS




5624118  
Plug and grommet included



5624119  
Light only (sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5624118	4"	18	Red	PL-3 Connection	Grommet (Included)	.208	1	0.80	562 (N)
5624119	4"	18	Red	PL-3 Connection	Grommet	.208	10	0.40	562 (N)
5624050	4"	Replacement Black Grommet for use with 5624119, 5624118					10	0.15	562 (N)

## 4" Round Incandescent Stop/Turn/Tail Light


LIMITED LIFETIME WARRANTY 12 VOLTS



5654100  
(sold in qty of 10)



5624050  
(sold in qty of 10)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
5654100	4"	Red	PL-3 Connection	PL-3	2.1/0.49	10	0.23	562 (N)	
5624050	4"	Replacement Black Grommet					10	0.15	562 (N)

## 6" Oval Stop/Turn/Tail Light with 1 LED


LIMITED LIFETIME WARRANTY 12 VOLTS



5626101  
(sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626101	6"	1	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

## 6" Oval Stop/Turn/Tail Light with 6 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS




5626157  
Plug and grommet included



5626156  
(sold in qty of 10)



5626050  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626157*	6"	6	Red	PL-3 Connection	Grommet (Included)	.150	1	0.23	562 (N)
5626156	6"	6	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

\*Available June 2019

For plugs refer to pg. 63



Products are Retail Packaged



# 6" Oval LED Stop, Turn, Tail & Backup Lights

## 6" Oval Stop/Turn/Tail Light with 10 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS



**5626510**  
Plug and grommet included



**5626550**  
Light only  
(sold in qty of 10)




**5626551**  
Light only  
(sold in qty of 10)



**5626050**  
(sold in qty of 10)




**5626553**  
Light only  
(sold in qty of 10)  
Clear lens with red LEDs



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626510	6"	10	Red	PL-3 Connection	Grommet (Included)	.129	1	0.5	562 (N)
5626550	6"	10	Red	PL-3 Connection	Grommet	.129	10	0.36	562 (N)
5626551	6"	10	Red	AMP-Style Connection	Grommet	.112	10	0.29	562 (N)
5626553	6"	10	Clear	PL-3 Connection	Grommet	.129	10	0.36	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

## 6" Hardwired Surface Mount Oval Stop/Turn/Tail Light Kit with 10 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626552	6"	10	Red	Hard Wired with Stripped Leads & Ring Terminal	Surface	.106	1	0.34	562 (N)

## 6" Oval Stop/Turn/Tail/Backup Light with 14 LEDs

LIMITED LIFETIME WARRANTY 12 VOLTS IP 67

2 LIGHTS IN ONE!




**5626131**  
Plug and grommet included



**5626130**  
(sold in qty of 10)



**5626050**  
(sold in qty of 10)



Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626131	6"	14	Red/Clear	PL-3 & PL-2 Connection	Surface	.8	1	0.3	562 (N)
5626130	6"	14	Red/Clear	PL-3 & PL-2 Connection	Surface	.8	10	0.3	562 (N)
5626050	6"	Open Back, Flush Mount Grommet					10	0.18	562 (N)

For plugs refer to **pg. 63**