0.75" Round Marker/Clearance Lights

1 LED Kits



· Kits includes mount and grommet









5623413 and 5623423 (sold in qty of 10)

5623414 and 5623424 (sold in qty of 10)

5627511 and 5627521 (sold in qty of 10)

5627512 / 5627532 / 5627522 (sold in qty of 10)

, ,,	,		, ,	1, ,	, , ,				
Part No.	Size	LED's	Lens Color	Connection	Lead	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5623413	.75"	1	Red	Hard Wired	.180 Male Bullets	0.021	10	0.03	562 (N)
5623414	.75"	1	Red	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5623423	.75"	1	Amber	Hard Wired	.180 Male Bullets	0.021	10	0.03	562 (N)
5623424	.75"	1	Amber	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5627511	.75"	1	Red	Hard Wired	.180 Male Bullets	0.021	10	0.05	562 (N)
5627512	.75"	1	Red	Hard Wired	Stripped Leads	0.021	10	0.05	562 (N)
5627521	.75"	1	Amber	Hard Wired	.180 Male Bullets	0.021	10	0.05	562 (N)
5627522	.75"	1	Amber	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)
5627532	.75"	1	Clear	Hard Wired	Stripped Leads	0.021	10	0.02	562 (N)

3 LEDs Kits






• Kits includes mount and grommet







	5627513 and 562 (sold in qty of 10)	7523
Part No.	Size	LED
i ait No.	3126	LED

Part No.	Size	LED's	Lens Color	Connection	Lead	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5627513	.75"	3	Red	Hard Wired	.180 Male Bullets	.038	10	0.05	562 (N)
5627514	.75"	3	Red	Hard Wired	Stripped Leads	.038	10	0.05	562 (N)
5627517	.75"	3	Red	Hard Wired	Stripped Leads	.038	1	0.05	562 (N)
5627523	.75"	3	Amber	Hard Wired	.180 Male Bullets	.038	10	0.05	562 (N)
5627524	.75"	3	Amber	Hard Wired	Stripped Leads	.038	10	0.05	562 (N)
5627527	.75"	3	Amber	Hard Wired	Stripped Leads	.038	1	0.05	562 (N)

Replacement Black Grommets for 0.75" Marker/Clearance Lights





,
5627503 (sold in qty of 25)

Part No.	Size	Description	Std. Qty.	Wt. (lbs.)	Cat.
5627501	.75"	Black Grommet for .75" Round Marker Lights, for 1-LED Marker/Clearance Lights	25	0.05	562 (N)
5627503	.75"	Black Grommet for .75" Round Marker Lights, for 3-LED Marker/Clearance Lights	25	0.05	562 (N)

2" and 2.5" Round Marker/Clearance Lights

2" Round Marker/Clearance Light Kit with 1 LED
















5622101

Plug and grommet included

5622201 Plug and grommet included

5622150 Light only (sold in qty of 10)

5622250

Light only (sold in qty of 10)

(sold in qty of 10)

Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622101	2"	1	Red	PL-10 Connection	Grommet (Included)	.050	1	0.18	562 (N)
5622201	2"	1	Amber	PL-10 Connection	Grommet (Included)	.050	1	0.18	562 (N)
5622150	2"	1	Red	PL-10 Connection	Grommet	.050	10	0.07	562 (N)
5622250	2"	1	Amber	PL-10 Connection	Grommet	.050	10	0.07	562 (N)
5622050	2"	Round,	Open Back, Fl	ush Mount Grommet fo	or use with 5622150, 5622250, 5622	154, 5622254	10	0.07	562 (N)

2" Round Marker/Clearance Light with 4 LEDs
















Plug and grommet included

5622202 Plug and grommet included

5622154 (sold in qty of 10)

5622254 (sold in qty of 10)

5622050 (sold in qty of 10)

	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
>	5622102	2"	4	Red	PL-10 Connection	Grommet (Included)	.039	1	0.18	562 (N)
Ž	5622202	2"	4	Amber	PL-10 Connection	Grommet (Included)	.039	1	0.18	562 (N)
	5622154	2"	4	Red	PL-10 Connection	Grommet	.039	10	0.07	562 (N)
	5622254	2"	4	Amber	PL-10 Connection	Grommet	.039	10	0.07	562 (N)
	5622050	2"	Round, (Open Back, F	lush Mount Grommet for use witl	n 5622150, 5622250, 5622154	1, 5622254	10	0.07	562 (N)

2" Round Incandescent Marker Light














Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652001	2"	Red	PL-10 Connection	Grommet	0.33	10	0.04	562 (N)
5652002	2"	Amber	PL-10 Connection	Grommet	0.33	10	0.04	562 (N)
5622050	2"	Round, Oper	n Back, Flush Mount Gr	ommet for use with 5	652001, 5652002	10	0.07	562(N)

2.5" Round Marker/Clearance Light with 2 LEDs














Part No. Size LED's **Lens Color** Connection Mounting Amp Std. Qty. Wt. (lbs.) Cat. 5622512 2.5" 2 PL-10 Connection Grommet .044 10 0.11 562 (N) Red 5622522 2.5" 2 PL-10 Connection Grommet .044 10 0.11 562 (N) Amber 5622505 2.5" Round, Flush Mount, Semi-Open Back 10 0.11 562 (N) 2.5" 5622506 Round, Flush Mount, Open Back 10 0.11 562 (N)

Products are Retail Packaged



2.5" Round Marker/Clearance Lights

2.5" Round Marker/Clearance Light with 4 LEDs


















		Plug and grommet included	Plu	ug and grommet cluded	Light only (sold in qty of 10)	Light only (sold in qty of 10)	5622505 (sold in qty of 10)	56225 (sold in	506 qty of 10)	7/8"	
	Part No.	Size	LED's	Lens Color	Connection	Mounting	g	Amp	Std. Qty.	Wt. (lbs.)	Cat.
}	5622514	2.5"	4	Red	PL-10 Connection	Gromme	et (Included)	.032	1	0.11	562 (N)
}	5622524	2.5"	4	Amber	PL-10 Connection	Gromme	et (Included)	.032	1	0.11	562 (N)
	5622550	2.5"	4	Red	PL-10 Connection	Gromme	et	.032	10	0.11	562 (N)
	5622525	2.5"	4	Amber	PL-10 Connection	Gromme	et	.032	10	0.11	562 (N)
	5622505	2.5"	Round, I	Flush Mount,	Semi-Open Back			· ·	10	0.11	562 (N)
	5622506	2.5"	Round, I	Flush Mount,	Open Back				10	0.11	562 (N)

2.5" Round Marker/Clearance Light with 7 LEDs














		in qty of 10)		(sold in qty of 10)	(sold in qty of 10)	(sold in qty of 10)		15/16	
Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622517	2.5"	7	Red	PL-10 Connection	Grommet	.19	10	0.11	562 (N)
5622527	2.5"	7	Amber	PL-10 Connection	Grommet	.19	10	0.11	562 (N)
5622505	2.5"	Round,	Flush Mount,	Semi-Open Back			10	0.11	562 (N)
5622506	2.5"	Round,	Flush Mount,	Open Back			10	0.11	562 (N)

2.5" Round Marker/Clearance Light with Reflex and 4 LEDs














Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622551	2.5"	4	Red	PL-10 Connection	Grommet	.030	10	0.11	562 (N)
5622526	2.5"	4	Amber	PL-10 Connection	Grommet	.033	10	0.11	562 (N)
5622505	2.5"	Round,	Flush Mount,	Semi-Open Back			10	0.11	562 (N)
5622506	2.5"	Round,	Flush Mount,	Open Back			10	0.11	562 (N)

2.5" Round Incandescent Marker/Clearance Light














		(Solu III qty of 10)	(sold ill qty of 10)	(Sold III qty of 10)		(Sold III qty of 10)	110	
Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652501	2.5"	Red	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5652502	2.5"	Amber	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5652501	2.5"	Round, Flush M	Mount, Semi-Open Back			10	0.11	562 (N)
5652502	2.5"	Round, Flush N	Mount, Open Back			10	0.11	562 (N)

2.5" Round and 2.875" Rectangular Marker/Clearance Lights

2.5" Round Incandescent Marker/Clearance Light with Reflex














5652511	
(sold in qty of	10)

5622512 (sold in qty of 10)

5622505 (sold in qty of 10)

5622506 (sold in qty of 10)

Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652511	2.5"	Red	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5652512	2.5"	Amber	PL-10 Connection	Grommet	0.33	10	0.06	562 (N)
5622505	2.5"	Round, Flush	Mount, Semi-Open Back	10	0.11	562 (N)		
5622506	2.5"	Round, Flush	Mount, Open Back	10	0.11	562 (N)		


2.5" Surface Mount Marker Light with 3 LEDs











5622103 Plug and mounting bracket included


5622203 Plug and mounting bracket included











5622104 Light only (sold in qty of 10)


5622204 Light only (sold in qty of 10)


Light only (sold in qty of 10)

Std. Qty. Part No. Size LED's **Lens Color** Connection Mounting Amp Wt. (lbs.) Cat. 5622103 2.5" Surface Mount 3 Red PL-10 Connection .042 1 0.05 562 (N) 5622203 2.5" 3 Amber PL-10 Connection Surface Mount .042 1 0.05 562 (N) 5622104 2.5" 3 PL-10 Connection Surface Mount .042 10 562 (N) Red 0.05 2.5" 5622204 3 Amber PL-10 Connection Surface Mount .042 10 0.05 562 (N) 5622304 2.5" 3 Clear PL-10 Connection Surface Mount .042 10 0.05 562 (N) 5622205 2.5" Flush Mount, Open Back Grommet for use with 5622104, 5622204, 5622304 10 562 (N) 0.11

2.875" Rectangular Marker/Clearance Light Kit with Reflex and 6 LEDs
















Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5622716	2.875"	6	Red	Hard Wired with Stripped Lead and Ring Terminal	Stud	.033	10	0.14	562 (N)
5622726	2.875"	6	Amber	Hard Wired with Stripped Lead and Ring Terminal	Stud	.033	10	0.14	562 (N)

2.875" Rectangular Incandescent Marker Light with Reflex









•	Ground	unougn stuu	

			(0014 111 41) 01 10)					117 7 017
Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5652720	2.875"	Amber	Hard Wired with Stripped Leads	Stud	0.33	10	0.10	562 (N)

For plugs refer to pg. 63


DOT LED Marker Lights

3.125" Rectangular Marker/Clearance Light Kit with Reflex and 2 LEDs











5623112 Plug and grommet included

5623122 Plug and grommet included

5623113 Light only (sold in qty of 10)

Light only (sold in qty of 10)

(sold in qty of 10)

	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
7	5623112	3.125"	2	Red	PL-10 Connection	Grommet (Included)	.044	1	0.05	562 (N)
7	5623122	3.125"	2	Amber	PL-10 Connection	Grommet (Included)	.044	1	0.05	562 (N)
	5623113	3.125"	2	Red	PL-10 Connection	Grommet	.044	10	0.08	562 (N)
	5623123	3.125"	2	Amber	PL-10 Connection	Grommet	.044	10	0.08	562 (N)
	5623050	3.125" Recessed Mount Black Grommet for use with 5623113, 5623123						10	0.05	562 (N)



5623812 Light only (sold in qty of 10)

5623822 Light only (sold in qty of 10)

5623750 (sold in qty of 10)

Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5623711	3.75"	2	Amber/Red	Male Barrel Terminals	Surface Mount	.085	10	0.05	562 (N)
5623712	3.75"	2	Amber/Red	Male Barrel Terminals	Surface Mount	.085	10	0.05	562 (N)
5623812	3.875"	2	Red	Male Barrel Terminals	Surface Mount	.060	10	0.04	562 (N)
5623822	3.875"	2	Amber	Male Barrel Terminals	Surface Mount	.060	10	0.04	562 (N)
5623750	3.75"	Black	Mounting Bra	icket Includes Stripped Lead				0.05	562 (N)

3.75" Rectangular Incandescent Marker/Clearance Light



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5653701	3.75"	Red	Male Barrel Terminals	Surface	0.33	10	0.06	562 (N)
5653702	3.75"	Amber	Male Barrel Terminals	Surface	0.33	10	0.06	562 (N)
5623750	3.75"	Black Moun	ting Bracket Includes Stripped Lead				0.06	562 (N)