4" Round Stop, Turn & Tail Lights

	4" Round	Stop/	Turn/Ta	all Light w	5624101 (sold in qty of 10)	0	5624050 (sold in qty of 10)		1/4*	× <u>7/8"</u>
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
NEW	5624101	4"	1	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
	5624050	4"	Replace	ment Black (Grommet			10	0.15	562 (N)

4" Round Stop/Turn/Tail Light with 7 LEDs

	VOLTS	C		624157 Ilug and grommet in	cluded	5624156 (sold in qty of 10)	5624050 (sold in qty of 10			7/8"
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
NEW	5624157*	4"	7	Red	PL-3 Connection	Grommet (Included)	.150	1	0.23	562 (N)
	5624156	4"	7	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)

0.15

562 (N)

10

5624050 4" Replacement Black Grommet

*Available June 2019

4" Round Stop/Turn/Tail Light with 10 LEDs

Figure 2 Constraints of the second se		5624150 Light only (sold in gty of 10)					5624050 (sold in qty of 10)				
	Part No.	Size	LED's	Lens Color	Connection		Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
	5624110	4"	10	Red	PL-3 Connectio	n	Grommet (Included)	.113	1	0.70	562 (N)
	5624150	4"	10	Red	PL-3 Connectio	n	Grommet	.113	10	0.36	562 (N)
	5624151	4"	10	Red	AMP-Style Cor	nnection	Grommet	.105	10	0.34	562 (N)
	5624050) 4"	Replace	ment Black Gr	ommet				10	0.15	562 (N)

4" Round Stop/Turn/Tail/Backup with 12 LEDs

	2 LIGHTS IN ONE!			24131 g and grommet incl	uded	5624 (sold	130 n qty of 10)) 5624050 (sold in qty			," <u>94"</u>
	Part No.	Size	LED's	Lens Color	Connection		Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
N	5624131 5624130	4"	12	Red/Clear	PL-3 & PL-2 Cor	nection	Grommet (Included)	.8	1	0.23	562 (N)
Z	5624130	4"	12	Red/Clear	PL-3 & PL-2 Cor	nection	Grommet	.8	10	0.23	562 (N)
	5624050	4"	Replacer	nent Black Gi					10	0.15	562 (N)
					Fo	r plugs refei	to pg. 63				

BuyersProducts.com | phone: 440.974.8888 | fax: 800.841.8003 | email: orders@buyersproducts.com

4" Round & 6" Oval Stop, Turn & Tail Lights

	4" Round	l Stop/T	urn/Tail I	Light with 1	18 LEDs					
	VOLTS		56241 Plug and	18 I grommet included	622- Light	anily (sold in qty of 10)	56240 (sold in	50 qty of 10)	4 1/4"	7/8"
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
Ŷ	5624118	4"	18	Red	PL-3 Connection	Grommet (Included)	.208	1	0.80	562 (N)
	5624119	4"	18	Red	PL-3 Connection	Grommet	.208	10	0.40	562 (N)
	5624050	4"	Replacem	ent Black Gror	nmet for use with 50	624119, 5624118		10	0.15	562 (N)

4" Round Incandescent Stop/Turn/Tail Light



6" Oval Stop/Turn/Tail Light with 1 LED

LINTER 12 VOLTS			6	5626101 (sold in qty of 10)	5626050 (sold in qty of 10)		3	2114	3/8"
Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<mark>⊉</mark> 5626101	6"	1	Red	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
5626050	6"	Open Bac	k, Flush Mou	int Grommet			10	0.18	562 (N)



For plugs refer to **pg.** 63




VOLTS

5626552

6"

10





1

0.34

562 (N)

.106

Surface

Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626510	6"	10	Red	PL-3 Connection	Grommet (Included)	.129	1	0.5	562 (N)
5626550	6"	10	Red	PL-3 Connection	Grommet	.129	10	0.36	562 (N)
5626551	6"	10	Red	AMP-Style Connection	Grommet	.112	10	0.29	562 (N)
5626553	6"	10	Clear	PL-3 Connection	Grommet	.129	10	0.36	562 (N)
5626050	6"	Open E	Back, Flush N	lount Grommet		10	0.18	562 (N)	

6" Hardwired Surface Mount Oval Stop/Turn/Tail Light Kit with 10 LEDs



Hard Wired with Stripped Leads & Ring Terminal

6" Oval Stop/Turn/Tail/Backup Light with 14 LEDs

Red




6" Oval Stop/Turn/Tail Light with 20 LEDs

	WIRE 12 Volts								63	10#
	Ø								Ś	
		5626050 Plug and g) rommet included	562652 Light only	1 (sold in qty of 10)	5626050 (sold in qty of 10))			1*/
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
Ŷ	5626520	6"	20	Red	PL-3 Connection	Grommet (Included)	0.162	1	0.83	562 (N)
	5626521	6"	20	Red	PL-3 Connection	Grommet	.162	10	0.31	562 (N)
	5626050	6"	Open Back,	Flush Mount G	rommet			10	0.18	562 (N)

6" Oval Incandescent Stop/Turn/Tail

	5656100 Light only (sold in o	qty of 10)		5626050 (sold in qty of 10)		2 5/16	6 1/2"	2 1/2"
Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<mark>⊉</mark> 5656100	6"	Red	PL-3 Connection	Grommet	2.1/0.59	10	0.29	562 (N)
5626050	6"	Open Back, F	lush Mount Grommet			10	0.18	562 (N)

5.33" Rectangular Stop/Turn/Tail Kit with 15 LEDs



5.75" Box Style Stop/Turn/Tail and Back-Up with Reflex

	 5626738 Includes Lica Plate Light Includes Gro 		562	26734	626738 Includes built-in license plate lig	5626700	1/4* x 1 3/8* 2* 2 / 2 / 6*				
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
	5626734	5.75"	34	Red	Hard Wired with Stripped	Leads, PS Stud	.091	1	1.24	562 (N)	
Ŷ	5626738	5.75"	38	Red	Hard Wired with Stripped	Leads, DS Stud	.091	1	1.24	562 (N)	
	5626700	5.75"	License Plat	e Bracket					0.12	562 (N)	
					For pluge refer to pg 63	,					

For plugs refer to **pg. 63**



5" Box-Style Stop, Turn, Tail Lights

5" Box-Style LED Stop/Turn/Tail Light (For Trailers Under 80" Wide)







Shown with built-in license plate light

	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
2	5625111	5"	11	Red	Push-in Connections	Stud	.1	1	0.66	562 (N)
Z	5625117	5"	17	Red	Push-in Connections	Stud	.1	1	0.70	562 (N)

5" Box-Style Stop/Turn/Tail with License Light (For Trailers Under 80" Wide) (Incandescent)

5625111 Back and side shown

 Grounds thromounting stu Includes Ref 5655001 inclucense light 	ud lector cludes	5655001 Shown with b	uilt-in license plate light	5655000	•	<	4 5/1 5 1/8" 1/4" >	2 7/8"
Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5655000	5"	Red	Push-in Connections	Stud	2.1	10	0.52	562 (N)
5655001	5"	Red	Push-in Connections	Stud	2.1	10	0.47	562 (N)

5" Box-Style Stop/Turn/Tail with License Light (For Trailers Over 80" Wide) (Incandescent)



Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5655100	5"	Red	Push-in Connections	Stud	2.1	10	0.50	562 (N)
5655101	5"	Red	Push-in Connections	Stud	2.1	10	0.52	562 (N)
				For plugs refer to pg. 63				

12 Volts

• Grounds through mounting stud · Red polycarbonate colored lens and

built-in reflector lens • 5625117 includes license light

DOT LED Turn Signal Lights


4" Round	Turn a	nd Park Lig	ht with 1 L		5624050 (sold in qty of 10)			4 1/4"	7/8"
Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
<mark>≩</mark> 5624201	4"	1	Amber	PL-3 Connection	Grommet	.15	10	0.70	562 (N)
5624050	4"	Black Gromme	t for use with 5	624201			10	0.15	562 (N)
5624050 4" Black Grommet for use with 5624201 10 0.15 562 4" Round Turn and Park Light with 7 LEDs Image: Comparison of the second sec									

		CO.	5624156 (sold in qty of 10)	5624050 (sold in qty of 10)			7/8			
Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.		
4"	7	Amber	PL-3 Connection	Grommet	.150	10	0.23	562 (N)		
4"	Replace	ment Black (Grommet			10	0.15	562 (N)		
	4"	4" 7	4" 7 Amber	(sold in qty of 10) Size LED's Lens Color Connection 4" 7 Amber PL-3 Connection	(sold in qty of 10)(sold in qty of 10)SizeLED'sLens ColorConnection4"7AmberPL-3 ConnectionGrommet	SizeLED'sLens ColorConnectionMountingAmp4"7AmberPL-3 ConnectionGrommet.150	SizeLED'sLens ColorConnectionMountingAmpStd. Qty.4"7AmberPL-3 ConnectionGrommet.15010	SizeLED'sLens ColorConnectionMountingAmpStd. Qty.Wt. (lbs.)4"7AmberPL-3 ConnectionGrommet.150100.23		

4" Round Turn Signal Light with 10 LEDs


	UNITER 12 VOLTS			5624210 Plug and grommet inc	iluded	5624251 Light only (sold in qty of 10)	5624050 (sold in qty		4 1/4"	7/8*
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
Ŷ	5624210	4"	10	Amber	PL-3 Connection	Grommet (Included) .221	1	0.70	562 (N)
	5624251	4"	10	Amber	AMP-Style Conne	ection Grommet	.221	10	0.70	562 (N)
	5624050	4"	Black Gromm	et for use with 5	624251			10	0.15	562 (N)

6" Oval Turn and Park Signal Light with 1 LED



6" Oval Turn and Park Signal Light with 6 LEDs

	WITH 12 Volts	600	90		26156 d in qty of 10)	5626050 (sold in qty of 10)		3	2 1/4	3/8*
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
NEW	5626206	6"	6	Amber	PL-3 Connection	Grommet	.150	10	0.23	562 (N)
	5626050	6"	Open Ba	ck, Flush Mou	nt Grommet For plugs refer to p	- 00		10	0.18	562 (N)



57

ħ

	6" Oval ¹² Volts	Turn Signa	al Light v	vith 10 LED	S	6		2 1/4	63/ C	8"
		5626210		562621		5626050				X.
		Plug and grommet		Light onl	y (sold in qty of 10)	(sold in qty of 10)	_			1"
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
	5626210 5626211	<u> </u>	10 10	Amber Clear	PL-3 Connection PL-3 Connection	Grommet (Included)	.224	1 10	0.71	562 (N)
		-	-			Grommet	.224	10	0.31	562 (N)
	5626050			ush Mount Grom					0.18	562 (N)
	6" Midsi 12 Volts	5626209 Plug and gromme		Side Mari	ker with Reflex and 9	5626050	3	2 11/16	6 1/2*	2 5/16*
	Part No.	Size	LED's	Lens Colo	r Connection	Mounting	Amp	St.d Qty.	Wt. (lbs.)	Cat.
	5626209	6"	9	Amber	PL-3 Connection	Grommet (Included)	.114	1	0.30	562 (N)
	5626208	6"	9	Amber	PL-3 Connection	Grommet	.114	10	0.30	562 (N)
	5626050	6"	Open Back	, Flush Mount Gi	rommet				0.18	562 (N)
	5.33" Re	ectangular	Turn Sig	5625215		3.41			30"	
				- i lug allu g	rommet included					
	Part No.	Size	LED's	Lens Colo		Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
Ŷ	Part No. 5625215	Size 5.33"	LED's 15	0 0		Mounting Grommet	Атр .245	Std. Qty. 1	Wt. (Ibs.) 0.71	Cat. 562 (N)
\$	5625215		15	Lens Color Amber	r Connection PL-3 Connection					
	5625215 4" Roun 12 W VOLTS	5.33" d Back-Up	15	Lens Color Amber ith 1 LED	r Connection PL-3 Connection	Grommet 5624050 (sold in qty of 10) Mounting	.245 Amp	1 Std. Qty.	0.71	562 (N)
NEW.	5625215 4" Roun 12 volts Part No. 5624301	5.33" d Back-Up Size 4"	15 D Light w USA	Lens Color Amber ith 1 LED ith 1 LED	r Connection PL-3 Connection	Grommet 5624050 (sold in qty of 10)	.245	1 Std. Qty. 10	0.71 4 1/4* Wt. (lbs.) 0.23	562 (N) 7/8" Cat. 562 (N)
NEW.	5625215 4" Roun 12 W VOLTS	5.33" d Back-Up Size 4"	15 b Light w	Lens Color Amber ith 1 LED ith 1 LED	r Connection PL-3 Connection	Grommet 5624050 (sold in qty of 10) Mounting	.245 Amp	1 Std. Qty.	0.71	562 (N)
New	5625215 4" Roun 12 12 12 12 12 12 5624301 5624301 5624050 4" Roun 12 12 12 12	5.33" d Back-Up Size 4" d Back-Up	15 D Light w LED's 1 Flush Moun D Light w 5624355 Plug and	Lens Color Amber ith 1 LED ith 1 LED ith 1 LED isold in qty of 1 Lens Color Clear t Grommet rith 7 LEDs	r Connection PL-3 Connection PL-3 Connection Connection PL-2 Connection PL-2 Connection	Grommet 5624050 (sold in qty of 10) Mounting Grommet	.245 Amp .150	1 Std. Qty. 10 10 10 y of 10)	0.71 4 1/4* Wt. (Ibs.) 0.23 0.15 4 1/4* 4 1/4*	562 (N) 7/8" Cat. 562 (N) 562 (N)
NFW	5625215 4" Roun 12 12 10 12 12 12 5624301 5624301 5624301 5624050 4" Roun 12 12 12 12 12 12 12	5.33" d Back-Up Size 4" d Back-Up d Back-Up	15 D Light w LED's 1 Flush Moun D Light w 562435 Plug and LED's	Lens Color Amber ith 1 LED ith 1 LED ith 1 LED ith 1 LED ith 1 LED ith 7 LEDs 7 grommet included Lens Color	r Connection PL-3 Connection PL-3 Connection Connection PL-2 Connection PL-2 Connection	Grommet 5624050 (sold in qty of 10) Mounting Grommet Grommet Mounting Mounting	.245 Amp .150 5624050 (sold in qt) Amp	1 Std. Qty. 10 10 10 y of 10) Std. Qty.	0.71 4 1/4* Wt. (lbs.) 0.23 0.15 4 1/4* Wt. (lbs.) Wt. (lbs.)	562 (N) 7/8* Cat. 562 (N) 562 (N)
	5625215 4" Roun 12 0000 5624301 5624050 4" Roun 12 0000 4" Roun 12 0000 5624357*	5.33" d Back-Up d Back-Up 4" 4" d Back-Up d Back-Up Size 4"	15 D Light w LED's 1 Flush Moun D Light w 562435 Plug and LED's 7	Lens Color Amber rith 1 LED 5624301 (sold in qty of 1 Lens Color Clear t Grommet rith 7 LEDs	r Connection PL-3 Connection PL-3 Connection Connection PL-2 Connection	Grommet 5624050 (sold in qty of 10) Mounting Grommet Mounting Grommet (Included)	.245 Amp .150 5624050 (sold in qt) Amp .150	1 Std. Qty. 10 10 10 Std. Qty. 0 y of 10) Std. Qty. 10	0.71 4 1/4* Wt. (lbs.) 0.23 0.15 4 1/4* Wt. (lbs.) Wt. (lbs.) 0.23	562 (N) 7/8* Cat. 562 (N) 562 (N) 562 (N) Cat. 562 (N)
New Participation of the Parti	5625215 4" Roun 12 12 12 12 12 12 5624301 5624301 5624050 4" Roun 12 12 12 12 12 12 12 12 12 12 12 12 12	5.33" d Back-Up Size 4" d Back-Up d Back-Up Size 4" d Size 4"	15 D Light w LED's 1 Flush Moun D Light w 562435 Plug and LED's 7 7	Lens Color Amber ith 1 LED ith 1 LED ith 1 LED isold in qty of 1 Lens Color Clear t Grommet rith 7 LEDs	r Connection PL-3 Connection PL-3 Connection Connection PL-2 Connection PL-2 Connection	Grommet 5624050 (sold in qty of 10) Mounting Grommet Grommet Mounting Mounting	.245 Amp .150 5624050 (sold in qt) Amp	1 Std. Qty. 10 10 10 Std. Qty. 10 10 Std. Qty. 10 10 10	0.71 4 1/4* Wt. (lbs.) 0.23 0.15 4 1/4* 4 1/4* Wt. (lbs.) 0.23 0.23 0.23	562 (N) 7/8* Cat. 562 (N) 562 (N) 562 (N) Cat. 562 (N) 562 (N)
NEW Contraction	5625215 4" Roun 12 12 12 12 12 5624301 5624301 5624301 4" Roun 12 12 12 12 12 12 12 5624350 9 8 12 12 12 12 12 12 12 12 12 12 12 12 12	5.33" d Back-Up Size 4" d Back-Up d Back-Up Size 4" d Size 4"	15 D Light w LED's 1 Flush Moun D Light w 562435 Plug and LED's 7	Lens Color Amber ith 1 LED ith 1 LED ith 1 LED isold in qty of 1 Lens Color Clear t Grommet rith 7 LEDs	r Connection PL-3 Connection PL-3 Connection Connection PL-2 Connection	Grommet 5624050 (sold in qty of 10) Mounting Grommet Mounting Grommet (Included)	.245 Amp .150 5624050 (sold in qt) Amp .150	1 Std. Qty. 10 10 10 Std. Qty. 0 y of 10) Std. Qty. 10	0.71 4 1/4* Wt. (lbs.) 0.23 0.15 4 1/4* Wt. (lbs.) Wt. (lbs.) 0.23	562 (N) 7/8* Cat. 562 (N) 562 (N) 562 (N) Cat. 562 (N)

For plugs refer to pg. 63

DOT LED Backup Lights

	4" Roun	d Backup L	ackup Light Kit with 10 L		EDs					
		12 volts 5624310 Plug and grown rt No. Size LED's 524310 4" 10		mmet included	5624350 Light only (s	old in qty of 10)	5624050 (sold in qty of	10)	41/4"	7/8"
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (Ibs.)	Cat.
Ŷ	5624310	4"	10	Clear	STD PL-2 Connection	Grommet (Included)	.213	1	0.70	562 (N)
	5624350	4"	10	Clear	STD PL-2 Connection	Grommet	.213	10	0.36	562 (N)
	5624050	4"	Flush Mou	nt Grommet					0.15	562 (N)

4" Round Backup Light Kit with 24 LEDs

			5624324 Plug and g	¢ rommet included	562432 Light onl	25 y (sold in qty of 10)	5624 (sold i	1050 n qty of 10)	4 1/4"	7/8"
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
Ŷ	5624324	4"	24	Clear	STD PL-2 Connection	Grommet (Included)	.141	1	0.80	562 (N)
	5624325	4"	24	Clear	STD PL-2 Connection	Grommet	.141	10	0.42	562 (N)
	5624050	4"	Flush Mou	int Grommet				10	0.15	562 (N)

4" Round Incandescent Backup Light

		5654300 (sold in qty of 10)	0	5624050 (sold in qty of 10)		23/	16"	4 5/16"
Part No.	Size	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (Ibs.)	Cat.
5654300	4"	Clear	STD PL-2 Connection	Grommet	2.1	10	0.23	562 (N)
5624050	4"	Flush Mount G	Grommet				0.15	562 (N)

6" Oval Backup Light with 1 LED

(sold in qty of 10) (sold in qty of 10)	Z
Part No. Size LED's Lens Color Connection Mounting Amp Std. Qty. Wt. (lbs.) Cat.	t.
👰 5626301 6" 1 Clear PL-2 Connection Grommet .15 10 0.23 562 (N	(N)
5626050 6" Open Back, Flush Mount Grommet 10 0.18 562 (N	(N)
For plugs refer to pg. 63	



6" Oval	Backup Lig	ht with 6	LEDs	000000	D C		3		12
		g and grommet in	cluded (sold in	n qty of 10)	(sold in qty o				1 3/4"
Part No.	Size	LED's	Lens Color	Connection	Mounting	Am			
· · · · · · · · · · · · · · · · · · ·	6"	6	Clear	STD PL-2 Connection	Grommet (Included			0.23	562 (N)
5626356	6"	6	Clear	STD PL-2 Connection	Grommet	.15	0 10	0.23	562 (N)
5626050	6" ()pen Back,	Flush Moun	t Grommet			10	0.18	562 (N)
*Available	June 2019								
6" Oval	5626310	000	562631		5626050		2 1/4		
Devit No.	Plug and grommet in			(sold in qty of 10)	(sold in qty of 10)	•	014 01-	M4 (11)	1 3/4"/
Part No.	Size L 6"	. <mark>ED's Len:</mark> 10 Clea		Connection STD PL-2 Connection	Mounting Grommet (Included)	Amp .218	Std. Qty.	Wt. (Ibs.) 0.70	Cat. 562 (N)
5626311	<u> </u>	10 Clea		STD PL-2 Connection	Grommet	.138	10	0.70	562 (N)
5626050	-		nsh Mount G		Gronningt	.150	10	0.18	562 (N)
	Backup Lig			IIOIIIIIet			10	0.10	302 (N)
VOLTS	5626324 Plug and grommet in			(sold in qty of 10)	5626050 (sold in qty of 10)	3	Q		<u>13/4"</u>
Part No.		LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5626324 5626325	<u> </u>	24 24	Clear Clear	STD PL-2 Connection STD PL-2 Connection	Grommet (Included) Grommet	.138 .218	10 I	0.86	562 (N) 562 (N)
					Gronniner	.210			
5626050			Flush Mour				10	0.18	562 (N)
VOLTS	Incandesce 5656300 (sold in qty of 10)			Image: second system Image: second system 5626050 (sold in qty			6 5/16" Std. Qty.	1/2"	2 1/2" Cat.
1 1 1 1 1 1 1 1 1 1	6"			TD PL-2 Connection	Grommet	2.1	10	0.29	562 (N)
<u>5626050</u>	6"		h Mount Groi		Gronning	2.1	10	0.18	562 (N)
	ctangular B		ght Kit wi	2 2 LEDs		3.41		5.30"	
Part No.	Size	LED's	Plug and Lens Co	grommet included DIOr Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
5625332	5.33"	32	Clear	STD PL-2 Connect		.301	Sta. Uty.	0.55	562 (N)
JU23332	0.00	52	UIGai	For plugs refer		.001	I	0.00	JUZ (N)

BuyersProducts.com | phone: 440.974.8888 | fax: 800.841.8003 | email: orders@buyersproducts.com

For plugs refer to pg. 63

4" Round LED Multi-Mount Stop/Turn/Tail/Backup/Strobe **12-24** SAE J595 CLASS **VOLTS** 1 **69** 13 • Integrated warning, reverse, and stop/turn/tail functions Grommet is for recessed mounting and chrome cover for surface mounting 3 LIGHTS IN ONE! Stop/Turn/Tail/ Backup Strobe Part No. Size LEDs Color Amp Flash Housing Wt. (lbs.) Cat. **Red/Clear** 4" 5624432 32 1.3 **19 Patterns** Plastic 0.40 889 (N) Amber

4" Round LED Recessed Strobe Light



6" Oval LED Multi-Mount Stop/Turn/Tail/Backup/Strobe

5-year 12-24 Volts 1 1 **1 1 1**

- Integrated warning, reverse, and stop/turn/tail functions
- Grommet is for recessed mounting and chrome cover for surface mounting

	JIGHTS IN ONE! ID I						Strobe			
		Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
New		5626432	6"	32	Red/Clear Amber	1.3	19 Patterns	Plastic	0.70	889 (N)



ID Lights & Slimline Stop, Turn & Tail Light

0.75" ID Light Kit with 9 LEDs										
_	Part No.	Size	LED's	Lens Color	56275 Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.
V	5627533	.75"	9	Red	Hard Wired with .180 Male Bullets	Grommet	.113	1	0.50	562 (N)

Stainless Steel ID Bar Light with 9 LEDs







17" Slimline Stop/Turn/Tail Light with 11 LEDs

	WIRE 12 VOLTS										
	Part No.	Size	LED's	Lens Color	Connection	Mounting	Amp	Std. Qty.	Wt. (lbs.)	Cat.	
NFW	5621711	17"	11	Red	Hard Wired with Stripped Leads & Ring Terminal	Surface	.162	10	0.41	562 (N)	
					For plugs refer to pg. 63						