



Ultra Thin Wide Angle 5" LED Strobe Light



- Surface mount
- All mounting hardware included




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 8890300	5.2"	12	Amber	.88	16	Aluminum	.24	889 (N)
	 8890301	5.2"	12	Clear	.88	16	Aluminum	.24	889 (N)
	 8890302*	5.2"	12	Amber/Clear	.88	26	Aluminum	.24	889 (N)
	 8890305*	5.2"	12	Red/Blue	.88	26	Aluminum	.24	889 (N)
	 8890306*	5.2"	12	Amber/Red	.88	26	Aluminum	.24	889 (N)
NEW	 8890307*	5.2"	12	Clear/Red	.88	26	Aluminum	.24	889 (N)
	 8890308*	5.2"	12	Amber/Blue	.88	26	Aluminum	.24	889 (N)
	 8890310*	5.2"	12	Amber/Green	.88	26	Aluminum	.24	889 (N)
	 8890320	Chrome Bezel For 8890300 Series Strobe Lights						0.04	889 (N)
	 8890321	White Bezel For 8890300 Series Strobe Lights						0.04	889 (N)

*These color combinations are not CA13 or SAE J595 Class 1

Thin 3.5" LED Strobe Light



Shown with optional bezel



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 8892300	3.375"	3	Amber	0.24	12 Patterns	Aluminum	0.11	889 (N)
	 8892301	3.375"	3	Clear	0.24	12 Patterns	Aluminum	0.11	889 (N)
	 8892303	3.375"	3	Red	0.24	12 Patterns	Aluminum	0.11	889 (N)
	 8892304	3.375"	3	Blue	0.24	12 Patterns	Aluminum	0.11	889 (N)
NEW	 8892309*	3.375"	3	Green	0.24	12 Patterns	Aluminum	0.11	889 (N)
	 8892320	Chrome Bezel for 3-LED Thin Mount Strobe						0.11	889 (N)
	 8892321	White Bezel for 3-LED Thin Mount Strobe						0.11	889 (N)
	 8892325	Black, 90 Degree Mounting Bracket						0.04	889 (N)

*8892309 are not SAE J595 Class 1

Strobes must be mounted in horizontal position to achieve Class 1 rating



Products are Retail Packaged




Thin Surface Mounted LED Strobe Lights

Thin 4.5" Horizontal Dual Color LED Strobe Light



Low Profile




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892102	4.375"	12	Clear/Amber	1.0	28 Patterns	Aluminum	.15	889 (N)
	8892105	4.375"	12	Red/Blue	1.0	28 Patterns	Aluminum	.15	889 (N)
	8892106	4.375"	12	Amber/Red	1.0	28 Patterns	Aluminum	.15	889 (N)
	8892107	4.375"	12	Red/Clear	1.0	28 Patterns	Aluminum	.15	889 (N)
	8892108	4.375"	12	Amber/Blue	1.0	28 Patterns	Aluminum	.15	889 (N)
	8892109	4.375"	12	Amber/Green	1.0	28 Patterns	Aluminum	.15	889 (N)
	8891920	Chrome bezel for thin mount LED Lights						0.02	889 (N)
	8891921	White PVC bezel for thin mount LED lights						0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket						0.06	889 (N)

Strobes must be mounted in horizontal orientation to achieve Class 1 rating

Thin 4.5" Horizontal LED Strobe Light



Low Profile



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891900	4.5"	6	Amber	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891901	4.5"	6	Clear	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891902*	4.5"	6	Amber/Clear	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891903	4.5"	6	Red	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891904	4.5"	6	Blue	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891909*	4.5"	6	Green	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891920	Chrome bezel for thin mount LED Lights						0.02	889 (N)
	8891921	White PVC bezel for thin mount LED lights						0.03	889 (N)
	8891925	Black, 90 Degree Mounting Bracket						0.06	889 (N)

**8891902 and 8891909 are not SAE J595 Class 1*


Strobes must be mounted in horizontal orientation to achieve Class 1 rating

Thin 4.5" Vertical LED Strobe Light

5-YEAR
W
12-24
VOLTS
SAE J595
CLASS
1
IP
67



Shown with
optional bezel




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891910	4.5"	6	Amber	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891911	4.5"	6	Clear	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891912*	4.5"	6	Amber/Clear	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891913	4.5"	6	Red	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891914	4.5"	6	Blue	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891919*	4.5"	6	Green	1.0	19 Patterns	Aluminum	.15	889 (N)
	8891920	Chrome Bezel for Thin Mount LED Lights						0.02	889 (N)
	8891921	White PVC Bezel for Thin Mount LED Lights						0.03	889 (N)
	8891925	Aluminum, 90 Degree Mounting Bracket						0.06	889 (N)

Strobes must be mounted in vertical orientation to achieve Class 1 rating

*These color combinations are not SAE J595 Class 1

3.5" LED Strobe Light

5-YEAR
W
12-24
VOLTS
SAE J595
CLASS
2
IP
67



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891400	3.5"	3	Amber	0.22	12 Patterns	Aluminum	0.17	889 (N)
	8891401	3.5"	3	Clear	0.22	12 Patterns	Aluminum	0.17	889 (N)
	8891402	Black, 90 Degree Mounting Bracket for 8891400 and 8891401						0.08	889 (N)
	8891405	Black Grommet for Recessed Mounting, 3-3/8"						0.038	889 (N)

2.5" LED Strobe Light

5-YEAR
W
12-24
VOLTS
SAE J595
CLASS
2
IP
67

• Multi-mount included



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891403	2.5"	3	Amber	0.22	12 Patterns	Aluminum	0.33	889 (N)
	8891404	2.5"	3	Clear	0.22	12 Patterns	Aluminum	0.33	889 (N)



Surface Mounted LED Strobe Lights

Stick-On 2.5" LED Strobe Light





- Can synchronize up to 6 lights



Low Profile



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892500	2.5"	6	Amber	0.30	1 Pattern	Plastic	0.09	889 (N)

4" LED Strobe Light



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891120	4"	3	Amber	0.3	19 Patterns	Plastic	0.20	889 (N)
	8891121	4"	3	Clear	0.3	19 Patterns	Plastic	0.20	889 (N)
	8891135	Mounting Bracket for 8891120/8891121, Black						0.08	889 (N)


5" LED Mini Strobe Light Series



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891130	4.8"	4	Amber	0.4	19 Patterns	Plastic	0.24	889 (N)
	8891131	4.8"	4	Clear	0.4	19 Patterns	Plastic	0.24	889 (N)
	8891132*	4.8"	4	Amber/Clear	0.4	19 Patterns	Plastic	0.24	889 (N)
	8891135	Black, 90 Degree Mounting Bracket						0.04	889 (N)

* 8891132 is not CA13 or SAE J595 Class 1


5" LED Strobe Light Series



		Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
		8891500	5"	6	Amber	1.1	19 Patterns	Aluminum	0.25	889 (N)
		8891501	5"	6	Clear	1.1	19 Patterns	Aluminum	0.25	889 (N)
		8891502*	5"	6	Amber/Clear	1.1	19 Patterns	Aluminum	0.25	889 (N)
		8891509*	5"	6	Green	1.1	19 Patterns	Aluminum	0.25	889 (N)
		8891505	Grommet						0.25	889 (N)
		8891506	Black, 90 Degree Mounting Bracket						0.16	889 (N)

*8891502 is not CA13 or SAE J595 Class 1

5" Raised LED Strobe Light




		Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
		8891004	5"	4	Amber	0.54	1 Pattern	Aluminum	0.60	889 (N)
		8891006	5"	4	Clear	0.54	1 Pattern	Aluminum	0.60	889 (N)
		8891008	5"	4	Red	0.54	1 Pattern	Aluminum	0.60	889 (N)
		8891009	5"	4	Blue	0.54	1 Pattern	Aluminum	0.60	889 (N)
		8891007	Aluminum, 90 Degree Mounting Bracket						0.16	889 (N)

5" Raised LED Strobe Light



- Features alternating and synchronous functions



		Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
		8891104	5"	4	Amber	0.54	19 Flash Patterns	Aluminum	0.60	889 (N)
		8891105*	5"	4	Amber/Clear	0.54	19 Flash Patterns	Aluminum	0.60	889 (N)
		8891007	Aluminum, 90 Degree Mounting Bracket						0.16	889 (N)

*8891105 is not SAE J595 Class 2




Surface Mounted LED Strobe Lights

Narrow Profile 5" LED Strobe Light



- Mounts in the narrow spacing in a vehicle's front grill or between the rear bumper and tailgate of pickup trucks
- Includes mounting hardware



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892700	5"	3	Amber	0.74	12 Patterns	Aluminum	0.29	889 (N)
	8892701	5"	3	Clear	0.74	12 Patterns	Aluminum	0.29	889 (N)
	8892703	5"	3	Red	0.74	12 Patterns	Aluminum	0.29	889 (N)
	8892704	5"	3	Blue	0.74	12 Patterns	Aluminum	0.29	889 (N)
	8892709*	5"	3	Green	0.74	12 Patterns	Aluminum	0.29	889 (N)
	8892825	Dash Bracket Housing						0.12	889 (N)


Strobes must be mounted in correct orientation to achieve Class 1 rating

*8892709 is not CA13 or SAE J595 Class 1

Ultra Bright Narrow Profile 5" LED Strobe Light



- Mounts in the narrow spacing in a vehicle's front grill or between the rear bumper and tailgate of pickup trucks
- Mounting hardware and brackets are included



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892800	5"	6	Amber	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892801	5"	6	Clear	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892802	5"	6	Amber/Clear	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892805	5"	6	Red/Blue	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892809*	5"	6	Green	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892810	5"	6	Amber/Green	1.14	23 Patterns	Aluminum	0.29	889 (N)
	8892825	Dash Bracket Housing						0.12	889 (N)


Strobes must be mounted in vertical orientation to achieve Class 1 rating

*8892809 is not SAE J595 Class 1

Dual Row Surface Mounted LED Strobe Lights

Thin Dual Row 4.5" LED Strobe Light

5-YEAR
W 12-24
VOLTS SAE J595
CLASS 1 IP X8




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892600	4.5"	12	Amber	0.78	25 Patterns	Aluminum	0.21	889 (N)
	8892602*	4.5"	12	Amber/Clear	0.78	25 Patterns	Aluminum	0.21	889 (N)
	8892609*	4.5"	12	Green	0.78	25 Patterns	Aluminum	0.21	889 (N)
	8892620	Chrome Bezel for Thin Mount Rectangular Strobes					0.02	889 (N)	889 (N)

*These color combinations are not J595 Class 1

Dual Row 5" LED Strobe Light

5-YEAR
W 12-24
VOLTS SAE J595
CLASS 1 IP 67 CA 13




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891700	5.19"	12	Amber	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891701	5.19"	12	Clear	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891702*	5.19"	12	Amber/Clear	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891703	5.19"	12	Red	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891704	5.19"	12	Blue	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891707*	5.19"	12	Blue/Red	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891709*	5.19"	12	Amber/Green	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891710*	5.19"	12	Green	2.2	25 Patterns	Aluminum	0.42	889 (N)
	8891705	Recessed Mount, Black Grommet for 8891701 & 8891702						0.12	889 (N)
	8891706	Black, 90 Degree Mounting Bracket						0.70	889 (N)

*These color combinations are not CA13 or SAE J595 Class 1

Dual Row 5.5" LED Strobe Light

5-YEAR
W 12-24
VOLTS IP 67



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891600	5.5"	12	Amber	1.0	12 Patterns	Plastic	0.42	889 (N)
	8891602*	5.5"	12	Amber/Clear	1.0	12 Patterns	Plastic	0.42	889 (N)
	8891605	Aluminum, 90 Degree Mounting Bracket						0.16	889 (N)

*8891602 is not CA13 or SAE J595 Class 1



Products are Retail Packaged





Surface Mounted LED Strobe Lights

Triple Row 5.5" LED Strobe Light





- Features alternating and synchronous functions



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
NEW	8892900	4.5"	12	Amber	1.1	10 Patterns	Aluminum	0.42	889 (N)
	8892902*	4.5"	12	Amber/Clear	1.1	5 Patterns	Aluminum	0.42	889 (N)



*8892902 is not CA13 or SAE J595 Class 1

Post Mounted 3" LED Strobe Light



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891800	2.85"	4	Amber	.55	19 Patterns	Aluminum	0.65	889 (N)

Post Mounted 4.5" LED Strobe Light





	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891015	4"	6	Amber	1.5	1 Pattern	Aluminum	1.20	889 (N)

Quad Row 5" LED Strobe Light



- Includes synchronous and alternating functions



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
NEW	8890200	4.75"	16	Amber	1.0	10 Patterns	Aluminum	0.76	889 (N)
	8890202	4.75"	16	Amber/Clear	1.0	10 Patterns	Aluminum	0.76	889 (N)

LED Strobe/Marker Lights

5-YEAR
W 12 VOLTS

- Replace factory roof marker lights with LED marker/strobe lights



8892003



8892013



8892000 shown installed



8892010



8890500
• Turns factory lights into warning lights


		Part No.	LED Color	Lens Color	Amp	Flash	Specifications	Wt. (lbs.)	Cat.
NEW		8892000 (Set of 5)	Amber	Amber	3.6	13 Patterns	For 2008-2016 F-250 to F-750	2.30	889 (N)
		8892003* (Set of 5)	Amber	Amber	3.6	6 Patterns	Ford 2017+ Aluminum Cab	2.30	889 (N)
		8892010*	Amber	Smoke	3.6	6 Patterns	GM / Chevy 2015+	2.30	889 (N)
		8892013* (Set of 5)	Amber	Clear	3.6	6 Patterns	Dodge Ram 2007+	2.30	889 (N)
		8890500*	Harness Kit to Turn Your Factory Turn Signals, Cargo and Reverse Lights into Warning Lights For Ford Steel Cab (F-150: 2010-2015), (F-650 to F-750: 2011+), (Ford SuperDuty 2011-2016)					1.75	889 (N)
		8890501*	Harness Kit to Turn Your Factory Turn Signals, Cargo and Reverse Lights into Warning Lights For Ford Aluminum Cab (F-150: 2015-1/2+ and Ford SuperDuty 2017+)					1.75	889 (N)
		8890510*	Harness Kit to Turn Your Factory Turn Signals, Cargo and Reverse Lights into Warning Lights For GMC/Chevy (1500-3500, Tahoe/Suburban/Yukon/Cadillac Escalade) 2014-2019					1.75	889 (N)

*Available June 2019

Crush-Resistant LED Strobe Light Set

5-YEAR
W 12 VOLTS IP 68

- Ideal for: liftgates, outriggers, body corners
- Set of 2 strobes
- Includes 35' harness
- Gyro on/off sensor for liftgates
- 80 Flashes per minute



	Part No.	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
NEW	8892110	8 per light	Amber	0.2	1 Pattern	Stainless Steel	1.6	889 (N)



Products are Retail Packaged



Surface Mounted and Hidden LED Strobe Lights

Surface/Recess Mount LED Strobe Light Series



- 1 lighthead per box



8892400
Shown with included bezel




Shown without bezel
Ideal for tail lights



8892420
Sold separately



8892425
Sold separately



All dimensions shown are nominal

	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8892400	1" round	3	Amber	.47	16 Patterns	Aluminum	0.10	889 (N)
	8892401	1" round	3	Clear	.47	16 Patterns	Aluminum	0.10	889 (N)
	8892403	1" round	3	Red	.47	16 Patterns	Aluminum	0.10	889 (N)
	8892404	1" round	3	Blue	.47	16 Patterns	Aluminum	0.10	889 (N)
	8892420	Chrome Bezel (Sold Separately)						0.10	889 (N)
	8892425	Black Aluminum Mounting Bracket, 90 Degree (Sold Separately)						0.05	889 (N)

Bolt-On Hidden LED Strobe Kits with In-Line Flashers



- 2 lighthead per kit
- 1 pair of 8891201 mounting bezels included




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891215	15'	6	Clear	1.3	19 Patterns	Aluminum	1.25	889 (N)
	8891225	25'	6	Clear	1.3	19 Patterns	Aluminum	1.60	889 (N)
	8891216	15'	6	Amber	1.3	19 Patterns	Aluminum	1.25	889 (N)
	8891226	25'	6	Amber	1.3	19 Patterns	Aluminum	1.60	889 (N)
	8891227	25'	6	Amber/Clear	1.3	19 Patterns	Aluminum	1.60	889 (N)
	8891200	1 Pair, Chrome, Surface Mount Bezels for Bolt-On Hidden Strobes						0.04	889 (N)
	8891201	1 Pair, Black, Surface Mount Bezels for Bolt-On Hidden Strobes						0.04	889 (N)

Note: Up to six 8891215-8891327 can be combined for synchronized or alternating flash patterns

Push-On Hidden Strobe Kit with In-Line Flashers



- 2 lighthead per kit
- 1 Pair surface mount bezel included



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	8891325	25'	6	Clear	1.3	19 Patterns	Aluminum	1.60	889 (N)
	8891326	25'	6	Amber	1.3	19 Patterns	Aluminum	1.60	889 (N)
	8891327	25'	6	Amber/Clear	1.3	19 Patterns	Aluminum	1.60	889 (N)

Note: Up to six 8891215-8891327 can be combined for synchronized or alternating flash patterns

4" Round LED Multi-Mount Stop/Turn/Tail/Backup/Strobe




- Integrated warning, reverse, and stop/turn/tail functions
- Grommet is for recessed mounting and chrome cover for surface mounting


3
LIGHTS
IN ONE!

Stop/Turn/Tail/
Backup

Strobe

	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	  5624432	4"	32	Red/Clear Amber	1.3	19 Patterns	Plastic	0.40	889 (N)

4" Round LED Recessed Strobe Light



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 SL40AR	4"	24	Amber	0.50	Six Flash	Plastic	0.40	889 (N)
	 SL41AR	4"	24	Amber	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.40	889 (N)

6" Oval LED Multi-Mount Stop/Turn/Tail/Backup/Strobe



- Integrated warning, reverse, and stop/turn/tail functions
- Grommet is for recessed mounting and chrome cover for surface mounting

3
LIGHTS
IN ONE!

Stop/Turn/Tail/
Backup

Strobe

	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	  5626432	6"	32	Red/Clear Amber	1.3	19 Patterns	Plastic	0.70	889 (N)



Products are Retail Packaged




LED Recessed Strobes

6" Oval LED Recessed Strobe Light



SL65AO



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	SL65AO	6"	24	Amber	0.50	6 Patterns	Plastic	0.70	889 (N)
	SL65CO	6"	24	Clear	0.50	6 Patterns	Plastic	0.70	889 (N)


6" Quad Flash Oval Recessed Strobe Light Series



SL67AO



SL66AC



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	SL67AO	6"	19	Amber	2.0	Quad Flash, Alternating Patterns	Plastic	0.70	889 (N)
	SL66AC*	6"	24	Amber/Clear	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)
	SL66AG*	6"	24	Amber/Green	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)
	SL66AO*	6"	24	Amber with Amber Lens	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)
	SL66CA**	6"	24	Amber	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)
	SL66CG*	6"	24	Clear/Green	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)
	SL66GO*	6"	24	Green	0.50	Quad Flash, Alternating and Synchronized Patterns	Plastic	0.70	889 (N)

*These color combinations are not SAE J595 Class 1

**Lens is clear, LEDs are amber


6" Oval LED Recessed Strobe Light



- Includes synchronous and alternating functions
- Can be surface mounted or recessed mounted



SL68AO





	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	SL68AO	6"	56	Amber	0.50	19 Patterns	Plastic	0.54	889 (N)
	SL68AC	6"	56	Clear	0.50	19 Patterns	Plastic	0.54	889 (N)

Ultra-Thin 3.5" LED Strobe Light Series



- Includes 3M™ Self Adhesive Tape




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat
	 8892230	3.5"	3	Amber	0.5	12 Patterns	Aluminum	0.08	889 (N)
	 8892231	3.5"	3	Clear	0.5	12 Patterns	Aluminum	0.08	889 (N)
	 8892233	3.5"	3	Red	0.5	12 Patterns	Aluminum	0.08	889 (N)
	 8892234	3.5"	3	Blue	0.5	12 Patterns	Aluminum	0.08	889 (N)
	 8892239*	3.5"	3	Green	0.5	12 Patterns	Aluminum	0.08	889 (N)
	8892232	Black, 90 Degree Mounting Bracket						0.04	889 (N)

*8892239 is not CA13 or SAE J595 Class 1

Ultra Thin 4.5" LED Strobe Light



- Includes 3M™ Self Adhesive Tape



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 8892240	4.4"	4	Amber	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892241	4.4"	4	Clear	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892242*	4.4"	4	Amber/Clear	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892243	4.4"	4	Red	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892244	4.4"	4	Blue	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892245*	4.4"	4	Red/Blue	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892246*	4.4"	4	Amber/Red	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892247*	4.4"	4	Clear/Red	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892248*	4.4"	4	Amber/Blue	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892249*	4.4"	4	Green	0.65	23 Patterns	Aluminum	0.10	889 (N)
	 8892250*	4.4"	4	Amber/Green	0.65	23 Patterns	Aluminum	0.10	889 (N)
	8892255	Black, 90 Degree Mounting Bracket						0.04	889 (N)

* These color combinations are not CA13 or SAE J595 Class 1




Ultra Thin Surface Mounted LED Strobe Lights

Ultra Thin Dual Row 5" LED Strobe Light



- Includes 3M™ self adhesive tape




	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 8890400	5.14"	12	Amber	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890401	5.14"	12	Clear	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890402*	5.14"	12	Amber/Clear	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890403	5.14"	12	Red	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890404	5.14"	12	Blue	1.5	30 Patterns	Aluminum	0.2	889 (N)
NEW	 8890405*	5.14"	12	Red/Blue	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890406*	5.14"	12	Amber/Red	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890407*	5.14"	12	Clear/Red	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890408*	5.14"	12	Amber/Blue	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890409*	5.14"	12	Green	1.5	30 Patterns	Aluminum	0.2	889 (N)
	 8890410*	5.14"	12	Amber/Green	1.5	30 Patterns	Aluminum	0.2	889 (N)

*These color combinations are not CA13 or SAE J595 Class 1

Ultra Thin 5" LED Strobe Light



- Includes 3M™ self adhesive tape



	Part No.	Size	LEDs	Color	Amp	Flash	Housing	Wt. (lbs.)	Cat.
	 8892200	5.14"	6	Amber	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892201	5.14"	6	Clear	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892202*	5.14"	6	Amber/Clear	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892203	5.14"	6	Red	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892204	5.14"	6	Blue	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892205*	5.14"	6	Red/Blue	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892206*	5.14"	6	Amber/Red	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892207*	5.14"	6	Clear/Red	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892208*	5.14"	6	Amber/Blue	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892209*	5.14"	6	Green	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892210*	5.14"	6	Amber/Green	1.0	23 Patterns	Aluminum	0.09	889 (N)
	 8892225	Black Mounting Bracket for Surface Mount Ultra-Thin LED Strobe Lights						0.07	889 (N)

*These color combinations are not CA13 or SAE J595 Class 1