

CONTRACTOR







Get Rugged Air and AC Power in a Single Transportable Unit

Rugged, dependable, and easily transportable, the Vanair's Contractor provides you with 20 CFM of air power and 5 kW of peak AC generator power for all your tough jobsite needs. Available with a control panel on the unit with two outlets or a remote mountable control panel for easy access.

SPECIFICATIONS

Engine	14 HP Kohler® or 19 HP Kohler®
Compressor Type	Reciprocating
Generator Wattage	4.2 kW Continuous 120V/240V
Maximum Rated PSI	150 PSI
CFM Rating	20 CFM
Air Storage Capacity	10 Gal., 30 Gal., or Skid
Drive System	Dual V-Belt
Fuel Capacity (Gal.)	Kohler® 14 1.9
	Kohler® 19 4.5 or 11

Dimensions with fittings (In.): 51L x 21W x 28H - 10 Gal. Kohler® 14 HP 51L x 20W x 38H - 30 Gal. Kohler® 14 HP 51L x 19W x 22H - Skid Mount Kohler® 14 HP 49L x 22W x 41H - 30 Gal. Kohler® 19 HP 48L x 20W x 25H - Skid Mount Kohler® 19 HP Dry Weight (Lbs.): 425-550 Depending on Platform

Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligation. CONTRACTOR_ 12082017



SPECIAL FEATURES

- · Auto Throttle Control on Air Compressor
- Reliable and Easy Starting Kohler® Engines
- Drive System Heavy Duty Belt Drive System for Anti-Vibration and Long Service Intervals
- Totally Self Contained, but can be Integrated with the Chassis for Maximum Versatility
- Integrated Lift Hook and Battery Tray
- Designed for Easy Maintenance and Fuel Efficiency
- · Powder Coated Sheet Metal
- · Galvannealed Steel

AIR COMPRESSOR

- · Reciprocating compressor
- 20 CFM
- 150 PSI Maximum
- Cast Iron Air Pump With (3 Cylinder Head Design For Better Cooling)

GENERATOR

- · 4.2 kW Continuous @ 60 Hz
- Independent AC Power for Safe Multi-Functioning
- Brushless
- · Smooth Wave Power with Minimal Distortion

ENGINE

- 14 HP Kohler® or 19 HP Kohler®
- Electric Start
- 1.9, 4.5 or 11 Gal. Fuel Tank

REMOTE CONTROL PANEL (OPTIONAL FOR 19 HP KOHLER® ONLY)

- Provides Ultimate user Convenience and Safety
- All Functions Accessible at Remote Panel. No Need to Jump in and out of Vehicle to Control Function.

AVAILABLE IN:

• 10 Gallon, 30 Gallon or Remote Tank

OPTIONS

- · Remote Condensation Drain
- · Cold Weather Kit
- · Maintenance Kit
- Remote Mount Control Panel (Kohler® 19 Only)
- Electric Fuel Pump (Kohler® 19 Only)
- Slimline 11 Gal. Fuel Tank (Kohler® 19 Only)
- · Remote Air Tank Options
- Dry Cell Battery
- · Hose Reels
- · GFCI Outlet for Protection of 120V/240V

FREIGHT NOT INCLUDED IN PRICE OF UNIT. FREIGHT WILL BE BILLED UPON PURCHASE.