

## POWERFLEX.>











## Flexible Power Combinations Air Compressor and Hydraulic Output

Like its counterpart, the PowerFlex™ AH is equipped with a 40 CFM at 150 PSI rotary screw air compressor, but instead of a generator it is equipped with a hydraulic pump, providing 13 GPM and up to 3000 PSI with an integrated hydraulic reservoir. Tier 4 Final compliant, the PowerFlex™ AH is small enough to fit in a variety of load spaces.

### **SPECIFICATIONS**

CFM Rating	40 CFM @ High Speed / 30 CFM @ idle Speed
Air Pressure	150 PSI
Hydraulic Flow*	Up to 13 GPM
Hydraulic Pressure*	Up to 3000 PSI
Engine Type	25 HP Kubota® Tier 4 Final
Drive system	Belt Driven
Fuel Type	Diesel
Fuel Capacity	Plumb to Chassis or Remote Tank
Compressor Type	Rotary Screw

Powerflex<sub>™</sub> AH Unit Dimensions (In.): Dry Weight (Lbs.): 802 | With Fittings: 47.6 L x 21.0 W x 33.4 H

Product improvement is a continuing goal. Design and specifications are subject to change without notice or obligation. POWERFLEXAH\_12082017



#### **SPECIAL FEATURES**

- Small Compact Design
- · Can Be Side-Mounted or Bed-Mounted
- Can Power A Separate Cab Climate Control System

#### **AIR COMPRESSOR**

- 40 CFM Rotary Screw Encapsulated Air End
- · Belt-Driven
- · Lifetime Warranty on Air End
- · Integrated Inlet

#### **HYDRAULICS**

- · Rated @ 10.5 RPM @ 2000 PSI and 8.5 RPM @ 3000 PSI
- · Variable Displacement Pump

#### **CANOPY**

- Small Compact Design
- Powder-Coated, Galvanneal Sheet Metal Enclosure

#### **SAFETY EQUIPMENT**

- · Low Engine Oil Shut Down
- · Alternator Failure Indicator
- · Service Access Door Shut Down
- Engine Over Temp Shut Down
- · Air Pressure Safety Relief Valve And Automatic Blow-Down On Shut Down
- · High-Temperature & High-Pressure Compressor Shut Down
- · Oil Fill Plug Safety Relief
- Hydraulic Oil Pressure-Relief Valve

#### **REMOTE CONTROL PANEL**

- · Remote Control Panel
- Engine Start/Stop
- Engine Fault Lights
- · Hour Meter
- · Compressor/Hydraulic On/Off Switch
- Speed Control Switch
- Compressor Fault Light

#### **MAINTENANCE / SERVICEABILITY**

- · Hinged Top and Removable Front Panel
- · Spin-On Air-To-Oil Separator

#### **OPTIONS/ACCESSORIES**

- · Air Reservoirs
- · After Coolers
- · Air Hoses
- Filter/Lubricator/Regulator (FLR)
- · Hose Reels
- · Moisture Separators
- · Tool Oilers
- · Air Tools
- · Maintenance Kits
- Receptacles

# FREIGHT NOT INCLUDED IN PRICE OF UNIT. FREIGHT WILL BE BILLED UPON PURCHASE.