



Mini-Max Auger Spreaders

Model Name	Struck capacity	Hopper size
Mini-Max 1/4	1/4 YD	36" L x 19" H x 33" W
Mini-Max 1/4 PLUS	1/2 YD	36" L x 19" H x 33" W
Mini-Max 1/3	1/3 YD	48" L x 19" H x 33" W
Mini-Max 1/3 PLUS	2/3 YD	48" L x 19" H x 33" W
Mini-Max 1/2	1/2 YD	60" L x 19" H x 33" W
Mini-Max 1/2 PLUS	1 YD	60" L x 19" H x 33" W
Mini-Max 5/8	5/8 YD	72" L x 19" H x 33" W
Mini-Max 5/8 PLUS	1 1/4 YD	72" L x 19" H x 33" W
Mini-Max 3/4	3/4 YD	96" L x 19" H x 33" W
Mini-Max 3/4 PLUS	1 1/2 YD	96" L x 19" H x 33" W



Series II Pickup Spreaders

68" Hopper	1 ¼ YD Electric
68" Hopper	1 ¼ YD Single Hydraulic
68" Hopper	1 ¼ YD Gas/Honda - 11 HP
96" Hopper	2 YD Electric
96" Hopper	2 YD Single Hydraulic
96" Hopper	2 YD Gas/Honda - 11 HP
96" Hopper	2 ½ YD Electric
96" Hopper	2 ½ YD Single Hydraulic
96" Hopper	3 ¼ YD Electric
96" Hopper	3 ¼ YD Single Hydraulic
96" Hopper	3 ¼ YD Gas/Honda - 11 HP



Series IV Pickup Spreaders

68" Hopper	1 ¼ YD Dual Electric
68" Hopper	1 ¼ YD Dual Hydraulic
96" Hopper	2 YD Dual Electric
96" Hopper	2 YD Dual Hydraulic
96" spreaders with 12" top extension = 3 yard capacity	
96" Hopper	2 ½ YD Dual Electric
96" Hopper	2 ½ YD Dual Hydraulic
108" Hopper	2 ¼ YD Dual Electric
108" Hopper	2 ¼ YD Dual Hydraulic
108" spreaders with 12" top extension = 3 ½ yard capacity	
120" Hopper	2 ½ YD Dual Electric
120" Hopper	2 ½ YD Dual Hydraulic
120" spreaders with 12" top extension = 4 yard capacity	



Medium Duty Spreaders

Model Name	Capacity heaped
SSVMD-8 Dual Electric*#	3.5
SSVMD-8 Dual Hydraulic #	3.5
SSVMD-9 Dual Electric *#	4
SSVMD-9 Dual Hydraulic #	4
SSVMD-10 Dual Electric *#	5
SSVMD-10 Dual Hydraulic #	5
Top Screens for 8 or 9 Ft. spreaders	
Top Screens for 10 Ft. spreaders	
*Dual Electric includes speed control for spinner only. Handle standard on hopper door all models	



"SSV" Municipal Spreaders

SSV Spreaders	Weight	Capacity
SSV-8	1800#	5.2
SSV-8HC	2050#	7.2
SSV-9	1900#	5.8
SSV-9HC	2175#	8.1
SSV-10	2000#	6.4
SSV-10HC	2285#	9
SSV-11	2100#	7
SSV-11HC	2400#	9.6
SSV-12	2210#	7.6
SSV-12HC	2450#	10.7
SSV-13	2350#	8.3
SSV-13HC	2650#	11.7
SSV-14	2475#	9
SSV-14HC	2850#	12.6
SSV-15	2615#	9.7
SSV-15HC	3100#	13.5
SSV-16	2760#	10.4
SSV-16HC	3350#	14.4



"SSV" Municipal Spreader Options

SCREENS (includes top hanger beam) HOT DIP GALVANIZED FINISH	Weight Approx.
8 FT., 9 FT. Or 10 FT.	400
11 FT.	435
12 FT.	475
13 FT.	510
14 FT.	550
15 FT. Or 16 FT.	590
ITEMS BELOW ARE NOT ELIGIBLE FOR DISCOUNTS	
S/S Catwalks , 11 gauge	
8 FT., 9 FT. Or 10 FT.	350
11 FT. or 12 FT.	400
13 FT. Or 14 FT.	450
15 FT. Or 16 FT.	500
Non slip tape applied to length of catwalks (recommended)	