STRIKER

0.7 CU YD STAINLESS STEEL HOPPER SPREADER



PURPOSE-BUILT FOR HALF-TON AND LIGHT-DUTY TRUCKS

The WESTERN® Striker™ 0.7 cu yd stainless steel hopper spreader offers the features and accessories that give you the performance, capabilities and efficiency of larger WESTERN Striker hopper spreaders, but in a more compact size that's better suited to handle smaller spaces and jobs. It's been designed to provide excellent material flow and delivery to the spinner.



STRIKER"

0.7 CU YD STAINLESS STEEL HOPPER SPREADER





PURPOSEFULLY DESIGNED

FOR COMPACT SPACES AND JOBS

hato may be shown with pollogal accessories.

CORROSION-RESISTANT HOPPER

The low-maintenance, stainless steel, riveted construction provides durability for long-life and protection against stress.

MATERIAL DELIVERY

Features a 15½"-wide pintle chain conveyor system that moves material consistently and smoothly to prevent bridging.

DUAL VARIABLE-SPEED CONTROL

Allows operators to easily control salt and sand spread and precisely match material delivery and spread pattern to conditions.

FLIP-UP CHUTE

Provides convenient access to the hitch and easy clean-out.

50-GALLON PRE-WET & DIRECT LIQUID APPLICATION KIT (ACCESSORY)

With the addition of this accessory, operators will have the ability to pre-wet materials or spray brine directly onto the driving surface for anti-icing applications. The accessory kit includes two 25-gallon pre-wet tanks, a pump and a spray kit.

FEATURED ACCESSORIES

- 0.5 cu yd Extension Collars
- 50-Gallon Pre-Wet and Direct Liquid Application Kit
- Spill Guard Kit
- . LED Work Light Kit
- LED Strobe Light Kit
- · Central Point Grease Kit
- · Vibrator Kit
- · Inverted V Kit
- · Hold Down Kit

ACCESSORY INTEGRATION

Conveniently connect accessories directly into the fully enclosed accessory hub mounted in the back of the hopper. Accessories automatically integrate with the hopper control without having to run additional wires from the front of the truck.

SPECIFICATIONS

BODY SIDE LENGTH	CAPACITY	HOPPER CONSTRUCTION	HOPPER DIMENSIONS	OVERALL DIMENSIONS	MIN. BED LENGTH REQUIRED	WEIGHT (EMPTY) DUAL 12V DC SEALED MOTORS	CONVEYOR WIDTH	SPINNER SIZE	SPREADING WIDTH	MATERIAL	VEHICLE APPLICATION
54* (1.37 m)	0.7 cu yd (0.54 cu m)	16 ga SS (1.5 mm SS)	54" x 43" x 28" (137.16 cm x 109.22 cm x 71.12 cm)	81" x 43" x 46" (205.74 cm x 109.22 cm x 116.84 cm)	44* (111.76-cm)	420 lb (190.51 kg)	15½° (39.37 cm)	12* (30.48 cm)	Up to 30 ft (Up to 9.14 m)	Salt, Sand, Salt/Sand Mix	Vs-Ton & Light-Duty Pickup Trucks

MORE JOBS. DONE FASTER.

2 WINTER WARRANTY

Western Products reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Western Products or the vesticle manufacturer may require as recommended optional equipment for specially served exceeds exhibit entaings with a spreader. This product is manufacturer under the following potents US, 7,400,058; 7,737,576, 9,200,498, 9,822,563; other patients pending. Western Products offers a limited warranty for all spreaders and accessories. See separately printed page for this important information. The following are registered (*) or unregistered (*) trademarks of Douglas Dynamics, LCC, ENFORCER*, Striker*, WESTERN*.

Printed in U.S.A. I FORM NO. 79276-MR20



westernplows.com







A DIVISION OF DOUGLAS DYNAMICS, LLC
Western Products (P.O. Beir 245038) Mewaukus, WI 53224-9539.

©2020 Douglas Dynamics, LLC. All rights reserved.

IN IT FOR THE LONG HAUL.

Minimize waste and maximize profits with the WESTERN" Striker™ stainless steel hopper spreader. A dual variable-speed control and an innovative chute design allow operators to easily control salt and sand spread. Ultra-durable and loaded with the latest in snow and ice control technology, the Striker hopper spreader helps you take your de-icing operation further.

CORROSION-RESISTANT HOPPER

Built with low-maintenance, rust-resistant stainless steel, the hopper is reinforced with wrap-around welded joints for long-life and protection against stress.

INNOVATIVE CHUTE DESIGN

Reduce material waste with this innovative chute design that delivers material to the areas of the spinner that cast it out and away from the truck, instead of back onto your bumper.

SHUTTER DEFLECTOR

The easy-to-adjust, circular shutter deflector allows one-side spreading operation, providing optimal control by keeping materials away from areas they aren't needed and spreading more evenly where they are.

INVERTED V

The standard inverted V located inside the hopper helps keep sufficient material weight off of the conveyor, ensuring smooth startup and flow of material.

DROP CHUTE

The adjustable-height drop chute accommodates both pickup truck and flatbed applications, ensuring a proper spreading height. A chute extension is standard with the 9' and 10' models. An extension kit is available as an accessory only on 7' and 8' models.

REMOVABLE CHUTE ASSEMBLY

For convenient access to the hitch or for material off load, the chute assembly can be easily removed without the use of tools.

DUAL-SWING CHUTE

The dual-swing chute design opens from either side to provide easy access for maintenance or material unloading.

POWER OPTIONS

In addition to the standard dual electric motors, the Striker™ stainless steel hopper spreader is available with gas and hydraulic power options.

ADDITIONAL STANDARD **FEATURES**

Ratchet straps, tie-down points and bolting bars are included for strapping the hopper to the truck. For additional safety, a Center High-Mounted Stop Light (CHMSL) is standard.

OStrálkor

ACCESSORIES

Pre-Wet System | Work Light Kit Strobe Light Kit | Spill Guard Kit Central Point Grease Kit | Vibrator Kit Tie-Down Chain Kit | License Plate Kit 6" Side Extensions

Consult your local WESTERN® dealer or westernplows.com for accessory compatibility and availability.





SIX SIZE OPTIONS

9' 4.5 cu yd | 10' 4.5 cu yd | 10' 6.0 cu yd

spreader features.



STRIKER

0.35 CU YD STAINLESS STEEL HOPPER SPREADER



PURPOSE-BUILT FOR UTVs AND COMPACT TRUCKS

The Striker™ 0.35 cu yd stainless steel hopper spreader delivers reliable, low-maintenance performance with more control. The 0.35 cu yd model is designed to allow material to flow smoothly and efficiently, and is purposebuilt with many of the same features of our larger Striker hopper spreaders but at the right size for UTVs and compact trucks.



STRIKER"

0.35 CU YD STAINLESS STEEL HOPPER SPREADER



PURPOSEFULLY DESIGNED

FOR SIDEWALKS AND SMALL DRIVEWAYS

CORROSION-RESISTANT HOPPER

The low-maintenance, stainless steel, riveted construction provides durability for long-life and protection against stress.

MATERIAL DELIVERY

Features a 111/2"-wide pintle chain conveyor system that moves material consistently and smoothly to prevent bridging.

DUAL VARIABLE-SPEED CONTROL

Allows operators to easily control salt and sand spread and precisely match material delivery and spread pattern to conditions.

Provides convenient access to the hitch and easy clean-out,

EXTENSION COLLAR (ACCESSORY)

A 0.25 cu yd extension collar is available as an accessory to increase material capacity for UTVs and compact trucks that can handle the additional weight.

FEATURED ACCESSORIES

- 0.25 cu yd Extension Collars
- · Spill Guard Kit
- . LED Work Light Kit.
- . LED Strobe Light Kit
- · Central Point Grease Kit
- Vibrator Kit
- · Inverted V Kit
- · License Plate Kit
- · Hold Down Kit
- · Truck Upfit Kit.
- · UTV Spreader Control Shield

ACCESSORY INTEGRATION

Conveniently connect accessories directly into the fully enclosed accessory hub mounted in the back of the hopper. Accessories automatically integrate with the hopper control without having to run additional wires from the front of the vehicle.

SPECIFICATIONS

BODY SIDE LENGTH	CAPACITY	HOPPER CONSTRUCTION	HOPPER DIMENSIONS	OVERALL DIMENSIONS	MIN. BED LENGTH REQUIRED	APPROX. WEIGHT (EMPTY) DUAL 12V DC SEALED MOTORS	CONVEYOR WIDTH	SPINNER SIZE	SPREADING WIDTH	MATERIAL	VEHICLE APPLICATION
30* (0.76 m)	0,35 cu yd (0.27 cu m)	16 ga SS (1.5 mm SS)	30" x 38" x 26" (76,20 cm x 96,52 cm x 66,04 cm	57" x 38" x 46" - (144.78 cm x 96.52 cm x 116.84 cm	30* (76.20 cm)	235 lb (106.59 kg)	_ 1119* (29.21cm)	12° (30.48 cm)	Up to 30 ft (Up to 9.14 m)	Salt, Sand, Salt/Sand Mix	UTVs and Compact Trucks


MORE JOBS. DONE FASTER.

2 WINTER WARRANTY


Western Fraducts reserves the right under its product improvement policy to change construction or design details and furnish equipment when so altered without reference to illustrations or specifications used. Western Products of the vehicle manufacturer may require or recommend optional equipment for spreaders. Do not exceed vehicle ratings with a spreader. This product is manufactured under the following patients US 7,400,058; 7,737,576, other patents pending. Western Products offers a limited warranty for all screaden and accessories. See separately printed page for this important information. The following are registered (*) or unregistered (*) trademarks of Douglas Dynamics, LLC: Striker*, WESTERN*











Western Products (P.O. Bex 245038 | Mawaukon, Wt 53224-9539 . ©2020 Douglas Dynamics, LLC. All rights reserved.

FREIGHT NOT INCLUDED IN PRICE OF UNIT. FREIGHT WILL BE BILLED UPON PURCHASE.