

PUSH THROUGH THE DEPTHS OF WINTER.

The rugged MVP 3™ v-plow gives you all the power, productivity and performance you need for commercial snowplowing. With extreme flared wings, up to 45" on the heavy-duty 10'6" model, and double-acting cylinders, the MVP 3 v-plow has earned its reputation as a reliable plow by consistently delivering on what matters most—getting more jobs done faster.

T-FRAME DESIGN

T-frame provides added strength and allows blade-pitch adjustment to reduce uneven cutting edge wear.

LIFT RAM

1 3/4"-diameter lift ram for more lifting power.

STRUCTURAL REINFORCEMENT

Six vertical ribs on the 7'6" models and eight on the 8'6", 9'6" and 10'6" models, combined with the exclusive WESTERN® POWER BAR, provide exceptional torsional strength and rigidity, eliminating blade twisting.

ULTRALOCK DOUBLE-ACTING CYLINDERS

This standard feature locks the wings together to easily maneuver the plow as a straight blade. The double-acting cylinders also hold the wings firmly in place for clean, efficient back dragging.

STEEL CENTER-GAP COVER

For the cleanest pass in any position, the MVP 3 v-plow has a snow-control deflector over the center hinge to help prevent snow from being lost over the top.

TRIP-EDGE PROTECTION

Each blade features independent trip-edge protection in all configurations—V, scoop or straight—to keep snow in front of the blade.

STANDARD CUTTING EDGE

A 6" high-carbon steel cutting edge comes standard, reducing wear and extending the life of the blade.

HIGH-STRENGTH STEEL BASE CHANNEL

Provides extra support along the bottom of the plow blade.

ACCESSORIES

Poly Cutting Edge | Carbide Cutting Edge
1/2" and 5/8" Steel Cutting Edges | Back Drag Edge*
Curb Guards | Plow Wings | Shoe Kits | Blade Stops
Rubber Snow Deflectors

Consult your local WESTERN® dealer or westernplows.com for accessory compatibility and availability.

*Not compatible with shoe kits and curb guards on v-plows



10'6" HEAVY-DUTY FEATURES

- **BLADE CONSTRUCTION**
Thicker moldboards and a more robust base angle with additional hinge points.
- **HEAVY-DUTY T-FRAME**
Features a solid, one-piece construction from front to back and an oscillating pivot bar.
- **LARGER ANGLE RAMS**
Heavy-duty, 2" angle rams quickly move the snowplow in any direction.
- **STANDARD BLADE ANGLE STOPS**
Designed to transfer extreme impacts throughout the blade's structure and reduce stress on the hydraulic rams.
- **STANDARD CURB GUARDS**
Constructed of abrasion-resistant material to protect the outer edge of the plow from wear when plowing along sidewalks and curbs.



“



MOLDBOARD AVAILABILITY

Powder Coated or Stainless Steel: 7'6", 8'6", 9'6" and 10'6" widths
High-Density Polyethylene: 8'6" and 9'6" widths
See pages 4–7 for all universal snowplow features.

FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.