

SWEEPAWAY™

SWEEPERS



“The low-maintenance, affordable and professional push broom leaves a clean ground after every stroke!”

SWEEPAWAY™ PUSH BROOM



SWEEPAWAY™ PUSH BROOM FOR LOADERS, FORKLIFTS, TRACTORS, PICKUPS ETC.

The SweepAway™ is a simple and effective solution for professional sweeping, designed for all kinds of vehicles. It can handle a variety of materials, such as leaves, sand, rocks, debris, snow and slush. Available in different widths and series to fit a large range of vehicles and machines.

BRUSH MAINTENANCE

The sweeper head consists of separate, replaceable brush rows made of polypropylene. The sections are easy to change and helps you to keep your sweeper in top-performance. No high-tech, no rotating parts, the SweepAway™ is maintenance free and easy to clean!



Replacing the brush rows is quick and easy

SWEEPAWAY™ PUSH BROOM



The SweepAway™ can handle a variety of materials, such as leaves, sand, rocks, debris, snow, slush etc.



SweepAway™ with attachment for forklift



SweepAway™ medium series, with 12 brush rows



SweepAway™ on excavator

BROOM ATTACHMENTS

- ✓ Fork hitch
- ✓ Pickup attachment
- ✓ 3-point hitch (with optional pivot)
- ✓ Excavator hitch
- ✓ Loader hitch
- ✓ Quick coupling triangle kit
- ✓ Bucket mount hitch

OPTIONAL ACCESSORIES

- + Replacement brushes
- + Side brushes
- + Edge markers
- + Fastening straps

LIGHT SERIES

- ✓ 8 brush rows
- ✓ 150-200 cm

MEDIUM SERIES

- ✓ 12 brush rows
- ✓ 150-300 cm



Side brushes

SWEEPAWAY™ ROTARY BROOM




SWEEPAWAY™ ROTARY BROOM FOR PICKUPS, TRUCKS AND TRACTORS

The Hilltip Sweeper is a unique rotation brush for mounting on pick-ups with Hilltip Quick hitch mounting frame, or STR & VTR frames (tractor). Designed for 2,5-5,5 ton Trucks and tractors, the rotational sweeper have a diameter of 50 cm. The Sweeper operates with 1 x hydraulic function, minimum 40l/min. If no PTO it requires the Hilltip power unit with max. 45l/min output.

The Hilltip Power unit is designed for heavy on site work, or for mounting on trucks as power source for sweepers, spreaders, high pressure washers etc. It is equipped with a Kohler Patrol Engine.

OPTIONAL FEATURES

- + Hydraulic power unit
- + Deflector
- + Sprinkler kit with 500L tank
- + Electrical oil flow valve
- + Mount frames for different vehicles



Support wheels



SweepAway™ rotary broom on pickup

SWEEPAWAY™ SPECIFICATIONS



SWEEPAWAY™ PUSH BROOM LIGHT SERIES

MODEL	WIDTH	BRUSH ROWS	WEIGHT (W/O MOUNTS)	BRUSH HEIGHT
HSL 150	150 cm	8	56 kg	28 cm
HSL 200	200 cm	8	73 kg	28 cm

SWEEPAWAY™ PUSH BROOM MEDIUM SERIES

MODEL	WIDTH	BRUSH ROWS	WEIGHT (W/O MOUNTS)	BRUSH HEIGHT
HSM 150	150 cm	12	100 kg	28 cm
HSM 180	180 cm	12	115 kg	28 cm
HSM 220	220 cm	12	135 kg	28 cm
HSM 250	250 cm	12	150 kg	28 cm
HSM 300	300 cm	12	195 kg	28 cm



SWEEPAWAY™ ROTARY BROOM SPECIFICATIONS

MODEL	1800-SPL/-SL/-STR	2000-SPL/-SL/-STR	2200-SPL/-SL/-STR
Width cm	180	200	220
Diameter cm	50	50	50
Oil L/min.	40	40	40
Weight kg	130	142	160
Rotating angle	25°	25°	25°

SPL = for pickups, SL= for trucks (Parallel lifting mechanism), STR = for tractors/loaders



HYDRAULIC POWER UNIT SPECIFICATIONS

MODEL	HPU18	HPU13
Motor	18PS	12PS
Pump	42l/min @ 150bar	30l/min @ 150bar
Hydraulic functions	2	2
Hydraulic oil tank	55 l	55 l
Fuel tank	20 l	20 l
Electric start	Yes	Yes
Oil cooler	Yes	Yes
External dimensions	125 cm x 65 cm x 70 cm	125 cm x 65 cm x 70 cm
Weight	190 kg	180 kg

Specifications and other details are subject to change without notice.

FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.