




TO



TOPSIDER

Topsiders




18 Drawer Parts Cabinet

- Designed to fit topsiders
- Store and index hardware or small parts
- White powder-coated steel cabinet
- Injection-molded plastic drawers with stops
- Includes two dividers per drawer
- Pre-drilled mounting holes (hardware not included)

White Steel



5411018



5411005†

Part No.	Description	Height	Depth	Width	Wt. (lb)	Cat.
5411018	18 Drawer Cabinet	12	11-3/4	32-1/2	30.8	541 (N)
5411000	Drawer Replacement	3-1/4	12-1/4	5	0.61	541 (N)
5411005	Mounting Bracket for Cabinet†	1-3/4	-	13-3/4	1.25	541 (N)

†Sold separately

XD STEEL TOPSIDERS

Black, Double Door

* See page 6-7 for details




Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1742315†	18	18	60	1	175	530 (Y)
1742325†	18	18	72	1	202	530 (Y)
1742335†	18	18	90	1	228	530 (Y)
1742336†	18	18	96	1	250	530 (Y)

†Boxes can be used as topsiders and underbodies

T-HANDLE LATCH

- 16 gauge steel box with 14 gauge steel doors
- Drop-down recessed doors
- Locking stainless steel T-handle latches
- Bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Optional quick-mount trays
- Includes J-hooks for no-drill mounting and protective side rail pads
- Door opening: flat surface mount (90°)

Black



White



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702940	16	13	72	1	115	530 (Y)
1702950	16	13	88	1	120	530 (Y)
1702960	16	13	96	1	128	530 (Y)

Optional Trays

Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1702940TRAY	2.25/4	10.75	35	11	530 (Y)
1702950TRAY	2.25/4	10.75	43	14	530 (Y)
1702960TRAY	2.25/4	10.75	47	15	530 (Y)

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1702840	16	13	72	1	115	530 (Y)
1702850	16	13	88	1	120	530 (Y)
1702860	16	13	96	1	128	530 (Y)

Optional Trays

Part No.	Height	Depth	Width	Wt. (lb)	Cat.
1702840TRAY	2.25/4	10.75	35	11	530 (Y)
1702850TRAY	2.25/4	10.75	43	14	530 (Y)
1702860TRAY	2.25/4	10.75	47	15	530 (Y)

Aluminum Topsider

FLIP UP DOOR WITH COMPRESSION LATCH

- Gas shock lifts and holds door open at 110°
- .100" thick diamond tread aluminum
- Locking die-cast T-handle compression latch
- Full length stainless steel bolt-on continuous hidden hinge
- Recessed door design with large 13" tall opening
- Integrated above door rain gutter
- Reinforced door backbone
- Replaceable gasket sealing system



Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701768	18	16	96	1	103	530 (Y)

Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1721768*	18	16	96	1	103	530 (Y)

Matte Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1722768*	18	16	96	1	103	530 (Y)

DIAMOND TREAD DROP DOOR WITH COMPRESSION LATCH

- .100" thick diamond tread aluminum
- Locking die-cast T-handle compression latch
- Full length stainless steel bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Includes J-hooks for no-drill mounting and protective side rail pads
- Door opening: flat surface mount (90°)



Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701551	16	13	72	1	78	530 (Y)
1701556	16	13	88	1	89	530 (Y)
1701565†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1701565	16	13	96	2	92	530 (Y)
1701568†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Black Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1721551	16	13	72	1	78	530 (Y)
1721556	16	13	88	1	89	530 (Y)
1721565†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Black Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1721561	16	13	96	2	92	530 (Y)
1721568†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Textured Matte Black Diamond Tread, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1722551	16	13	72	1	78	530 (Y)

†Boxes can be used as topsiders and underbodies

Textured Matte Black Diamond Tread, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1722568†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Aluminum Topsider

SMOOTH ALUMINUM DROP DOOR WITH COMPRESSION LATCH

- .100" thick smooth aluminum
- Locking die-cast T-handle compression latch
- Full length stainless steel bolt-on continuous hidden hinge
- Replaceable gasket sealing system
- Aircraft grade door cables
- Includes J-hooks for no-drill mounting and protective side rail pads
- Door opening: flat surface mount (90°)



Smooth Aluminum, Single Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1751651	16	13	72	1	78	530 (Y)
1751656	16	13	88	1	89	530 (Y)
1751663†	18	16	72	1	93	530 (Y)
1751664†	18	16	88	1	96	530 (Y)
1751665†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Dual Latch



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1751661	16	13	96	2	92	530 (Y)
1751668†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Single Latch, Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1752151*	16	13	72	1	78	530 (Y)
1752156*	16	13	88	1	89	530 (Y)
1752163*†	18	16	72	1	93	530 (Y)
1752164*†	18	16	88	1	96	530 (Y)
1752165*†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Dual Latch, Black



Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1752161*	16	13	96	2	92	530 (Y)
1752168*†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies

Aluminum Topsider

Smooth Aluminum, Single Latch, White



1753156

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1753151*	16	13	72	1	78	530 (Y)
1753156*	16	13	88	1	89	530 (Y)
1753163*†	18	16	72	1	93	530 (Y)
1753164*†	18	16	88	1	96	530 (Y)
1753165*†	18	16	90	1	99	530 (Y)

†Boxes can be used as topsiders and underbodies

Smooth Aluminum, Dual Latch, White



1753168

Part No.	Height	Depth	Width	# Latches per Door	Wt. (lb)	Cat.
1753161*	16	13	96	2	92	530 (Y)
1753168*†	18	16	96	2	103	530 (Y)

†Boxes can be used as topsiders and underbodies




Aluminum Topsider

CONTRACTOR WITH LOWER COMPARTMENT

- .056" thick diamond tread aluminum
- Gas shocks lift and open door at over 90 degree angle
- Comes with two doors: top flip-up door and bottom drop door
- Locking stainless steel T-handle latches
- Replaceable gasket sealing system
- Aircraft grade door cables
- Mounting hardware included



1705640 open



Diamond Tread



1705640

Part No.	Top Doors	Bottom Doors	Height	Depth	Width (A)	Wt. (lb)	Cat.
1705640	1	1	21	13.5/11.5	72	68.5	530 (Y)
1705650	1	1	21	13.5/11.5	88	83.5	530 (Y)
1705660	1	1	21	13.5/11.5	96	88.5	530 (Y)

Depth indicates bottom/top O.D.

Black Diamond Tread




1725640

Part No.	Top Doors	Bottom Doors	Height	Depth	Width (A)	Wt. (lb)	Cat.
1725640	1	1	21	13.5/11.5	72	68.5	530 (Y)
1725650	1	1	21	13.5/11.5	88	83.5	530 (Y)
1725660	1	1	21	13.5/11.5	96	88.5	530 (Y)

Depth indicates bottom/top O.D.

CONTRACTOR WITH TWO LOWER DRAWERS

- .056" thick diamond tread aluminum
- Gas shocks lift and open door at over 90 degree angle
- Locking stainless steel T-handle latches
- Replaceable gasket sealing system
- Bottom drawers come with adjustable dividers and 100 lb rated 12" slides
- Mounting legs and hardware included



Diamond Tread



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width (A)	Wt. (lb)	Cat.
1705641	1	2	21	13.5/11.5	72	58	530 (Y)
1705651	1	2	21	13.5/11.5	88	91	530 (Y)

Depth indicates bottom/top O.D.

Black Diamond Tread



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width (A)	Wt. (lb)	Cat.
1725641	1	2	21	13.5/11.5	72	58	530 (Y)
1725651	1	2	21	13.5/11.5	88	91	530 (Y)

Depth indicates bottom/top O.D.

FREIGHT NOT
INCLUDED IN
PRICE OF UNIT.
FREIGHT WILL
BE BILLED UPON
PURCHASE.