


Integrated Rear Frame Column Lift

VOCS Series 1650 / 2200 lbs









DHOLLANDIA



APPLICATION

The VOCS Series integrates a liftgate and the rear frame of the vehicle body into one single structure, and **saves up to 220 lbs. of payload on light duty commercial trucks.**

This solution is independent of any chassis constraints (overhang, springs,...). The VOCS is extremely reliable and easy to use without specialized driver training. It is available with numerous value-adding options such as: automatic safety rails, cart stops in the platform or built into the ramp for increase load space, and above floor travel.

-  **Light-weight full aluminum construction**
-  **Replaces original rear frame & roll-up door**
-  **Platform depths ranging from 47" - 63"**
-  **Flat platform with fixed leading edge**
-  **Saves up to 220 lbs. of payload**
-  **Gas cylinder assisted flip-up door**



DHOLLANDIA

www.dhollandia.com

STANDARD FEATURES

- Weight saving all aluminum construction
- Integrated flip-up door kit (gas cylinder assisted)
- Full length ground and power cables
- 250 amp inline mega fuse circuit protection
- Toggle switch control
- Power pack pre-mounted in cylinder beam
- Fully replaces original rear frame and roll-up door

MAIN OPTIONS

- Dual spring loaded cart stops (in platform or ramp)
- Cab shutoff switch and harness
- Safety railings
- Single or dual folding retention ramps
- Above floor travel
- Cycle counter for hydraulic power pack
- 2-button handheld remote control
- Platform lights IN the platform tubes



Model	Capacity lbs	Platform Length	Platform Width	Material	Est. Weight
VOCS-16	1650	53" + 10" Fixed	Body Specific	Full Aluminum	440 lbs.
VOCS-22	2200	51" + 12" Fixed	Body Specific	Full Aluminum	440 lbs.

Max Body Width = 100"

Consult DHOLLANDIA for Critical Body Dimensions

DHOLLANDIA US Inc. • 270 Southridge Parkway, Bessemer City, NC 28016 • sales.USA@dhollandia.com

Toll free (855) 856-8225 • Tel: (909) 251-7979 • Fax: (909) 357-1554



DHOLLANDIA

www.dhollandia.com